

第1章

- AAFC (2016a) Market Overview - South Korea 2016, August 2016. Agriculture and Agri-Food Canada, Ottawa. Available at: <http://www.agr.gc.ca/resources/prod/Internet-Internet/MISB-DGSIM/ATS-SEA/PDF/6777-eng.pdf> (accessed July 2017).
- AAFC (2016b) Statistical overview of the Canadian greenhouse vegetable industry, 2015. Agriculture and Agri-Food Canada, Ottawa. Available at: <http://www.agr.gc.ca/resources/prod/doc/pdf/1468861362193x-eng.pdf> (accessed July 2017).
- ABH (2016) *Anuario Brasileiro de Hortalicas*. Editora Gazeta, Santa Cruz do Sol, Brazil.
- ABS (2016) *Agricultural Commodities, Australia, 2015-16*. Australian Bureau of Statistics, Canberra. Available at: <http://www.abs.gov.au> (accessed January 2018).
- AGREST (2016) Infos rapides - Legumes - Tomate - mai 2016 - n° 2/6 Ministere de l'agriculture de l'agroalimentaire et de la foret. Available at: <http://agreste.agriculture.gouv.fr/IMG/pdf/conjinfoleg201605toma.pdf> (accessed July 2017).
- AgriportA7 (2017) Agriport A7, perfect for large scale greenhouse development. Available at: <http://www.ofdutchorigin.com/invest/businessareas/agriport-a7> (accessed 13 March 2017).
- Agrotypos (2016) General Secretary of World Processing Tomato Council (WPTC) in an exclusive interview at Agrotypos. April 2016. Available at: <https://agrotypos.com/2016/04/25/general-secretary-of-world-processing-tomato-council-wptc-in-an-exclusiveinterview-at-agrotypos/> (accessed January 2018).
- Aksoy, A. and Kaymak, H. (2016) Outlook on Turkish tomato sector. *Journal of Institute of Science and Technology* 6, 121-129.
- Almeria Verde (2016) Resumen de campana 2015/2016. Available at: <http://www.coexphal.es/wp-content/uploads/2016/08/AV-144-web.pdf> (accessed July 2017).
- AMITOM (2015) (online country-by-country reports). Mediterranean International Association of the Processing Tomato. Available at: <http://www.amitom.com/> (accessed July 2017).
- AMITOM (2016) (online country-by-country reports). Mediterranean International Association of the Processing Tomato <http://www.amitom.com/> (accessed July 2017).
- Amon, R., Maulhardt, M., Wong, T., Kazama, D. and Simmons, C.W. (2015) Waste heat and water recovery opportunities in California tomato paste processing. *Applied Thermal Engineering* 78, 525-532.
- ANICAV (2016) Presentation. Associazione Nazionale Industriali Conserve Alimentari Vegetali (National Association of Canned-Vegetable Industries), Naples, Italy.

Available at: <http://www.anicav.it/getfile/19800> (accessed 17 May 2018).

- Arah, I.K., Kumah, E.K., Anku, E.K. and Amaglo, H. (2015) An overview of post-harvest losses in tomato production in Africa: causes and possible prevention strategies. *Journal of Biology, Agriculture and Healthcare* 5(16), 78-88.
- Asci, S., VanSickle J. and Cantliffe D. (2014) Risk in investment decision making and greenhouse tomato production expansion in Florida. *International Food and Agribusiness Management Review* 17, 1-26.
- Asci, S., Seale, J.L., Onel, G. and Van Sickle, J.J. (2016) U.S. and Mexican Tomatoes: Perceptions and Implications of the Renegotiated Suspension Agreement. *Journal of Agricultural and Resource Economics.* 41, 138-160
- Baldina S., Picarella M., Troise A., Pucci A., Ruggieri V. et al. (2016) Metabolite profiling of Italian tomato landraces with different fruit types. *Frontiers in Plant Science* 7, 664.
- Baptista, F.J., Briassoulis, D., Stanghellini, C., Silva, L.L., Balafoutis, A.T., Meyer-Aurich, A. and Mistriotis, A. (2014) Energy efficiency in tomato greenhouse production. A preliminary study. *Acta Horticulturae.* 1037, 179-185.
- Barrett, D. (2015) Future innovations in tomato processing. *Acta Horticulturae* 1081, 49-56.
- Battistel, P. (2011) Come produrre 200 kg/m². Speciale Pomodoro da mensa. *Terra e Vita* 31, 38-36.
- Bellec-Gauche, A., Chiffolleau, Y. and Maffezzoli, C. (2015) *Glamur Project Multidimensional Comparison of Local and Global Fresh Tomato Supply Chains.* INRA, Montpellier, France.
- Branthome, F. (2010) *Trends in Tomato Products Consumption Compared to Total Tomato Consumption.* World Processing Tomato Council (WPTC), Avignon, France.
- BritishTomatoes (2017) *Variety Choice.* British Tomato Growers Association. Available at: <http://www.britishtomatoes.co.uk/tomato-facts/variety-choice/> (accessed January 2018).
- Brodt, S., Kramer, K., Kendall, A. and Feenstra, G. (2013) Comparing environmental impacts of regional and national-scale food supply chains: a case study of processed tomatoes. *Food Policy* 42, 106-114.
- Campanelli, G., Acciarri, N., Campion, B., Delvecchio, S., Leteo, F. et al. (2015) Participatory tomato breeding for organic conditions in Italy. *Euphytica* 204, 1-19.

- Caputo, L., Silva, F., Mauricio, A. and Caputo, B. (2015) Processamento do extrato de tomate: quantidade de agua utilizada em planta industrial. *Acta Ambiental Catarinense* 12 (1/2).
- Costa, J.M. and Heuvelink, E. (2000) *Greenhouse Horticulture in Almeria – Spain, Report on a Study Tour 24–29 January 2000*. HPC Group, Wageningen University, The Netherlands.
- Costa, J.M., Heuvelink, E. and Botden, N. (eds) (2004) *Greenhouse Horticulture in China –Present Situation and Future Prospects – Report on a Study Tour Oct–Nov. 2003*. Wageningen University, The Netherlands.
- DAFF (2012) A profile of the South African tomato market value chain 2011. Department of Agriculture, Forestry and Fisheries, Pretoria, South Africa. Available at: <http://www.nda.agric.za/docs/AMCP/TOMATOMVC2012.pdf> (accessed July 2017).
- DAFF (2015) A profile of the South African tomato market value chain 2014. Department of Agriculture, Forestry and Fisheries, Pretoria, South Africa.
- Dall’Olio, M. (2016) Focus pomodoro da industria e da mensa: produzioni, import, export,consumi, prezzi. Available at: <http://www.italiafruit.net/DettaglioNews/33775/la-categoria-del-mese/focus-pomodoro-da-industria-e-da-mensa-produzioniimport-export-consumi-prezzi> (accessed July 2017).
- De Blasier, R. (2016) Tomato production in Belgium. Available at: http://www.agripressworld.com/_STUDIOEMMA_UPLOADS/downloads/Trends_in_tomato_production_Belgium_-_Raf_De_Blaiser_LAVA.pdf (accessed July 2017).
- Del Castillo, F., Moreno-Perez, E., Morales-Maza, A., Pena-Lomeli, A. and Colinas-Leon, M. (2012) Population density and substrate volume on tomato seedlings (*Lycopersicum lopersicon* Mill.). *Agrociencia* 46, 255–266.
- DEPF (2014) *Performances and Competitiveness of the Moroccan Agri-food Sector Exports.July 2014*. Directorate of Financial Studies and Forecasts, Kingdom of Morocco, Rabat. Available at: <https://www.finances.gov.ma/Docs/2014/DEPF/EN-Note%20 Performance.pdf> (accessed January 2018).
- Dias, G.M., Nathan, W.A., Khosla, S., Van Acker, R., Young, S.B., Whitney, S. and Hendricks, P. (2017) Life cycle perspectives on the sustainability of Ontario greenhouse tomato production: benchmarking and improvement opportunities. *Journal*

of Cleaner Production 140, 831–839. © CAB International - for Japan Uni Agency

Engindeniz, D.Y. and Ucar, K. (2016) Economic aspects of greenhouse tomato production in Turkey. Conference paper: *Radovi Poljoprivrednog Fakulteta Univerziteta u Sarajevu* (Works of the Faculty of Agriculture University of Sarajevo) 2016: 61(66), 377–381. 26th International Scientific-Expert Conference of Agriculture and Food Industry, Sarajevo, Bosnia and Herzegovina, 27–30 September 2015. Published by Univerzitet u Sarajevu, Poljoprivredni Fakultet, Sarajevo.

European Commission (2012) *Monitoring Agri-trade Policy: The EU and Major World Players in Fruit and Vegetable Trade*. DG Agriculture and Rural Development, Brussels. Available at: http://ec.europa.eu/agriculture/publi/map/02_12_en.pdf (accessed January 2018).

European Commission (2016) Fresh vegetables and strawberries by area. Available at: http://ec.europa.eu/agriculture/dashboards/tomato-dashboard_en.pdf (accessed January 2018).

Eurofresh Distribution (2016a) Around the world: tomatoes. *News* September 2016. Available at: <http://www.eurofresh-distribution.com/news/around-world-tomatoes> (accessed July 2017).

Eurofresh Distribution (2016b) Consumer satisfaction key to increasing tomato consumption. *News* 5 May 2016. Available at: <http://www.eurofresh-distribution.com/news/consumer-satisfaction-key-increasing-tomato-consumption> (accessed July 2017).

Eurostat (2016) Fresh vegetables and strawberries by area. Available at: <http://ec.europa.eu/eurostat/web/products-datasets/-/tag00115> (accessed January 2018).

EurostatNews (2016) Production of fruit and vegetables. Apples and tomatoes were the top fruit and vegetable produced in the EU in 2015 Spain, Italy and Poland: main producers. Available at:

<http://ec.europa.eu/eurostat/documents/2995521/7517627/5-22062016-AP-EN.pdf/8247b23e-f7fd-4094-81ec-df1b87f2f0bb> (accessed May 2018).

FAO (2014) Russia's restrictions on imports of agricultural and food products: an initial assessment. Available at: <http://www.fao.org/3/a-i4055e.pdf> (accessed January 2018).

FAOSTAT (2016) Food and agriculture data. Available at: <http://www.fao.org/faostat/en/#home> (accessed January 2018).

FEPEX (2016) Producción y superficie de frutas y hortalizas. Available at: <http://www.fepex.es/datos-del-sector/produccion-frutas-hortalizas> (accessed May 2018).

- Flandres Investment Trade (2014) Greenhouse farming in Russia 2014. Available at: https://www.flandersinvestmentandtrade.com/export/sites/trade/files/news/824140908101820/824140908101820_1.pdf (accessed July 2017).
- Flores, D. (2015) Mexico Tomato Annual. Available at: https://gain.fas.usda.gov/Recent%20GAIN%20Publications/Tomato%20Annual_Mexico%20City_Mexico_6-8-2015.pdf (accessed January 2018).
- FreshFacts (2016) *New Zealand Horticulture 2015*. New Zealand Institute for Plant & Food Research. Available at: <http://www.freshfacts.co.nz/files/freshfacts-2015.pdf> (accessed January 2018).
- Freshfel (2015) Activity Report 2015. European Fresh Produce Association. Available at: http://www.freshfel.org/docs/2015/Freshfel_Activity_Report_2015_-_resized.pdf (accessed July 2017).
- Frez-Munoz, L., Steenbekkers, B. and Fogliano, V. (2016) The choice of canned whole peeled tomatoes is driven by different key quality attributes perceived by consumers having different familiarity with the product. *Journal of Food Science* 81, S2988–S2996.
- Galmes, J., Conesa, M., Ochogavia, J., Perdomo, J., Francis, D. *et al.* (2011) Physiological and morphological adaptations in relation to water use efficiency in Mediterranean accessions of *Solanum lycopersicum*. *Plant, Cell & Environment* 34, 245–260.
- GPP (2013) *Tomate para industria*. Ficha de internacionalizacao, Fev. 2013. Gabinete de Planeamento, Politicas e Administracao Geral, Portugal.
- HIN (2016) Tomato topics. *Horticulture Innovation in Australia* 25(3).
- INE (2016) *Estatisticas Agricolas 2015*. Instituto Nacional de Estatistica, Lisbon, Portugal.
- Kang, S., Hao, X., Du, T., Tong, L., Su, X. *et al.* (2017) Improving agricultural water productivity to ensure food security in China under changing environment: from research to practice. *Agricultural Water Management* 179, 5–17.
- Karakaya, A. and Ozilgen, M. (2011) Energy utilization and carbon dioxide emission in the fresh, paste, whole-peeled, diced, and juiced tomato production processes. *Energy* 36, 5101–5110.
- Kouwenhoven, G. and Nalla, V. (2016) Building a competitive and sustainable horticulture business model for “tHuismerk”. *International Journal on Food System Dynamics* 7, 115–130.
- Lovarelli, D., Bacenetti, J. and Fiala, M. (2016) Water foot print of crop productions: a review. *Science of the Total Environment* 548–549, 236–251.

- MAGRAMA (2015) Anuario de Estadistica, Madrid, Espana. Available at: <http://www.mapama.gob.es/es/estadistica/temas/publicaciones/anuario-de-estadistica/> (accessed January 2018).
- Mahlein, A. (2016) Plant disease detection by imaging sensors – parallels and specific demands for precision agriculture and plant phenotyping. *Plant Disease* 2,241–251.
- Martinez, A.L., Urena, L.J.B., Molina-Aiz, F.D. and Martinez, A.L. (2016) *Greenhouse Agriculture in Almeria. A Comprehensive Techno-economic Analysis*. Cajamar Caja Rural, Almeria, Spain.
- Mili, S. (2016) Value chain dynamics of agri-food exports from southern Mediterranean to the European Union: end-market perspective. *International Journal of Food System Dynamics* 7, 311–327.
- Mitchell, J., Lanini, W., Miyao, E., Brostrom, P., Herrero, E. et al. (2001) Growing processing tomatoes with less tillage in California. *Acta Horticulturae* 542, 347–351.
- Mulderij, R. (2016) Global market: Turkish exporters looking for opportunities in Europe. Available at: <http://www.freshplaza.com/article/154883/Global-Market-Turkish-exporters-looking-for-opportunities-in-Europe> (accessed July 2017).
- Nijs, B. (2014) Greenhouse cherry tomato cultivation in Egypt; what is happening? Available at: <http://www.hortidaily.com/article/6954/Greenhouse-cherry-tomatocultivation-in-Egypt;-what-is-happening> (accessed May 2018).
- Otsuka, M. (2011) Japan: fresh tomato for food service industry 2011. GAIN Report Number JA1507. Available at: http://gain.fas.usda.gov/Recent%20GAIN%20Publications/Fresh%20Tomato%20for%20Food%20Service%20Industry%202011_Tokyo%20ATO_Japan_6-29-2011.pdf (accessed July 2017). © CAB International - for J
- PHA (2016) Processing tomatoes. Available at: <http://www.planthealthaustralia.com.au/about-us/> (accessed July 2017).
- Rabobank (2016) Glasgroenteteelt, Visie, Rabobank Nederland. Available at: <https://www.rabobank.nl/bedrijven/cijfers-en-trends/tuinbouw/glasgroenteteelt> (accessed May 2018).
- Rocco, C.D. and Morabito, R. (2016) Robust optimisation approach applied to the analysis of production/logistics and crop planning in the tomato processing industry. *International Journal of Production Research* 54, 5842–5861.
- Rodriguez-Burrueto, S., Prohens, J., Rosello, S. and Nuez, F. (2016) 'Heirloom' varieties as sources of variation for the improvement of fruit quality in greenhouse-grown tomatoes. *Journal of Horticultural Science and Biotechnology* 80,453–460.

- RVO (2015a) Greece – Market Special: ‘Developments in the Greek Horticulture Sector: Greenhouses and Agro logistics’. Rijksdienst voor Ondernemend Nederland (Netherlands Enterprise Agency), The Hague, Netherlands. Available at: <https://www.rvo.nl/sites/default/files/2016/02/2015%20Special%20Market%20Greece%20-%20Greenhouse%20Sectoral%20Analysis.pdf> (accessed January 2018).
- RVO (2015b) *Sectorshets Tuinbuow province Shandong NBSO 2015* [in English]. NBSO Jinan and Rijksdienst voor Ondernemend Nederland, The Hague. Available at: <http://edepot.wur.nl/341623> (accessed January 2018).
- Sala, S., Anton, A., McLaren, S.J., Notarnicola, B., Saouter, E. and Sonesson, U. (2017) In quest of reducing the environmental impacts of food production and consumption. *Journal of Cleaner Production* 140, 387–398.
- Santos, F., Ribeiro, A., Siqueira, W. and Melo, A. (2011) Desempenho agronomico de hibridos F1 de tomate de mesa. *Horticultura Brasileira* 29, 304–310.
- SEAPA (2016) *Tomate*. Secretaria de Estado de Agricultura de Pecuaria e Abastecimento De Minas Gerais, Subseceraria do Agronegocio, Belo Horizonte, Brazil. Available at: [http://www.agricultura.mg.gov.br/images/documentos/perfil_tomate_mai_2016\[1\].pdf](http://www.agricultura.mg.gov.br/images/documentos/perfil_tomate_mai_2016[1].pdf) (accessed July 2017).
- SIRRIMED (2014) Sustainable use of irrigation water in the Mediterranean Region – guidelines on best irrigation management practices for tomato production in the Mediterranean Area. Available at: http://www.sirrimed.org/catalogo/d_2_5_2014-mar-31.pdf (accessed January 2018).
- Solanke, A.U. and Kumar, P.A. (2013) Phenotyping of tomatoes. In: Panguluri, S.K. and Kumar, A.A. (eds) *Phenotyping for Plant Breeding. Applications of Phenotyping Methods for Crop Improvement*. Springer, New York, pp. 169–204.
- Subramanian, R. (2016) *India Processing Tomato Segment: Current Status, Trends and Opportunities for Engagement*. No. 16-806. World Vegetable Center, Taiwan.
- Testa, R., Trapani, A.M.D., Sgroi, F. and Tudisca, S. (2014) Economic sustainability of Italian greenhouse cherry tomato. *Sustainability* 6, 7967–7981.
- The 100 Tomato Genome Sequencing Consortium (2014) Exploring genetic variation in the tomato (*Solanum* section *Lycopersicon*) clade by whole-genome sequencing. *The Plant Journal* 80, 136–148. doi:10.1111/tpj.12616.
- Thornsbury, S. and Jerardo, A. (2012) *Vegetables and Pulses Outlook*. Economic Research Service , USDA, Washington, DC.
- TomatoesNZ Inc (2016) *Strategy for the Fresh Tomato Industry 2014–2020* (updated

- 2016). TomatoesNZ Inc, Wellington, New Zealand. Available at: www.tomatoesnz.co.nz/dmsdocument/109 (accessed July 2017). International - for Japan Uni Agency
- USDA (2009) Turkey: Tomatoes and products annual. Available at: http://gain.fas.usda.gov/Recent%20GAIN%20Publications/Commodity%20Report_TOMATOES%20AND%20PRODUCTS%20ANNUAL_Ankara_Turkey_6-24-2009.pdf (accessed July 2017).
- USDA (2015) Russian Federation – Vegetable Prices Keep Rising. Available at: http://gain.fas.usda.gov/Recent%20GAIN%20Publications/Vegetable%20Prices%20Keep%20Rising_St.%20Petersburg_Russian%20Federation_6-15-2015.pdf (accessed July 2017).
- USDA (2016a) Mexico Continues to Expand Greenhouse Tomato Production. Available at: https://gain.fas.usda.gov/Recent%20GAIN%20Publications/Tomato%20Annual_Mexico%20City_Mexico_6-1-2016.pdf (accessed July 2017).
- USDA(2016b) The Netherlands: Horticulture Market. Available at: https://gain.fas.usda.gov/Recent%20GAIN%20Publications/The%20Netherlands%20Horticulture%20Market_The%20Hague_Netherlands_8-3-2016.pdf (accessed July 2017).
- USDA (2016c) Russian Federation. Russia Bans Turkish Produce Starting January 1 2016. Available at: https://gain.fas.usda.gov/Recent%20GAIN%20Publications/Russia%20Bans%20Turkish%20Produce%20Starting%20January%201%202016_St.%20Petersburg_Russian%20Federation_12-22-2015.pdf (accessed July 2017).
- USDA (2016d) The Japanese Processed Vegetable Market—Changes and Opportunities. Available at: https://gain.fas.usda.gov/Recent%20GAIN%20Publications/The%20Japanese%20Processed%20Vegetable%20Market%20Changes%20and%20Opportunities_Osaka%20ATO_Japan_5-27-2016.pdf (accessed July 2017).
- USDA (2016e) Tomatoes: Fresh Tomato Industry, Processing Tomato Industry. Available at: <http://www.ers.usda.gov/topics/crops/vegetables-pulses/tomatoes> (accessed July 2017).
- Uzun, V.Y. (2016) Turkish lessons: Embargo-related risks. *Russian Economic Developments*. Moscow, 2, 66–69. Available at: <http://dx.doi.org/10.2139/ssrn.2735379> (accessed July 2017).
- Van der Velden, N. (2016) Local-for-local productie kastomaten. Mogelijkheden voor Nederlandse productiebedrijven in Noord-Europa. LEI, Wageningen University. Available at <http://edepot.wur.nl/387511> (accessed May 2018).
- Vitale, A., Rocco, M., Arena, S., Giuffrida, F., Cassaniti, C. *et al.* (2014) Tomato

- susceptibility to Fusarium crown and root rot: effect of grafting combination and proteomic analysis of tolerance expression in the rootstock. *Plant Physiology and Biochemistry* 83, 207–216.
- Wells, H.F. and Bond, J.K. (2016) *Vegetables and Pulses Outlook*. Economic Research Service, USDA, Washington, DC. Available at: <https://www.ers.usda.gov/webdocs/publications/74639/vgs-357.pdf?v=42633> (Accessed April 2018).
- Workman, D., 2018. Tomato exports by country. <http://www.worldstopexports.com/tomatoes-exports-country/>
- WPTC (2012) Tomato processing in China. World Tomato Processing Council, Avignon, France. Available at: <http://www.sud-concept.fr/wptc.to/fichiers/files/China%202012.pdf> (accessed July 2017).
- WPTC (2015) Crop update as of 3 April 2015. World Tomato Processing Council, Avignon, France. Available at: <http://wptc.to/pdf/releases/WPTC%20World%20Production%20estimate%20as%20of%203%20April%202015.pdf> (accessed May 2018). © CAB
- WPTC (2016) WPTC World Production estimate as of 30 September 2016. World Tomato Processing Council, Avignon, France. Available at: <http://wptc.to/pdf/releases/WPTC%20World%20Production%20estimate%20as%20of%2030%20September%202016.pdf> (accessed May 2018).
- Zhang, X., Qiu, H. and Huang, Z. (2010) LEI DLO report. Apple and tomato chains in China and the EU. Available at: <http://library.wur.nl/WebQuery/wurpubs/fulltext/142956> (accessed May 2018).
- ## 第 2 章
- Aflitos, S., Schijlen, E., de Jong, H., de Ridder, D., Smit, S. *et al.* (2014) Exploring genetic variation in the tomato (*Solanum section Lycopersicon*) clade by whole-genome sequencing. *The Plant Journal* 80, 136–148. doi: 10.1111/tpj.12616.
- Bleeker, P.M., Mirabella, R., Diergaard, P.J., Van Doorn, A., Tissier, A. *et al.* (2012) Improved herbivore resistance in cultivated tomato with the sesquiterpene biosynthetic pathway from a wild relative. *Proceedings of the National Academy of Sciences USA* 109, 20124–20129. doi: 10.1073/pnas.1208756109.
- Canady, M.A., Meglic, V. and Chetelat, R.T. (2005) A library of *Solanum lycopersicoides* introgression lines in cultivated tomato. *Genome* 48, 685–697. doi: 10.1139/g05-032.
- Causse, M., Buret, M., Robini, K. and Verschave, P. (2003) Inheritance of nutritional and sensory quality traits in fresh market tomato and relation to consumer preferences. *Journal of Food Science* 68, 2342–2350. doi: 10.1111/j.1365-2621.2003.

tb05770.x.

- Chambonnet, D. (2012) *In situ* induction of haploid gynogenesis in tomato. Report of the Tomato Genetics Cooperative, University of Florida. *TGR Report* 62, 5–22.
- Chen, K.Y. and Tanksley, S.D. (2004) High-resolution mapping and functional analysis of se2.1. *Genetics* 168, 1563–1573. doi: 10.1534/genetics.103.022558.
- Comai, L., Young, K., Till, B.J., Reynolds, S.H., Greene, E.A. et al. (2004) Efficient discovery of DNA polymorphisms in natural populations by ecotilling. *The Plant Journal* 37, 778–786. doi: 10.1111/j.0960-7412.2003.01999.x.
- Cuartero, J., Bolarin, M.C., Asins, M.J. and Moreno, V. (2006) Increasing salt tolerance in the tomato. *Journal of Experimental Botany* 75, 1045–1058. doi: 10.1093/jxb/erj102.
- Easlon, H.M. and Richards, J.H. (2009) Drought response in self-compatible species of tomato (Solanaceae). *American Journal of Botany* 96(3), 605–611. doi: 10.3732/ajb.0800189.
- Eshed, Y. and Zamir, D. (1994) A genomic library of *Lycopersicon pennellii* in *L. esculentum*: a tool for fine mapping of genes. *Euphytica* 79, 175–179. doi: 10.1007/BF00022516.
- Evans, D.A. and Morrison, R.A. (1989) Tomato anther culture. United States Patent US 4835339. *Biotechnology Advances* 7, 610.
- Ezin, V., De La Pena, R. and Ahanchede, A. (2010) Flooding tolerance of tomato genotypes during vegetative and reproductive stages. *Brazilian Journal of Plant Physiology* 22(1), 131–142. doi: 10.1590/S1677-04202010000200007.
- Finkers, R., Van Heusden, A.W., Meijer-Dekens, F., Van Kan, J.A., Maris, P. and Lindhout, P. (2007) The construction of a *Solanum habrochaites* LYC4 introgression line population and the identification of QTLs for resistance to *Botrytis cinerea*. *Theoretical and Applied Genetics* 114, 1071–1080. doi: 10.1007/s00122-006-0500-2.
- Firdaus, S., Van Heusden, A.W., Hidayati, N., Supena, E.D.J., Visser, R.G.F. and Vosman, B. (2012) Resistance to *Bemisia tabaci* in tomato wild relatives. *Euphytica* 187, 31–45. doi: 10.1007/s10681-012-0704-2.
- Firdaus, S., Van Heusden, A.W., Mumm, R., Hidayati, N., Darmo Jaya Supena, E., Visser, R. and Vosman, B. (2013) Identification and QTL mapping of whitefly resistance components in *S. galapagense*. *Theoretical and Applied Genetics* 126, 1487–1501. doi: 10.1007/s00122-013-2067-z.
- Francis, D.M., Kabelka, E., Bell, J., Franchino, B. and St Clair, D. (2001) Resistance to bacterial canker in tomato (*Lycopersicon hirsutum* LA407) and its progeny derived

- from crosses to *L. esculentum*. *Plant Disease* 85, 1171–1176. doi: 10.1094/PDIS.2001.85.11.1171.
- Fridman, E., Carrari, F., Liu, Y.-S., Fernie, A.R. and Zamir, D. (2004) Zooming in on a quantitative trait for tomato yield using interspecific introgressions. *Science* 305, 1786–1789. doi: 10.1126/science.1101666.
- Giovannoni, J., Yen, H., Shelton, B., Miller, S., Vrebalov, J. et al. (1999) Genetic mapping of ripening and ethylene-related loci in tomato. *Theoretical and Applied Genetics* 98, 1005–1013. doi: 10.1007/s001220051161.
- Goodstal, F.J., Kohler, G.R., Randall, L.B., Bloom, A.J. and St Clair, D.A. (2005) A major QTL introgressed from wild *Lycopersicon hirsutum* confers chilling tolerance to cultivated tomato (*Lycopersicon esculentum*). *Theoretical and Applied Genetics* 110, 5,898–905. doi: 10.1007/s00122-005-0015-2.
- Gorguet, B., van Heusden, A.W. and Lindhout, P. (2005) Parthenocarpic fruit development in tomato. *Plant Biology* 7, 131–139. doi: 10.1055/s-2005-837494.
- Gorguet, B., Eggink, P.M., Ocana, J., Tiwari, A., Schipper, D. et al. (2008) Mapping and characterization of novel parthenocarpy QTLs in tomato. *Theoretical and Applied Genetics* 116, 755–767. doi: <https://doi.org/10.1007/s00122-007-0708-9>.
- Gorguet, B., Schipper, D., Van Lammeren, A., Visser, R.G.F. and Van Heusden, A.W. (2009) *ps-2*, the gene responsible for functional sterility in tomato, due to non-dehiscent anthers, is the result of a mutation in a novel polygalacturonase gene. *Theoretical and Applied Genetics* 118, 1199–1209. doi:10.1007/s00122-009-0974-9.
- Grilli, G.V.G., Braz, L.T. and Lemos, E.G.M. (2007) QTL identification for tolerance to fruit set in tomato by AFLP markers. *Crop Breeding and Applied Biotechnology* 7, 234–241. Available at: <https://www.cabdirect.org/cabdirect/FullTextPDF/2008/20083122814.pdf>
- Haanstra, J.P.W., Meijer-Dekens, F., Lauge, R., Seetanah, D.C., Joosten, M.H.A.J., De Wit, P.J.G.M. and Lindhout, P. (2000) Mapping strategy for resistance genes against *Cladosporium fulvum* on the short arm of Chromosome 1 of tomato: *Cf-ECP5* near the *Hcr9* Milky Way cluster. *Theoretical and Applied Genetics* 101, 661–668. doi:10.1007/s001220051528.
- ISAAA (2016) Global Status of Commercialized Biotech/GM Crops: 2016. ISAAA Brief No. 52. ISAAA, Ithaca, New York. Available at: <https://www.isaaa.org/resources/publications/briefs/52/download/isaaa-brief-52-2016.pdf> (accessed 17 January 2018).
- Ji, Y.F., Pertuze, R. and Chetelat, R.T. (2004) Genome differentiation by GISH in interspecific and intergeneric hybrids of tomato and related nightshades.

Chromosome Research 12, 107–116. doi:

<https://doi.org/10.1023/B:CHRO.0000013162.33200.61>.

- Kalloo, G. and Banerjee, M.K. (1990) Transfer of tomato leaf curl virus resistance from *S. habrochaites* to *S. lycopersicum*. *Plant Breeding* 105, 156–159. doi:10.1094/PDIS-91-7-0879.
- Kazmi, R.H., Khan, N., Willems, L.A.J., Van Heusden, A.W., Ligterink, W. and Hilhorst,
- H.W.M. (2012) Complex genetics controls natural variation among seed quality phenotypes in a recombinant inbred population of an interspecific cross between *Solanum lycopersicum* × *Solanum pimpinellifolium*. *Plant, Cell & Environment* 35, 929–951.
- Kemp, G.A. (1965) Inheritance of fruit set at low temperature in tomato. *Proceedings of the American Society for Horticultural Science* 86, 565–568.
- Lecomte, L., Saliba-Colombani, V., Gautier, A., Gomez-Jimenez, M.C., Duffe, P., Buret, M. and Causse, M. (2004) Fine mapping of QTLs of chromosome 2 affecting the fruit architecture and composition of tomato. *Molecular Breeding* 13, 1–14.
- Lindhout, P. (2002) The perspectives of polygenic resistance in breeding for durable disease resistance. *Euphytica* 124, 217–226.
- Lindhout, P., Korta, W., Cislik, M., Vos, I. and Gerlach, T. (1989) Further identification of races of *Cladosporium fulvum* (*Fulvia fulva*) on tomato originating from the Netherlands, France and Poland. *Netherlands Journal of Plant Pathology* 95, 143–148.
- Liu, Y.S., Gur, A., Ronen, G., Causse, M., Damidaux, R. et al. (2003) There is more to tomato fruit colour than candidate carotenoid genes. *Plant Biotechnology Journal* 1, 195–207.
- Maliepaard, C.A., Bas, N., Vrielink, M., Van Heusden, A.W., Verkerk, R. et al. (1995) Mapping of quantitative trait loci affecting greenhouse whitefly resistance in an interspecific tomato cross. *Heredity* 75, 425–433.
- Mathieu, S., Cin, V.D., Fei, Z., Li, H., Bliss, P. et al. (2009) Flavour compounds in tomato fruits: identification of loci and potential pathways affecting volatile composition. *Journal of Experimental Botany* 60, 325–337.
- Miller, J.C. and Tanksley, S.D. (1990) RFLP analysis of phylogenetic relationships and genetic variation in the genus *Lycopersicon*. *Theoretical and Applied Genetics* 80, 437–448.
- Monforte, A.J. and Tanksley, S.D. (2000) Development of a set of near isogenic and backcross lines containing most of the *Lycopersicon hirsutum* genome in a *L.*

- esculentum* genetic background: a tool for gene mapping and discovery. *Genome* 43, 803–813.
- Murray, A.J., Bird C.R., Schuch, W.W. Hobson, G.E. (1995) Evaluation of transgenic tomato fruit with reduced polygalacturonase activity in combination with the rin mutation. *Postharvest Biology and Technology* 6 91–101.
- Paupiere, M.J., van Heusden, A.W. and Bovy, A.G. (2014) The metabolic basis of pollen thermo-tolerance: perspectives for breeding. *Metabolites* 4, 889–920.
- Pedley, K.F. and Martin, G.B. (2003) Molecular basis of *Pto*-mediated resistance to bacterial speck disease in tomato. *Annual Review of Phytopathology* 41, 215–243.
- Peleman, J.D. and Rouppe van der Voort, J. (2003) Breeding by design. *Trends in Plant Science* 8, 330–334.
- Petrova, M., Vulkova, Z., Gorinova, N., Izhar, S., Firon, N. et al. (1998) Characterisation of a cytoplasmic male-sterile hybrid line between *Lycopersicon peruvianum* Mill. x *Lycopersicon pennellii* Corr. and its crosses with cultivated tomato. *Theoretical and Applied Genetics* 98, 825–830.
- Rick, C.M. (1991) Tomato Genetics Stock Center. *Diversity* 7, 54–56.
- Robbins, M.D., Sim, S.C., Yang, W.C., Van Deynze, A., Van der Knaap, E., Joobeur, T. and Francis, D.M. (2010) Mapping and linkage disequilibrium analysis with a genomewide collection of SNPs that detect polymorphism in cultivated tomato. *Journal of Experimental Botany* 62, 1831–1845.
- Rodriguez, A.E., Tingey, W.M. and Mutschler, M.A. (1993) Acylsugars of *Lycopersicon pennellii* deter settling and feeding of the green peach aphid (*Homoptera, Aphididae*). *Journal of Economic Entomology* 86, 34–39.
- Sen, Y., Feng, Z., Van den Broucke, H., Van der Wolf, J., Richard, G.F., Visser, R.G.F. and Van Heusden, A.W. (2013) Screening for new sources of resistance to *Clavibacter michiganensis* subsp. *michiganensis* (*Cmm*) in tomato. *Euphytica* 190, 309–317. doi: 10.1007/s10681-012-0802-1.
- Sim, S.-C., Durstewitz, G., Plieske, J., Wieseke, R., Ganal, M.W. et al. (2012a) Development of a large SNP genotyping array and generation of high-density genetic maps in tomato. *PLoS ONE* 7(7), e40563. doi:10.1371/journal.pone.0040563.
- Sim, S.-C., Van Deynze, A., Stoffel, K., Douches, D.S., Zarka, D. et al. (2012b) Highdensity SNP genotyping of tomato (*Solanum lycopersicum* L.) reveals patterns of genetic variation due to breeding. *PLoS ONE* 7(9), e45520. doi:10.1371/journal.pone.0045520.
- Stevens, M.A. and Rick, C.M. (1986) Genetics and breeding. In: Atherton, J.G. and Rudich, J. (eds) *The Tomato Crop. A Scientific Basis for Improvement*. Chapman and

- Hall, London and New York, pp. 36–109.
- Szinay, D., Chang, S.-B., Khrustaleva, L., Peters, S., Schijlen, E. *et al.* (2008) Highresolution chromosome mapping of BACs using multi-colour FISH and pooled-BAC FISH as a backbone for sequencing tomato chromosome 6. *The Plant Journal* 56, 627–637.
- Tang, J., Vosman, B., Voorrips, R.E., Van der Linden, C.G. and Leunissen, J.A. (2006) QualitySNP: a pipeline for detecting single nucleotide polymorphisms and insertions/deletions in EST data from diploid and polyploid species. *BMC Bioinformatics* 7, 438. doi: 10.1186/1471-2105-7-438 438.
- Tanksley, S.D. and Mutschler, M.A. (1990) Linkage map of the tomato (*Lycopersicon esculentum*) (2n=24). In: Obrien, S.J. (ed.) *Genetic Maps* (5th Edn). Cold Spring Harbor Laboratory Press, New York, pp. 6.3–6.15.
- Tanksley, S.D., Ganal, M.W., Prince, J.P., De Vicente, M.C., Bonierbale, M.W. *et al.* (1992) High density molecular linkage maps of the tomato and potato genomes. *Genetics* 1324, 1141–1160.
- Thakur, B.R., Singh, R.K. and Nelson, P.E. (1996) Quality attributes of processed tomato products: a review. *Food Reviews International* 12, 375–401.
- Tikunov, Y. M., Molthoff, J., de Vos Ric, C.H., Beekwilder, J., van Houwelingen, A. *et al.* (2013) NON-SMOKY GLYCOSYLTRANSFERASE prevents the release of smoky aroma from tomato fruit. *The Plant Cell* 25(8), 3067–3078. doi: 10.1105/tpc.113.114231.
- Tomato Genome Consortium (2012) The tomato genome sequence provides insights into fleshy fruit evolution. *Nature* 485, 635–641. doi:10.1038/nature11119.
- Van Berloo, R. and Lindhout, P. (2001) Mapping disease resistance genes in tomato. In: Zhu, D., Hawtin, G. and Wang, Y. (eds) *International Symposium on the Biotechnology Application in Horticultural Crops*. China Agricultural Scientech Press, Beijing, P.R. China 12, pp. 343–356.
- Van Berloo, R., Zhu, A., Ursem, R., Verbakel, H., Gort, G. and Van Eeuwijk, F.A. (2008) Diversity and linkage disequilibrium analysis within a selected set of Cultivated tomatoes. *Theoretical and Applied Genetics* 117, 89–101. doi: 10.1007/s00122-008-0755-x.
- Van Heusden, A.W., Koornneef, M., Voorrips, R.E., Bruggeman, W., Pet, G. *et al.* (1999) Three QTLs from *Lycopersicum peruvianum* confer a high level of resistance to *Clavibacter michiganensis* ssp. *michiganensis*. *Theoretical and Applied Genetics* 99, 1068–1074. doi: 10.1007/s001220051416.

- Van Tuinen, A., Cordonnier-Pratt, M.M., Pratt, L.H., Verkerk, R., Koornneef, M. and Zabel, P. (1997) The mapping of phytochrome genes and photomorphogenic Mutants of tomato. *Theoretical and Applied Genetics* 94, 115–122. Available at: <https://link.springer.com/content/pdf/10.1007%2Fs001220050389.pdf> (accessed 9th May 2018).
- Venema, J.H., Villerius, L. and Van Hasselt, P.R. (2000) Effect of acclimation to suboptimal temperature on chilling-induced photodamage: comparison between a domestic and a high-altitude wild *Lycopersicon* species. *Plant Science* 152, 153–163.
- Verlaan, M.G., Szinay, D., Hutton, S.F., De Jong, H., Kormelink, R. et al. (2011) Chromosomal rearrangements between tomato and *Solanum chilense* hamper mapping and breeding of the TYLCV resistance gene *Ty-1*. *The Plant Journal* 68, 1093–1103. doi: 10.1111/j.1365-313X.2011.04762.x.
- Viquez-Zamora, M., Vosman, B., van de Geest, H., Bovy, A., Visser, R.G., Finkers, R. and van Heusden, A.W. (2013) Tomato breeding in the era of sequencing: Applications of a custom made infinium array in tomato. *BMC Genomics* 14, 354. doi:10.1186/1471-2164-14-354.
- Wu, F., Eannetta, N.T., Xu, Y., Durrett, R., Mazourek, M., Jahn, M.M. and Tanksley, S.D. (2009) A COSII genetic map of the pepper genome provides a detailed picture of synteny with tomato and new insights into recent chromosome evolution in the genus *Capsicum*. *Theoretical and Applied Genetics* 118, 1279–1293. doi:10.1007/s00122-009-0980-y.
- Yates, H.E., Frary, A., Doganlar, S., Frampton, A., Eannetta, N.T., Uhlig, J. and Tanksley, S.D. (2004) Comparative fine mapping of fruit quality QTLs on chromosome 4 introgressions derived from two wild tomato species. *Euphytica* 135, 283–296. doi: 10.1023/B:EUPH.0000013314.04488.87.
- Zagorska, N.A., Shtereva, A., Dimitrov, B.D. and Kruleva, M.M. (1998) Induced androgenesis in tomato (*Lycopersicon esculentum* Mill.) I. Influence of genotype on androgenetic ability. *Plant Cell Reports* 17, 968–973. Available at: <https://link.springer.com/content/pdf/10.1007/s002990050519.pdf>

第3章

- AOSA (2009) *Seed Vigor Testing Handbook*. Association of Official Seed Analysts, Washington, DC.
- Arrizumi, T., Shinozaki, Y. and Ezura, H. (2013) Genes that influence yield in tomato. *Breeding Science* 63, 3–13.
- Atherton, J.G. and Rudich, J. (eds) (1986) *The Tomato Crop: A Scientific Basis for*

- Improvement*. Chapman and Hall, London.
- Azzi, L., Deluche, C., Gevaudant, F., Frangne, N., Delmas, F., Hernould, M. and Chevalier, C. (2015) Fruit growth-related genes in tomato. *Journal of Experimental Botany* 66, 1075–1086.
- Bemer, M., Karlova, R., Ballester, A.R., Tikunov, Y.M., Bovy, A.G. et al. (2012) The Tomato FRUITFULL homologs TDR4/FUL1 and MBP7/FUL2 regulate ethylene-independent aspects of fruit ripening. *The Plant Cell* 24, 4437–4451.
- Bertin, N. (1995) Competition for assimilates and fruit position affect fruit set in indeterminate greenhouse tomato. *Annals of Botany* 75, 55–65.
- Bewley, J.D., Bradford, K.J., Hilhorst, H.W.M. and Nonogaki, H. (2013) *Seeds: Physiology of Development, Germination and Dormancy* (3rd edn). Springer, New York.
- Bierhuizen, J.F. and Wagenvoort, W.A. (1974) Some aspects of seed germination in vegetables. 1. The determination and application of heat sums and minimum temperature for germination. *Scientia Horticulturae* 2, 213–219.
- Bours, R. (2014) Antiphase light and temperature cycles disrupt rhythmic plant growth: the *Arabidopsis* jetlag. PhD thesis, Wageningen University, Wageningen, The Netherlands.
- Cao, K., Cui, L., Ye, L., Zhou, X., Bao, E., Zhao, H. and Zou, Z. (2016) Effects of red light night break treatment on growth and flowering of tomato plants. *Frontiers in Plant Science* 7, 527.
- Czerednik, A. (2012) Effect of changes in cell cycle gene expression on tomato fruit development. PhD thesis, Radboud University, Nijmegen, The Netherlands.
- Dambreville, A., Lauri, P.E., Normand, F. and Guedon, Y. (2015) Analysing growth and development of plants jointly using developmental growth stages. *Annals of Botany* 115, 93–105.
- De Jong, M., Mariani, C. and Vriezen, W.H. (2009) The role of auxin and gibberellin in tomato fruit set. *Journal of Experimental Botany* 60, 1523–1532.
- De Koning, A.N.M. (1994) Development and dry matter distribution in glasshouse tomato: a quantitative approach. PhD thesis, Wageningen Agricultural University, Wageningen, The Netherlands.
- Demir, I. and Samit, Y. (2001) Quality of tomato seeds as affected by fruit maturity at harvest and seed extraction method. *Gartenbauwissenschaft* 66, 199–202.
- Dias, D.C.F.S., Ribeiro, F.P., Dias, L.A.S., Silva, D.J.H. and Vidigal, D.S. (2006) Tomato

- seed quality harvested from different trusses. *Seed Science and Technology* 34, 681–689.
- Dieleman, J.A. and Heuvelink, E. (1992) Factors affecting the number of leaves preceding the first inflorescence in the tomato. *Journal of Horticultural Science* 67, 1–10.
- Eckstein, A., Jagiełło-Flasinska, D., Lewandowska, A., Hermanowicz, P., Appenroth, K.J. and Gabrys, H. (2016) Mobilization of storage materials during light-induced germination of tomato (*Solanum lycopersicum*) seeds. *Plant Physiology and Biochemistry* 105, 271–281.
- Fan, X.X., Xu, Z.G., Liu, X.Y., Tang, C.M., Wang, L.W. and Han, X.I. (2013) Effects of light intensity on the growth and leaf development of young tomato plants grown under a combination of red and blue light. *Scientia Horticulturae* 153, 50–55.
- Gay, A.P. and Hurd, R.G. (1975) The influence of light on stomatal density in the tomato. *New Phytologist* 75, 37–46.
- Gosselin, A. and Trudel, M.J. (1982) Influence de la température du substrat sur la croissance, le développement et le contenu en éléments minéraux de plants de tomate (cv. Vendor). *Canadian Journal of Plant Science* 62, 751–757.
- Guan, H.P. and Janes, H.W. (1991) Light regulation of sink metabolism in tomato fruit. I. Growth and sugar accumulation. *Plant Physiology* 96, 916–921.
- Heuvelink, E. and Marcelis, L.F.M. (1996) Influence of assimilate supply on leaf formation in sweet pepper and tomato. *Journal of Horticultural Science* 71, 405–414.
- Holder, R. and Cockshull, K.E. (1990) Effects of humidity on the growth and yield of glasshouse tomatoes. *Journal of Horticultural Science* 65, 31–39.
- Hurd, R.G. and Cooper, A.J. (1967) Increasing flower number in single-truss tomatoes. *Journal of Horticultural Science* 42, 181–188.
- James, E., Bass, L.N. and Clark, D.C. (1964) Longevity of vegetable seeds stored 15 to 30 years at Cheyenne, Wyoming. *American Society of Horticultural Science Proceedings* 84, 527–534.
- Karlova, R., Chapman, N., David, K., Angenent, G.C., Seymour, G.B. and de Maagd, R.A. (2014) Transcriptional control of fleshy fruit development and ripening. *Journal of Experimental Botany* 65, 4527–4541.
- Kucera, B., Cohn, M.A. and Leubner-Metzger, G. (2005) Plant hormone interactions during seed dormancy release and germination. *Seed Science Research* 15, 281–307.
- Langton, F.A. and Cockshull, K.E. (1997) Is stem extension determined by DIF or by absolute day and night temperatures? *Scientia Horticulturae* 69, 229–237.

- Matsuo, S., Kikuchi, K., Fukuda, M., Honda, I., and Imanishi, S. (2012) Roles and regulation of cytokinins in tomato fruit development. *Journal of Experimental Botany* 63, 5569–5579.
- Mounet, F., Moing, A., Kowalczyk, M., Rohrmann, J., Petit, J. et al. (2012) Downregulation of a single auxin efflux transport protein in tomato induces precocious fruit development. *Journal of Experimental Botany* 63, 4901–4917.
- Nederhoff, E.M., De Koning, A.N.M. and Rijsdijk, A.A. (1992) Leaf deformation and fruit production of glasshouse grown tomato (*Lycopersicon esculentum* Mill.) as affected by CO₂, plant density and pruning. *Journal of Horticultural Science* 67, 411–420.
- Nonogaki, H. (2006) Seed germination – the biochemical and molecular mechanisms. *Breeding Science* 56, 93–105.
- Okello, R.C.O. (2015) Multi-level analysis of the impact of temperature and light on tomato fruit growth. Dissertation, Wageningen University, Wageningen, The Netherlands.
- Okello, R.C.O., Heuvelink, E., de Visser, P.H.B., Lammers, M., de Maagd, R.A., Struik, P.C. and Marcelis, L.F.M. (2015) A multi-level analysis of fruit growth of two tomato cultivars in response to fruit temperature. *Physiologia Plantarum* 153, 403–418.
- Picken, A.J.F. (1984) A review of pollination and fruit set in the tomato (*Lycopersicon esculentum* Mill.). *Journal of Horticultural Science* 59, 1–13.
- Picken, A.J.F., Hurd, R.G. and Vince-Prue, D. (1985) *Lycopersicon esculentum*. In: Halevy A.H.(ed.) *Handbook of Flowering III*. CRC Press, Boca Raton, Florida, pp. 330–346.
- Picken, A.J.F., Stewart, K. and Klapwijk, D. (1986) Germination and vegetative development.In: Atherton, J.G. and Rudich, J. (eds) *The Tomato Crop: A Scientific Basis for Improvement*. Chapman and Hall, London, pp. 111–166.
- Prudent, M., Bertin, N., Genard, M., Munos, S., Rolland, S. et al. (2010) Genotypedeependent response to carbon availability in growing tomato fruit. *Plant, Cell and Environment* 33, 1186–1204.
- Qian, T., Dieleman, J.A., Elings, A. and Marcelis, L.F.M. (2012) Leaf photosynthetic and morphological responses to elevated CO₂ concentration and altered fruit number in the semi-closed greenhouse. *Scientia Horticulturae* 145, 1–9.
- Rendon-Poblete, E. (1980) Effect of soil water status on yield, quality and root development of several tomato genotypes. PhD dissertation, University of California,Davis, California.
- Sachs, R.M. and Hackett, W.P. (1969) Control of vegetative and reproductive

- development in seed plants. *HortScience* 4, 103–107.
- Samach, A. and Lotan, H. (2007) The transition to flowering in tomato. *Plant Biotechnology* 24, 71–82.
- Sato, S., Peet, M.M. and Thomas, J.F. (2000) Physiological factors limit fruit set of tomato (*Lycopersicon esculentum* Mill.) under chronic, mild heat stress. *Plant, Cell & Environment* 23, 719–726.
- Sato, S., Kamiyama, M., Iwata, T., Makita, N., Furukawa, H. and Ikeda, H. (2006) Moderate increase of mean daily temperature adversely affects fruit set of *Lycopersicon esculentum* by disrupting specific physiological processes in male reproductive development. *Annals of Botany* 97(5), 731–738. doi: 10.1093/aob/mc1037.
- Savvides, A., van Ieperen, W., Dieleman, J.A. and Marcelis, L.F.M. (2013) Meristem temperature substantially deviates from air temperature even in moderate environments: is the magnitude of this deviation species - specific? *Plant, Cell & Environment* 36, 1950–1960.
- Savvides, A., Ntagkas, N., van Ieperen, W., Dieleman, J.A. and Marcelis, L.F.M. (2014) Impact of light on leaf initiation: a matter of photosynthate availability in the Apical bud? *Functional Plant Biology* 41, 547–556.
- Schmitz, G. and Theres, K. (1999) Genetic control of branching in *Arabidopsis* and tomato. *Current Opinion in Plant Biology* 2, 51–55.
- Sinicio, R., Lopes, J.F., Silva, D.J.H. and Mattedi, A.P. (2009) Longevity equation for tomato seeds. *Seed Science & Technology* 37, 667–675.
- Su, L., Bassa, C., Audran, C., Cheniclet, C., Chevalier, C. et al. (2014) The auxin Sl-IAA17 transcriptional repressor controls fruit size via the regulation of the endoreduplication-related cell expansion. *Plant and Cell Physiology* 55, 1969–1976.
- Tucker, D.J. (1976) Effects of far-red light on the hormonal control of side shoot growth in the tomato. *Annals of Botany* 40, 1033–1042.
- Venkatasubramanian, A. and Umarani, R. (2007) Evaluation of seed priming methods to improve seed performance of tomato (*Lycoperison esculentum*), egg plant (*Solanum melongena*) and chilli (*Capsicum annuum*). *Seed Science & Technology* 35, 487–493.
- Wang, X., Zhang, L., Xu, X., Qu, W., Li, J., Xu, X. and Wang, A. (2016) Seed development and viviparous germination in one accession of a tomato *rin* mutant. *Breeding Science* 66, 372–380.
- Wagenvoort, W.A. and Bierhuizen, J.F. (1977) Some aspects of seed germination in

vegetables. II. The effect of temperature fluctuation, depth of sowing, seed size and cultivar, on heat sum and minimum temperature for germination. *Scientia Horticulturae* 6, 259–270. [https://doi.org/10.1016/0304-4238\(77\)90083-8](https://doi.org/10.1016/0304-4238(77)90083-8)

Zhu, M., Chen, G., Zhou, S., Tu, Y., Wang, Y., Dong, T. and Hu, Z. (2014) A new tomato NAC (NAM ATAF1/2/CUC2) transcription factor, SlNAC4, functions as a positive regulator of fruit ripening and carotenoid accumulation. *Plant and Cell Physiology* 55, 119–135.

第4章

Acock, B., Charles-Edwards, D.A., Fitter, D.J., Hand, D.W., Ludwig, L.J., Wilson, J.W. and Withers, A.C. (1978) The contribution of leaves from different levels within a tomato crop to canopy net photosynthesis: an experimental examination of two canopy models. *Journal of Experimental Botany* 29, 815–827. doi: <https://doi.org/10.1093/jxb/29.4.815>.

Adams, P. (1991) Effects of increasing the salinity of the nutrient solution with major nutrients or sodium chloride on the yield, quality and composition of tomatoes grown in rockwool. *Journal of Horticulture Science* 66, 201–220. doi: 10.1080/00221589.1991.11516145.

Albacete, A., Ghanem, M.E., Martinez-Andujar, C., Acosta, M., Sanchez-Bravo, J. et al.(2008) Hormonal changes in relation to biomass partitioning and shoot growth impairment in salinized tomato (*Solanum lycopersicum* L.) plants. *Journal of Experimental Botany* 59 , 4119–4131. doi: <https://doi.org/10.1093/jxb/ern251>.

Albacete, A., Cantero-Navarro, E., Balibrea, M.E., Groskinsky, D.K., de la Cruz Gonzalez, M. et al. (2014) Hormonal and metabolic regulation of tomato fruit sink activity and yield under salinity. *Journal of Experimental Botany* 65, 6081–6095. doi: 10.1093/jxb/eru347.

Apel, K. and Hirt, H. (2004) Reactive oxygen species: metabolism, oxidative stress, and signal transduction. *Annual Review of Plant Biology* 55, 373–399. doi: 10.1146/annurev.arplant.55.031903.141701.

Arve, L.E. and Torre, S. (2015) Ethylene is involved in high air humidity promoted stomatal opening of tomato (*Lycopersicon esculentum*) leaves. *Functional Plant Biology* 42, 376–386. doi: 10.1071/FP14247.

Atkin, O.K., Scheurwater, I. and Pons, T.L. (2006) High thermal acclimation potential of both photosynthesis and respiration in two lowland *Plantago* species in contrast to an alpine congeneric. *Global Change Biology* 12, 500–515. doi: 10.1111/j.1365-2486.2006.01114.x.

- Bakker, J.C. (1990) Effects of day and night humidity on yield and fruit quality of glasshouse eggplant (*Solanum melongena* L.). *Journal of Horticultural Science* 65, 747–753.
- Beckles, D.M., Hong, N., Stamova, L. and Luengwilai, K. (2012) Biochemical factors contributing to tomato fruit sugar content: a review. *Fruits* 67, 49–64. doi: 10.1051/fruits/2011066.
- Bencze, S., Keresztenyi, I., Varga, B., Koszegi, B., Balla, K., Gemesne-Juhasz, A. and Veisz, O. (2011) Effect of CO₂ enrichment on canopy photosynthesis, water use efficiency and early development of tomato and pepper hybrids. *Acta Agronomica Hungarica* 59, 275–284. doi: 10.1556/AAgr.59.2011.3.12.
- Bertin, N. (1995) Competition for assimilates and fruit position affect fruit set in indeterminate greenhouse tomato. *Annals of Botany* 75, 55–65.
- Besford, R.T. (1993) Photosynthetic acclimation in tomato plants grown in high CO₂. *Vegetatio* 104/105, 441–448.
- Besford, R.T., Withers, A.C. and Ludwig, L.J. (1985) Ribulose bisphosphate carboxylase activity and photosynthesis during leaf development in the tomato. *Journal of Experimental Botany* 36, 1530–1541. doi: 10.1093/jxb/36.10.1530.
- Boote, K.J. and Scholberg, J.M.S. (2006) Developing, parameterizing, and testing of dynamic crop growth models for horticultural crops. *Acta Horticulturae* 718, 23–34. doi: 10.17660/ActaHortic.2006.718.1.
- Bruggemann, W., Klaucke, S. and Maas-Kantel, K. (1994) Long-term chilling of young tomato plants under low light – V. Kinetic and molecular properties of two key enzymes of the Calvin cycle in *Lycopersicon esculentum* Mill. and *L. peruvianum* Mill. *Planta* 194, 160–168. doi: 10.1007/bf00196384.
- Bunce, J.A. (2000) Acclimation of photosynthesis to temperature in eight cool and warm climate herbaceous C3 species: temperature dependence of parameters of a biochemical photosynthesis model. *Photosynthesis Research* 63, 59–67.
- Camejo, D., Nicolas, E., Torres, W. and Alarcon, J.J. (2010) Differential heat-induced changes in the CO₂ assimilation rate and electron transport in tomato (*Lycopersicon esculentum* Mill.). *Journal of Horticultural Science & Biotechnology* 85, 137–143.
- Cavero, J., Plant, R.E., Shennan, C., Williams, J.R., Kiniry, J.R. and Benson, V.W. (1998) Application of epic model to nitrogen cycling in irrigated processing tomatoes under different management systems. *Agricultural Systems* 56, 391–414.
- Chen, T.W., Nguyen, T.M.N., Kahlen, K. and Stutz, H. (2014) Quantification of the effects of architectural traits on dry mass production and light interception of

- tomato canopy under different temperature regimes using a dynamic functional-structural plant model. *Journal of Experimental Botany* 65, 6399–6410.
- Cockshull, K.E., Graves, C.J. and Cave, C.R.J. (1992) The influence of shading on yield of glasshouse tomatoes. *Journal of Horticultural Science* 67, 11–24.
- Colla, G., Roushafael, Y., Leonardi, C. and Bie, Z. (2010) Role of grafting in vegetable crops grown under saline conditions. *Scientia Horticulturae* 127, 147–155. doi: 10.1016/j.scienta.2010.08.004.
- Correia, M.J., Rodrigues, M.L., Osorio, M.L. and Chaves, M.M. (1999) Effects of growth temperature on the response of lupin stomata to drought and abscisic acid. *Australian Journal of Plant Physiology* 26, 549–559.
- Cuartero, J., Bolarin, M.C., Asins, M.J. and Moreno, V. (2006) Increasing salt tolerance in the tomato. *Journal of Experimental Botany* 57, 1045–1058. doi:10.1093/jxb/erj102.
- Czarnowski, M. and Starzecki, W. (1990) Carbon dioxide exchange in tomato cluster peduncles and fruits. *Folia Horticulturae* 2, 29–39.
- De Gelder, A., Dieleman, J.A., Bot, G.P.A. and Marcelis, L.F.M. (2012) An overview of climate and crop yield in closed greenhouses. *Journal of Horticultural Science and Biotechnology* 87, 193–202. doi: 10.1080/14620316.2012.11512852.
- De Koning, A.N.M. (1989) The effect of temperature on fruit growth and fruit load of tomato. *Acta Horticulturae* 248, 329–336. doi: 10.17660/ActaHortic.1989.248.40.
- De Koning, A.N.M. (1990) Long-term temperature integration of tomato. Growth and development under alternating temperature regimes. *Scientia Horticulturae* 45, 117–127.
- De Koning, A.N.M. (1993) Growth of a tomato crop: measurements for model validation. *Acta Horticulturae* 328, 141–146.
- De Koning, A.N.M. (1994) Development and dry matter distribution in glasshouse tomato: a quantitative approach. Thesis, University of Wageningen, The Netherlands.
- De Pascale, S., Maggio, A., Orsini, F., Stanghellini, C. and Heuvelink, E. (2015) Growth response and radiation use efficiency in tomato exposed to short-term and long-term salinized soils. *Scientia Horticulturae* 189, 139–149. doi: 10.1016/j.scienta.2015.03.042.
- De Visser, P.H.B., Buck-Sorlin, G.H. and van der Heijden, G.W.A.M. (2014) Optimizing illumination in the greenhouse using a 3D model of tomato and a ray tracer. *Frontiers in Plant Science* 5, 48.
- Decoteau, D.R (2007) Leaf area distribution of tomato plants as influenced by polyethylene mulch surface color. *HortTechnology* 17, 341–345.

- Dorais, M. and Gosselin, A. (2002) Physiological response of greenhouse vegetable crops to supplemental lighting. *Acta Horticulturae* 580, 59–67.
- Dorais, M., Yelle, S., Carpentier, R. and Gosselin, A. (1995) Adaptability of tomato and pepper leaves to changes in photoperiod: effects on the composition and function of the thylakoid membrane. *Physiologia Plantarum* 94, 692–700.
- Dorais, M., Nguyen-Quoc, B., N'tchobo, H., D'Aoust, M.A., Foyer, C., Gosselin, A. and Yelle, S. (1999) What controls sucrose unloading in tomato fruits? *Acta Horticulturae* 487, 107–112.
- Dorais, M., Papadopoulos, A.P. and Gosselin, A. (2001a) Greenhouse tomato fruit quality: the influence of environmental and cultural factors. *Horticultural Reviews* 26, 239–319.
- Dorais, M., Papadopoulos, A.P. and Gosselin, A. (2001b) Influence of electrical conductivity management on greenhouse tomato yield and fruit quality. *Agronomie* 21, 367–383.
- Dorais, M., Mitchell, A.C. and Kubota, C. (2017) Lighting greenhouse fruiting vegetables. In: Lopez, R. and Runkle, E. (eds) *Light Management in Controlled Environments*. Meister Media Worldwide, Willoughby, Ohio.
- Dueck, T., Janse, J., Li, T., Kempkes, F. and Eveleens, B. (2012a) Influence of diffuse glass on the growth and production of tomato. *Acta Horticulturae* 956, 75–82. doi: 10.17660/ActaHortic.2012.956.6.
- Dueck, T.A., Janse, J., Eveleens, B.A., Kempkes, F.L.K. and Marcelis, L.F.M. (2012b) Growth of tomatoes under hybrid LED and HPS lighting. *Acta Horticulturae* 952, 335–342. doi: 10.17660/ActaHortic.2012.952.42.
- Fan, X.R., Kang, M.Z., Heuvelink, E., De Reffye, P. and Hu, B.G. (2015), A knowledge-and-data-driven modeling approach for simulating plant growth: a case study on tomato growth. *Ecological Modelling* 312(C), 363–373.
- Fanasca, S., Martino, A., Heuvelink, E. and Stanghellini, C. (2007) Effect of electrical conductivity, fruit pruning, and truss position on quality in greenhouse tomato fruit. *Journal of Horticultural Science and Biotechnology* 82, 488–494.
- Fanourakis, D., Heuvelink, E. and Carvalho, S.M.P. (2013) A comprehensive analysis of the physiological and anatomical components involved in higher water loss rates after leaf development at high humidity. *Journal of Plant Physiology* 170, 890–898. doi: 10.1016/j.jplph.2013.01.013.
- Foyer, C.H., Neukermans, J., Queval, G., Noctor, G. and Harbinson, J. (2012) Photosynthetic control of electron transport and the regulation of gene expression. *Journal of Experimental Botany* 63, 1637–1661. doi: 10.1093/jxb/ers013.

- Franklin, K. and Whitelam, G. (2005) Phytochromes and shade-avoidance responses in plants. *Annals of Botany* 96, 169–175.
- Fukayama, H., Fukuda, T., Masumoto, C., Taniguchi, Y., Sakai, H. et al. (2009) Rice plant response to long term CO₂ enrichment: gene expression profiling. *Plant Science* 177, 203–210. doi: 10.1016/j.plantsci.2009.05.014.
- Gary, C., Barczi, J.F., Bertin, N. and Tchamitchian, M. (1995) Simulation of individual organ growth and development on a tomato plant: a model and a user-friendly interface. *Acta Horticulturae* 399, 199–205.
- Ghanem, M.E., Albacete, A., Smigocki, A.C., Frebort, I., Pospisilova, H. et al. (2011) Root-synthesized cytokinins improve shoot growth and fruit yield in salinized tomato (*Solanum lycopersicum* L.) plants. *Journal of Experimental Botany* 62(1), 125–140. doi: 10.1093/jxb/erq266.
- Gijzen, H. (1995) Interaction between CO₂ uptake and water loss. In: Bakker, J.C., Bot, G.P.A., Challa, H. and van de Braak, N.J. (eds) *Greenhouse Climate Control: An Integrated Approach*. Wageningen Academic, Wageningen, The Netherlands, pp. 51–62.
- Gomez, C. and Mitchell, C.A. (2016) In search of an optimized supplemental lighting spectrum for greenhouse tomato production with intracanopy lighting. *Acta Horticulturae* 1134, 57–62.
- Grange, R.L. and Hand, D.W. (1987) A review of the effects of atmospheric humidity on the growth of horticultural crops. *Journal of Horticultural Science* 62, 125–134.
- Guo, H., Sun, Y., Ren, Q., Zhu-Salzman, K., Kang, L. et al. (2012) Elevated CO₂ reduces the resistance and tolerance of tomato plants to *Helicoverpa armigera* by suppressing the JA signaling pathway. *PLoS ONE* 7(7), e41426. doi:10.1371/journal.pone.0041426.
- Guo, X., Hao, X., Zheng, J.M., Little, C. and Khosla, S. (2016) Response of greenhouse mini-cucumber to different vertical spectra of LED lighting under overhead high pressure sodium and plasma lighting. *Acta Horticulturae* 1134, 87–94.
- Havaux, M. (1987) Effects of chilling on the redox state of the primary electron Acceptor q a of photosystem ii in chilling sensitive and resistant plant species. *Plant Physiology & Biochemistry* 25, 735–744.
- Hemming, S., Mohammadkhani, V. and van Ruijven, J. (2014) Material technology of diffuse greenhouse covering materials – influence on light transmission, light scattering and light spectrum. *Acta Horticulturae* 1037, 883–896.
- Herbers, K. and Sonnewald, U. (1998) Molecular determinants of sink strength. *Current*

Opinion in Plant Biology 1, 207–216.

- Heuvelink, E. (1995a) Effect of temperature on biomass allocation in tomato (*Lycopersicon esculentum*). *Physiologia Plantarum* 94, 447–452.
- Heuvelink, E. (1995b) Effect of plant density on biomass allocation to the fruits in tomato (*Lycopersicon esculentum* Mill.). *Scientia Horticulturae* 64, 193–201. doi: 10.1016/0304-4238(95)00839-X.
- Heuvelink, E. (1999) Evaluation of a dynamic simulation model for tomato crop growth and development. *Annals of Botany* 83, 413–422.
- Heuvelink, E. and Bakker, M.J. (2003) A photosynthesis-driven tomato model: two case studies. In: Hu, B.G. and Jaeger, M. (eds) *Plant Growth Modeling and Applications*. Tsinghua University Press and Springer, Beijing, pp. 229–235.
- Heuvelink, E. and Buiskool, R.P.M. (1995) Influence of sink-source interaction on dry matter production in tomato. *Annals of Botany* 75, 381–389.
- Heuvelink, E., Bakker, M.J. and Stanghellini, C. (2003) Salinity effects on fruit yield in vegetable crops: a simulation study. *Acta Horticulturae* 609, 133–140. doi: 10.17660/ActaHortic.2003.609.17.
- Heuvelink, E., Bakker, M.J., Elings, A., Kaarsemaker, R. and Marcelis, L.F.M. (2005) Effect of leaf area on tomato yield. *Acta Horticulturae* 691, 43–50. doi: 10.17660/ActaHortic.2005.691.2.
- Heuvelink, E., Bakker, M.J., Marcelis, L.F.M. and Raaphorst, M. (2008) Climate and yield in a closed greenhouse. *Acta Horticulturae* 801, 1083–1092. doi: 10.17660/ActaHortic.2008.801.130.
- Hewitt, J.D. and Marrush, M. (1986) Remobilization of nonstructural carbohydrates from vegetative tissues to fruits in tomato. *Journal of the American Society of Horticulture Science* 111, 142–145.
- Higashide, T. and Heuvelink, E. (2009) Physiological and morphological changes over the past 50 years in yield components in tomato. *Journal of the American Society for Horticultural Science* 134, 460–465.
- Higashide, T., Yasuba, K., Suzuki, K., Nakano, A. and Ohmori, H. (2012) Yield of Japanese tomato cultivars has been hampered by a breeding focus on flavor. *HortScience* 47, 1408–1411.
- Hlavinka, J., Naus, J. and Fellner, M. (2013) Spontaneous mutation 7B-1 in tomato impairs blue light-induced stomatal opening. *Plant Science* 209, 75–80.
- Ho, L.C. (1996) Tomato. In: Zamski, E. and Schaffer, A.A. (eds) *Photoassimilate Distribution in Plants and Crops: Source-Sink Relationships*. Marcel Dekker Inc., New York, pp. 709–728.

- Hoffman, G.J. (1979) Humidity. In: Tibbits, T.W. and Kozlowski, T.T. (eds) *Controlled Environment Guidelines for Plant Research*. Academic Press, London, pp. 141–172.
- Holder, R. and Cockshull, K.E. (1988) The effect of humidity and nutrition on the development of calcium deficiency symptoms in tomato leaves. In: Cockshull, K.E. (ed.) *The Effects of High Humidity on Plant Growth in Energy Saving Greenhouses*. Office for Official Publications of the European Communities, Luxembourg, pp. 53–60.
- Hunt, R. (1982) *Plant Growth Curves: The Functional Approach to Plant Growth Analysis*. Edward Arnold, London.
- Jan, N.E. and Kawabata, S. (2011) Relationship between fruit soluble solid content and the sucrose concentration of the phloem sap at different leaf to fruit ratios in tomato. *Journal of the Japanese Society for Horticultural Science* 80, 314–321. doi:10.2503/jjshs1.80.314.
- Jones, T.L., Tucker, D.E. and Ort, D.R. (1998) Chilling delays circadian pattern of sucrose phosphate synthase and nitrate reductase activity in tomato. *Plant Physiology* 118, 149–158.
- Kaiser, E. (2016) Environmental and physiological control of dynamic photosynthesis. PhD thesis, Wageningen University, Wageningen, The Netherlands. Available at: <http://edepot.wur.nl/370233> (accessed 19 January 2018).
- Kang, M.Z., Yang, L.L., Zhang, B.G. and De Reffye, P. (2011) Correlation between dynamic tomato fruit-set and source–sink ratio: a common relationship for different plant densities and seasons? *Annals of Botany* 107, 805–815. doi:10.1093/aob/mcq244.
- Kasperbauer, M.J. and Kaul, K. (1996) Light quantity and quality effects on sourcesink relationships during plant growth and development. In: Zamski, E. and Schaffer, A.A. (eds) *Photoassimilate Distribution in Plants and Crops: Source-Sink Relationships*. Marcel Dekker Inc., New York, pp. 421–440.
- Katerji, N., Campi, P. and Mastrorilli, M. (2013) Productivity, evapotranspiration, and water use efficiency of corn and tomato crops simulated by AquaCrop under contrasting water stress conditions in the Mediterranean region. *Agricultural Water Management* 130, 14–26.
- Khan, A. and Sagar, G.R. (1969) Alteration of the pattern of distribution of photosynthetic products in the tomato by manipulation of the plant. *Annals of Botany* 33, 753–762.

- Khan, I., Azam, A. and Mahmood, A. (2013) The impact of enhanced atmospheric carbon dioxide on yield, proximate composition, elemental concentration, fatty acid and vitamin C contents of tomato (*Lycopersicon esculentum*). *Environmental Monitoring and Assessment* 185, 205–214. doi: 10.1007/s10661-012-2544-x.
- Kissoudis, C., Seifi, A., Yan, Z., Islam, A.T.M.T., van der Schoot, H. et al. (2017) Ethylene and abscisic acid signaling pathways differentially influence tomato resistance to combined powdery mildew and salt stress. *Frontiers in Plant Science* 7, 2009. doi:10.3389/fpls.2016.02009.
- Kleinhenz, V., Katroschan, K., Schutt, F. and Stutz, H. (2006) Biomass accumulation and partitioning of tomato under protected cultivation in the humid tropics. *European Journal of Horticultural Science* 71, 173–182.
- Korner, O., Heuvelink, E. and Niu, Q. (2009) Quantification of temperature, CO₂, and light effects on crop photosynthesis as a basis for model-based greenhouse climate control. *Journal of Horticultural Science and Biotechnology* 84, 233–239. doi: 10.1080/14620316.2009.11512510.
- Kotiranta, S., Siipola, S., Robson, T.M., Aphalo, P.J. and Kotilainen, T. (2015) LED lights can be used to improve the water deficit tolerance of tomato seedlings grown in greenhouses. *Acta Horticulturae* 1107, 107–113.
- Leakey, A.D.B., Ainsworth, E.A., Bernacchi, C.J., Rogers, A., Long, S.P. and Ort, D.R.(2009) Elevated CO₂ effects on plant carbon, nitrogen, and water relations: six important lessons from FACE. *Journal of Experimental Botany* 60, 2859–2876. doi: 10.1093/jxb/erp096.
- Li, J., Zhou, J.-M., Duan, Z.-Q., Du, C.-W. and Wang, H.-Y. (2007) Effect of CO₂ enrichment on the growth and nutrient uptake of tomato seedlings. *Pedosphere* 17, 343–351.doi: 10.1016/s1002-0160(07)60041-1.
- Li, T., Heuvelink, E. and Marcelis, L.F.M. (2015) Quantifying the source-sink balance and carbohydrate content in three tomato cultivars. *Frontiers in Plant Science* 6, 416. doi: 10.3389/fpls.2015.00416.
- Li, T., Heuvelink, E., Dueck, T.A., Janse, J., Gort, G. and Marcelis, L.F.M. (2014) Enhancement of crop photosynthesis by diffuse light: quantifying the contributing factors. *Annals of Botany* 114, 145–156.
- Li, Y.L. and Stanghellini, C. (2001) Analysis of the effect of EC and potential transpiration on vegetative growth of tomato. *Scientia Horticulturae* 89, 9–21.
- Liu, Y.F., Qia, M.F. and Li, T.L. (2012) Photosynthesis, photoinhibition, and antioxidant system in tomato leaves stressed by low night temperature and their subsequent recovery. *Plant Science* 196, 8–17. doi: 10.1016/j.plantsci.2012.07.005.

- Lovelli, S., Scopa, A., Perniola, M., Di Tommaso, T. and Sofo, A. (2012) Abscisic acid root and leaf concentration in relation to biomass partitioning in salinized tomato plants. *Journal of Plant Physiology* 169, 226–233. doi: 10.1016/j.jplph.2011.09.009.
- Lu, N. and Mitchell, C.A. (2016) Supplementary lighting for greenhouse-grown fruit vegetables. In: Kozai, T., Fujiwara, K. and Runkle, E.S. (eds) *LED Lighting for Urban Agriculture*. Springer, Singapore, pp. 219–232. doi: 10.1007/978-981-10-1848-0.
- Luengwilai, K. and Beckles, D.M. (2009) Starch granules in tomato fruit show a complex pattern of degradation. *Journal of Agricultural and Food Chemistry* 57, 8480–8487. doi: 10.1021/jf901593m.
- Luengwilai, K., Fiehn, O.E. and Beckles, D.M. (2010) Comparison of leaf and fruit metabolism in two tomato (*Solanum lycopersicum* L.) genotypes varying in total soluble solids. *Journal of Agricultural and Food Chemistry* 58, 11790–11800. doi: 10.1021/jf102562n.
- Lytovchenko, A., Eickmeier, I., Pons, C., Osorio, S., Szecowka, M. et al. (2011) Tomato fruit photosynthesis is seemingly unimportant in primary metabolism and ripening but plays a considerable role in seed development. *Plant Physiology* 157, 1650–1663. doi: 10.1104/pp.111.186874.
- Maggio, A., Dalton, F.N. and Piccinni, G. (2002) The effects of elevated carbon dioxide on static and dynamic indices for tomato salt tolerance. *European Journal of Agronomy* 16, 197–206. doi: 10.1016/s1161-0301(01)00128-9.
- Mamatha, H., Srinivasa Rao, N.K., Laxman, R.H., Shivashankara, K.S., Bhatt, R.M. and Pavithra, K.C. (2014) Impact of elevated CO₂ on growth, physiology, yield, and quality of tomato (*Lycopersicon esculentum* Mill) cv. Arka Ashish. *Photosynthetica* 52, 519–528. doi: 10.1007/s11099-014-0059-0.
- Marcelis, L.F.M., Heuvelink, E. and Goudriaan, J. (1998) Modelling biomass production and yield of horticultural crops: a review. *Scientia Horticulturae* 74, 83–111.
- Marcelis, L.F.M., Broekhuijsen, A.G.M., Meinen, E., Nijs, E.M.F.M. and Raaphorst, M.G.M. (2006) Quantification of the growth response to light quantity of greenhouse grown crops. *Acta Horticulturae* 711, 97–103.
- Marcelis, L.F.M., Elings, A., de Visser, P.H.B. and Heuvelink, E. (2009) Simulating growth and development of tomato crop. *Acta Horticulturae* 821, 101–110.

- Matsuda, R., Suzuki, K., Nakano, A., Higashide, T. and Takaichi, M. (2011) Responses of leaf photosynthesis and plant growth to altered source–sink balance in a Japanese and a Dutch tomato cultivar. *Scientia Horticulturae* 127, 520–527. doi: org/10.1016/j.scienta.2010.12.008.
- McCree, K.J. (1972) Action spectrum, absorptance and quantum yield of photosynthesis in crop plants. *Agricultural Meteorology* 9, 191–216.
- Mercado, L.M., Bellouin, N., Sitch, S., Boucher, O., Huntingford, C., Wild, M. and Cox, P.M. (2009) Impact of changes in diffuse radiation on the global land carbon sink. *Nature* 458, 1014–1017.
- Moerkens, R., Vanlommel, W., Vanderbruggen, R. and Van Delm, T. (2016) The added value of LED assimilation light in combination with high pressure sodium lamps in protected tomato crops in Belgium. *Acta Horticulturae* 1134, 119–124.
- Morrow, R.C. (2008) LED lighting in horticulture. *HortScience* 43, 1947–1950.
- Nagel, O.W., Konings, H. and Lambers, H. (2001) Growth rate and biomass partitioning of wildtype and low-gibberellin tomato (*Solanum lycopersicum*) plants growing at a high and low nitrogen supply. *Physiologia Plantarum* 111, 33–39. doi: 10.1034/j.1399-3054.2001.1110105.x.
- Najla, S., Vercambre, G., Pages, L., Grasselly, D., Gautier, H. and Genard, M. (2009) Tomato plant architecture as affected by salinity: descriptive analysis and integration in a 3-D simulation model. *Botany* 87, 893–904. doi: 10.1139/B09-061.
- Nebauer, S.G., Sanchez, M., Martinez, L., Lluch, Y., Renau-Morata, B. and Molina R.V. (2013) Differences in photosynthetic performance and its correlation with growth among tomato cultivars in response to different salts. *Plant Physiology and Biochemistry* 63, 61–69. doi: 10.1016/j.plaphy.2012.11.006.
- Nederhoff, E.M. (1994) Effects of CO₂ concentration on photosynthesis, transpiration and production of greenhouse fruit vegetable crops. Dissertation, Wageningen Agricultural University, Wageningen, The Netherlands.
- Nelson, J.A. and Bugbee, B. (2014) Economic analysis of greenhouse lighting: light emitting diodes vs. high intensity discharge fixtures. *PLoS ONE* 9(6), e99010. doi: 10.1371/journal.pone.0099010.
- Novitskaya, G.V. and Trunova, T.I.D. (2000) Relationship between cold resistance of plants and the lipid content of their chloroplast membranes. *Biochemistry* 371, 50–52.
- Ntatsi, G., Savvas, D., Druge, U. and Schwarz, D. (2013) Contribution of phytohormones in alleviating the impact of sub-optimal temperature stress on grafted tomato. *Scientia Horticulturae* 149, 28–38.
- Ogweno, J.O., Song, X.S., Shi, K., Hu, W.H., Mao, W.H. et al. (2008) Brassinosteroids

- alleviate heat-induced inhibition of photosynthesis by increasing carboxylation efficiency and enhancing antioxidant systems in *Lycopersicon esculentum*. *Journal of Plant Growth Regulation* 27, 49–57. doi: 10.1007/s00344-007-9030-7.
- Okello, R.C., Heuvelink, E., de Visser, P.H.B., Lammers, M., de Maagd, R.A., Marcelis, L.F.M. and Struik, P.C. (2015) Fruit illumination stimulates cell division but has no detectable effect on fruit size in tomato (*Solanum lycopersicum*). *Physiologia Plantarum* 154(1), 114–127.
- Panthee, D.R. and Gardner, R.G. (2011) Genetic improvement of fresh market tomatoes for yield and fruit quality over 35 years in North Carolina. *International Journal of Vegetable Science* 17, 259–273. doi: 10.1080/19315260.2010.545867.
- Perez-Alfocea, F., Albacete, A., Ghanem, M.E. and Dodd, I.C. (2010) Hormonal regulation of source-sink relations to maintain crop productivity under salinity: a case study of root-to-shoot signalling in tomato. *Functional Plant Biology* 37, 592–603.
- Persoon, S. and Hogewoning, S.W. (2014) *Onderzoek naar de fundamenteen van energiebesparing in de belichte teelt*. Productschap Tuinbouw, consultancy report. Available at:
https://www.tuinbouwnl.nl/content/Onderzoeken/14764.04_Fundamenten_energiebesparing_belichte_teelt.pdf (accessed 18 May 2018).
- Picken, A.J.F. (1984) A review of pollination and fruit set in the tomato (*Lycopersicon esculentum* Mill.). *Journal of Horticultural Science* 59, 1–13.
- Poorter, H. and Garnier, E. (1996) Plant growth analysis: an evaluation of experimental design and computational methods. *Journal of Experimental Botany* 47(302), 1343–1351. [Erratum: Dec 1996, v. 47 (305), p. 1969.]
- Prudent, M., Bertin, N., Genard, M., Munos, S., Rolland, S. et al. (2010) Genotypedependent response to carbon availability in growing tomato fruit. *Plant, Cell and Environment* 33, 1186–1204. doi: 10.1111/j.1365-3040.2010.02139.x.
- Qi, H., Hua, L., Zhao, L. and Zhou, L. (2011) Carbohydrate metabolism in tomato (*Lycopersicon esculentum* Mill.) seedlings and yield and fruit quality as affected by low night temperature and subsequent recovery. *African Journal of Biotechnology* 10, 5743–5749. doi: 10.5897/AJB10.1475.
- Qian, T., Dieleman, J.A., Elings, A. and Marcelis, L.F.M. (2012) Leaf photosynthetic and morphological responses to elevated CO₂ concentration and altered fruit number in the semi-closed greenhouse. *Scientia Horticulturae* 145, 1–9. doi: 10.1016/j.scientia.2012.07.015.
- Romero-Aranda, R., Soria, T. and Cuartero, J. (2001) Tomato plant-water uptake and plant-water relationships under saline growth conditions. *Plant Science* 160, 265–272.

doi: 10.1016/s0168-9452(00)00388-5.

Saito, T., Fukuda, N., Matsukura, C. and Nishimura, S. (2009) Effects of salinity on distribution of photosynthates and carbohydrate metabolism in tomato grown using nutrient film technique. *Journal of the Japanese Society for Horticultural Science* 78, 90–96. 2009. doi: 10.2503/jjshs1.78.90.

Sarlikioti, V. (2011) Modelling and remote sensing of canopy light interception and plant stress in greenhouses. PhD thesis, Wageningen University, Wageningen, The Netherlands. Available at: <http://edepot.wur.nl/183133> (accessed 19 January 2018).

Scholberg, J., McNeal, B.L., Jones, J.W., Boote, K.J., Stanley, C.D. and Obreza, T.A. (2000) Field-grown tomato – growth and canopy characteristics of field-grown tomato. *Agronomy Journal* 92, 152–159.

Schwarz, D., Roushanel, Y., Colla, G. and Venema, J.H. (2010) Grafting as a tool to improve tolerance of vegetables to abiotic stresses: thermal stress, water stress and organic pollutants. *Scientia Horticulturae* 127, 162–171. doi: 10.1016/j.scienta.2010.09.016.

Schwarz, D., Thompson, A.J. and Klaring, H.-P. (2014) Guidelines to use tomato in experiments with a controlled environment. *Frontiers in Plant Science* 5, 625. doi: 10.3389/fpls.2014.00625.

Shi, K., Fu, L.-J., Zhang, S., Li, X., Liao, Y.-W.-K. et al. (2013) Flexible change and cooperation between mitochondrial electron transport and cytosolic glycolysis as the basis for chilling tolerance in tomato plants. *Planta* 237, 589–601. doi: 10.1007/s00425-012-1799-3.

Slack, G. and Calvert, A. (1977) The effect of truss removal on the yield of early sown tomatoes. *Journal of Horticultural Science* 52, 309–315.

Somerville, C. (1995) Direct tests of the role of membrane lipid composition in low-temperature-induced photoinhibition and chilling sensitivity in plants and cyanobacteria. *Proceedings of the National Academy of Sciences* 92, 6215–6218.

Stanghellini, C., Van Meurs, W.Th.M., Corver, F., Van Dullemen, E. and Simonse, L. (1998) Combined effect of climate and concentration of the nutrient solution on a greenhouse tomato crop. II. Yield quantity and quality. *Acta Horticulturae* 458, 231–237.

Takagi, M., El-Shemy, H.A., Sasaki, S., Toyama, S., Kanai, S., Saneoka, H. and Fujita, K. (2009) Elevated CO₂ concentration alleviates salinity stress in tomato plant. *Acta Agriculturae Scandinavica Section B: Soil and Plant Science* 59, 87–96. doi: 10.1080/09064710801932425.

Tanaka, A., Fujita, K. and Kikuchi, K. (1974) Nutritional-physiological studies on the tomato

- plant. III. Photosynthetic rate of individual leaves in relation to the dry matter production of plants. *Soil Science and Plant Nutrition* 20, 173–183. doi: 10.1080/00380768.1974.10433240.
- Trouwborst, G., Hogewoning, S.W., Harbinson, J. and Van Ieperen, W. (2011) The influence of light intensity and leaf age on the photosynthetic capacity of leaves within a tomato canopy. *Journal of Horticultural Science and Biotechnology* 86, 403–407. doi: 10.1080/14620316.2011.11512781.
- Valerio, M., Tomecek, M., Lovelli, S. and Ziska, L. (2013) Assessing the impact of increasing carbon dioxide and temperature on crop-weed interactions for tomato and a C3 and C4 weed species. *European Journal of Agronomy* 50, 60–65. doi: 10.1016/j.eja.2013.05.006.
- Van de Dijk, S.J. and Maris, J.A. (1985) Differences between tomato genotypes in net photosynthesis and dark respiration under low light intensity and low night temperatures. *Euphytica* 34, 709–716. doi: 10.1007/bf00035408.
- Velez-Ramirez, A.I. (2014) Continuous light on tomato: from gene to yield. PhD thesis, Wageningen University, Wageningen, The Netherlands. Available at: <http://edepot.wur.nl/312846> (accessed 18 May 2018).
- Venema, J.H., Posthumus, F. and Van Hasselt, P.R. (1999a) Impact of suboptimal temperature on growth, photosynthesis, leaf pigments and carbohydrates of domestic and high-altitude wild *Lycopersicon* species. *Journal of Plant Physiology* 155, 711–718.
- Venema, J.H., Posthumus, F., De Vries, M. and Van Hasselt, P.R. (1999b) Differential response of domestic and wild *Lycopersicon* species to chilling under low light: growth, carbohydrate content, photosynthesis and the xanthophyll cycle. *Physiologia Plantarum* 105, 81–88. doi: 10.1034/j.1399-3054.1999.105113.x.
- Venema, J.H., Linger, P., Van Heusden, A.W., Van Hasselt, P.R. and Bruggemann, W. (2005) The inheritance of chilling tolerance in tomato (*Lycopersicon* spp.). *Plant Biology* 7, 118–130. doi: 1055/s-2005-837495.
- Verheul, M.J., Maessen, H.F.R. and Grimstad, S.O. (2012) Optimizing a year-round cultivation system of tomato under artificial light. *Acta Horticulturae* 956, 389–394. doi: 10.17660/ActaHortic.2012.956.45.
- Wahid, A., Gelani, S., Ashraf, M. and Foola, M.R. (2007) Heat tolerance in plants: an overview. *Environmental and Experimental Botany* 61, 199–223. doi: 10.1016/j.envexpbot.2007.05.011.
- Wang, Y., Du, S.T., Li, L.L., Huang, L.D., Fang, P. et al. (2009) Effect of CO₂ elevation on root growth and its relationship with indole acetic acid and ethylene in tomato

- seedlings. *Pedosphere* 19, 570–576. doi: 10.1016/s1002-0160(09)60151-x.
- Wang, J., Gao, S., Yuan, J. and Ma, F. (2012) Simulation of dry matter accumulation, partitioning and yield prediction in processing tomato (*Lycopersicon esculentum* Mill.). *Australian Journal of Crop Science* 6, 93–100. Available at: http://www.cropj.com/wang_6_1_2012_93_100.pdf (accessed 19 January 2017).
- Xiao, S.G., Van der Ploeg, A., Bakker, M. and Heuvelink, E. (2004) Two instead of three leaves between tomato trusses: measured and simulated effects on partitioning and yield. *Acta Horticulturae* 654, 303–308. doi: 10.17660/ActaHortic.2004.654.35.
- Xu, H.L., Gauthier, L., Desjardins, Y. and Gosselin, A. (1997) Photosynthesis in leaves, stem and petioles of greenhouse-grown tomato plants. *Photosynthetica* 33, 113–123. doi: 10.1023/A:1022135507700.
- Zhang, J., Jiang, X., Li, T. and Chang, T. (2012) Effect of elevated temperature stress on the production and metabolism of photosynthate in tomato (*Lycopersicon esculentum* L.) leaves. *Journal of Horticultural Science & Biotechnology* 87, 293–298. doi: 10.1080/14620316.2012.11512867.

第 5 章 CAB International - for
JAgency

- Abbott, J.A. (1999) Quality measurement of fruit and vegetables. *Postharvest Biology and Technology* 15, 207–225. doi: 10.1016/S0925-5214(98)00086-6.
- Abeles, F.B., Morgan, P.W. and Saltveit, M.E. (1992) *Ethylene in Plant Biology*, 2nd edn. Academic Press, San Diego, California.
- Alba, R., Cordonnier-Pratt, M.M. and Pratt, L.H. (2000) Fruit-localized phytochromes regulate lycopene accumulation independently of ethylene production in tomato. *Plant Physiology* 123, 363–370. doi: 10.1104/pp.123.1.363.
- Albert, E., Gricourt, J., Bertin, N., Bonnefoi, J., Pateyron, S. et al. (2015) Genotype by watering regime interaction in cultivated tomato: lessons from linkage mapping and gene expression. *Theoretical and Applied Genetics* 129, 395–418. doi: 10.1007/s00122-015-2635-5.
- Albert, E., Segura, V., Gricourt, J., Bonnefoi, J., Derivot, L. and Causse, M. (2016) Association mapping reveals the genetic architecture of tomato response to water deficit: focus on major fruit quality traits. *Journal of Experimental Botany* 67(22), 6413–6430. doi: 10.1093/jxb/erw411.
- Almeida, D.P.F. and Huber, D.J. (1999) Apoplastic pH and inorganic ion levels in tomato

- fruit: a potential means for regulation of cell wall metabolism during ripening. *Physiologia Plantarum* 105, 506–512. doi: 10.1034/j.1399-3054.1999.105316.x.
- Aurand, R., Faurobert, M., Page, D., Maingonnat, J.F., Brunel, B., Causse, M. and Bertin, N. (2012) Anatomical and biochemical trait network underlying genetic variations in tomato fruit texture. *Euphytica* 187, 99–116. doi: 10.1007/s10681-012-0760-7.
- Baldazzi, V., Bertin, N., Jong, H.D. and Genard, M. (2012) Towards multiscale plant models: integrating cellular networks. *Trends in Plant Science* 17, 728–736. doi: 10.1016/j.tplants.2012.06.012.
- Baldazzi, V., Pinet, A., Vercambre, G., Benard, C., Biais, B. and Genard, M. (2013) In-silico analysis of water and carbon relations under stress conditions. A multi-scale perspective centered on fruit. *Frontiers in Plant Science* 4. doi: 10.3389/fpls.2013.00495.
- Baldazzi, V., Genard, M. and Bertin, N. (2017) Cell division, endoreduplication and expansion processes: setting the cell and organ control into an integrated model of tomato fruit development. *Acta Horticulturae* 1182, 257–264.
- Baldwin, E.A., Goodner, K. and Plotto, A.J. (2008) Interaction of volatiles, sugars, and acids on perception of tomato aroma and flavor descriptors. *Journal of Food Science* 73(6), S294–307.
- Barrett, D.M., Garcia, E. and Wayne, J.E. (1998) Textural modification of processing tomatoes. *Critical Reviews in Food Science and Nutrition* 38, 173–258. doi: 10.1080/10408699891274192.
- Barrett, D.M., Beaulieu, J.C. and Shewfelt, R. (2010) Color, flavor, texture, and nutritional quality of fresh-cut fruits and vegetables: desirable levels, instrumental and sensory measurement, and the effects of processing. *Critical Reviews in Food Science and Nutrition* 50, 369–389. doi: 10.1080/10408391003626322.
- Baxter, C., Carrari, F., Bauke, A., Overy, S., Hill, S.A. et al. (2005) Fruit carbohydrate metabolism in an introgression line of tomato with increased fruit soluble solids. *Plant Cell Physiology* 46, 425–437. doi: 10.1093/pcp/pci040.
- Beckles, D.M., Hong, N., Stamova, L. and Luengwilai, K. (2012) Biochemical factors contributing to tomato fruit sugar content: a review. *Fruits* 67, 49–64. doi: 10.1051/fruits/2011066.
- Benard, C., Gautier, H., Bourgaud, F., Grasselly, D., Navez, B. et al. (2009) Effects of low nitrogen supply on tomato (*Solanum lycopersicum*) fruit yield and quality with special emphasis on sugars, acids, ascorbate, carotenoids, and phenolic compounds. *Journal of Agricultural and Food Chemistry* 57, 4112–4123. doi: 10.1021/jf8036374.

- Bertin, N. (2005) Analysis of the tomato fruit growth response to temperature and plant fruit load in relation to cell division, cell expansion and DNA endoreduplication. *Annals of Botany* 95, 439–447. doi: 10.1093/aob/mci042.
- Bertin, N. and Genard, M. (2018) Tomato quality as influenced by preharvest factors. *Scientia Horticulturae* 233, 264–276; <https://doi.org/10.1016/j.scienta.2018.01.056>.
- Bertin, N., Borel, C., Brunel, B., Cheniclet, C. and Causse, M. (2003) Do genetic makeup and growth manipulation affect tomato fruit size by cell number, or cell size and DNA endoreduplication? *Annals of Botany* 92, 415–424. doi: 10.1093/aob/mcg146.
- Bertin, N., Lecomte, A., Brunel, B., Fishman, S. and Genard, M. (2007) A model describing cell polyploidization in tissues of growing fruit as related to cessation of cell proliferation. *Journal of Experimental Botany* 58, 1003–1013. doi: <https://doi.org/10.1093/jxb/erm052>.
- Bertin, N., Causse, M., Brunel, B., Tricon, D. and Genard, M. (2009) Identification of growth processes involved in QTLs for tomato fruit size and composition. *Journal of Experimental Botany* 60, 237–248. doi: <https://doi.org/10.1093/jxb/ern281>.
- Bertin, N., Martre, P., Genard, M., Quilot, B. and Salon, C. (2010) Why and how can process-based simulation models link genotype to phenotype for complex traits? Case-study of fruit and grain quality traits. Review article. *Journal of Experimental Botany* 61, 955–967. doi: 10.1093/jxb/erp377.
- Bhagwat, S., Haytowitz, D.B. and Holden, J.M. (2014) *USDA Database for the Flavonoid Content of Selected Foods, Release 3.1*. US Department of Agriculture, Agricultural Research Service. Nutrient Data Laboratory Home Page. Available at: <http://www.ars.usda.gov/nutrientdata/flav> (accessed 19 January 2018).
- Bourne, M.C. (2002) *Food Texture and Viscosity: Concept and Measurement*, 2nd edn. Academic Press, San Diego, California.
- Buttery, R.G. (1993) Quantitative and sensory aspects of flavor of tomato and other vegetable and fruits. In: Acree, T.E. and Teranishi, R. (eds) *Flavor Science: Sensible Principles and Techniques*. ACS, Washington, DC, pp. 259–286.
- Cantwell, M. (2000) Optimum procedures for ripening tomatoes. In: *Management of Fruit Ripening*. University of California Postharvest Horticultural Series No. 9, University of California, Davis, California, pp. 80–88.
- Cantwell, M. (2010) Optimum procedures for ripening tomatoes. In: Thompson, J.T. and Crisosto, C. (eds) *Fruit Ripening and Ethylene Management*. University of California Postharvest Horticulture Series No. 9. University of California, Davis, California,

pp. 106–116.

- Causse, M., Saliba-Colombani, V., Lecomte, L., Duffe, P., Rousselle, P. and Buret, M.(2002) QTL analysis of fruit quality in fresh market tomato: a few chromosome regions control the variation of sensory and instrumental traits. *Journal of Experimental Botany* 53, 2089–2098. doi: <https://doi.org/10.1093/jxb/erf058>.
- Causse, M., Buret, M., Robini, K. and Verschave, P. (2003) Inheritance of nutritional and sensory quality traits in fresh market tomato and relation to consumer preferences. *Journal of Food Science* 68, 2342–2350. doi: 10.1111/j.1365-2621.2003.tb05770.x.
- Causse, M., Friguet, C., Coiret, C., Lepicier, M., Navez, B. et al. (2010) Consumer preferences for fresh tomato at the European scale: a common segmentation on taste and firmness. *Journal of Food Science* 75(9), S531–41. doi: 10.1111/j.1750-3841.2010.01841.x.
- Causse, M., Stevens, R., Ben Amor, B., Faurobert, M. and Munos, S. (2011) Breeding for fruit quality in tomato. In: Jenks, M.A. and Bebeli, P.J. (eds) *Breeding for Fruit Quality*. Wiley-Blackwell, Oxford, pp. 279–305.
- Chaib, J., Devaux, M.-F., Grotte, M.G., Robini, K., Causse, M., Lahaye, M. and Marty, I.(2007) Physiological relationships among physical, sensory, and morphological attributes of texture in tomato fruits. *Journal of Experimental Botany* 58, 1915–1925.doi: 10.1093/jxb/erm046.
- Chencllet, C., Rong, W.Y., Causse, M., Frangne, N., Bolling, L., Carde, J.P. and Renaudin,J.-P. (2005) Cell expansion and endoreduplication show a large genetic variability in pericarp and contribute strongly to tomato fruit growth. *Plant Physiology* 139,1984–1994. doi: <http://dx.doi.org/10.1104/pp.105.068767>.
- Chevalier, C., Nafati, M., Mathieu-Rivet, E., Bourdon, M., Frangne, N. et al. (2011) Elucidating the functional role of endoreduplication in tomato fruit development. *Annals of Botany* 107(7), 1159–1169. doi: 10.1093/aob/mcq257.
- Constantinescu, D., Memmah, M.-M., Vercambre, G., Genard, M., Baldazzi, V. et al. (2016) Model-assisted estimation of the genetic variability in physiological parameters related to tomato fruit growth under contrasted water conditions. *Frontiers in Plant Science* 7, 1841. doi: 10.3389/fpls.2016.01841.
- Cosgrove, D.J. (1997) Relaxation in a high-stress environment: the molecular bases of extensible cell walls and cell enlargement. *Plant Cell* 9, 1031–1041. doi: 10.1105/tpc.9.7.1031.
- CTIFL (2011) *Hortipratic Tomate: Qualité et Préférences*. Centre Technique

Interprofessionnel des Fruits et Legumes, Paris.

- Davies, J.N. and Hobson, G.E. (1981) The constituents of tomato fruit – the influence of environment, nutrition, and genotype. *Critical Reviews in Food Science and Nutrition* 15, 205–280. doi: 10.1080/10408398109527317.
- De Veylder, L., Beemster, G.T.S., Beeckman, T. and Inze, D. (2001) CKS1At overexpression in *Arabidopsis thaliana* inhibits growth by reducing meristem size and inhibiting cell cycle progression. *The Plant Journal* 25, 617–626. doi: 10.1046/j.1365-313x.2001.00996.x.
- Dorais, M., Papadopoulos, A.P. and Gosselin, A. (2001) Influence of electric conductivity management on greenhouse tomato yield and fruit quality. *Agronomie* 21, 367–383. doi: 10.1051/agro:2001130.
- Dorais, M., Demers, D.-A., Papadopoulos, A.P. and Van Ieperen, W. (2004) Greenhouse tomato fruit cuticle cracking. *Horticultural Reviews* 30, 163–184. doi: 10.1002/9780470650837.ch5.
- Dorais, M., Ehret, D.L. and Papadopoulos, A.P. (2008) Tomato (*Solanum lycopersicum*) health components: from the seed to the consumer. *Phytochemistry Reviews* 7(2), 231–250. doi 10.1007/s11101-007-9085-x.
- Ehret, D.L. and Ho, L.C. (1986) The effects of salinity on dry matter partitioning and fruit growth in tomatoes grown in nutrient film culture. *Journal of Horticultural Science* 61, 361–367. doi: 10.1080/14620316.1986.11515714.
- Etienne, A., Genard, M., Lobit, P., Mbeguie-A-Mbeguie, D. and Bugaud, C. (2013) What controls fleshy fruit acidity? A review of malate and citrate accumulation in fruit cells. *Journal of Experimental Botany* 64, 1451–1469. doi: <https://doi.org/10.1093/jxb/ert035>.
- Fanciullino, A.L., Bidel, L.P.R. and Urban, L. (2014) Carotenoid responses to environmental stimuli: integrating redox and carbon controls into a fruit model. *Plant, Cell & Environment* 37, 273–289. doi: 10.1111/pce.12153.
- Fanwoua, J., de Visser, P.H.B., Heuvelink, E., Yin, X., Struik, P.C. and Marcelis, L.F.M. (2013) A dynamic model of tomato fruit growth integrating cell division, cell growth and endoreduplication. *Functional Plant Biology* 40(11), 1098–1114.
- Frary, A., Gol, D., Keles, D., Okmen, B., Pinar, H. et al. (2010) Salt tolerance in *Solanum pennellii*: antioxidant response and related QTL. *BMC Plant Biology* 10, 58–74. doi:10.1186/1471-2229-10-58.
- Fraser, P.D., Truesdale, M.R., Bird, C.R., Schuch, W. and Bramley, P.M. (1994) Carotenoid biosynthesis during tomato fruit development – evidence for tissue-specific gene expression. *Plant Physiology* 105, 405–413. doi: <http://dx.doi.org/10.1104/pp.105.03321>.

[org/ 10. 1104/ pp. 105. 1. 405](https://doi.org/10.1104/ pp. 105. 1. 405).

- Gautier, H., Diakou-Verdin, V., Benard, C., Reich, M., Buret, M. *et al.* (2008) How does tomato quality (sugar, acid, and nutritional quality) vary with ripening stage, temperature, and irradiance? *Journal of Agriculture and Food Chemistry* 56, 1241–1250. doi: 10.1021/jf072196t.
- Gautier, H., Massot, C., Stevens, R., Serino, S. and Genard, M. (2009) Regulation of tomato fruit ascorbate content is more highly dependent on fruit irradiance than leaf irradiance. *Annals of Botany* 103, 495–504. doi: <https://doi.org/10.1093/aob/mcn233>.
- Genard, M., Lescourret, F., Gomez, L. and Habib, R. (2003) Changes in fruit sugar concentrations in response to assimilate supply, metabolism and dilution: a modeling approach applied to peach fruit (*Prunus persica*). *Tree Physiology* 23, 373–385. PMID: 12642239.
- Genard, M., Bertin, N., Borel, C., Bussieres, P., Gautier, H. *et al.* (2007) Towards a virtual fruit focusing on quality: modelling features and potential uses. *Journal of Experimental Botany* 58, 917–928. doi: <https://doi.org/10.1093/jxb/erl287>.
- Genard, M., Memmah, M.-M., Quilot-Turion, B., Vercambre, G., Baldazzi, V. *et al.* (2016) Process-based simulation models are essential tools for virtual profiling and design of ideotypes: example of fruit and root. In: Yin, X and Struik, P.C. (eds) *Crop Systems Biology: Narrowing the Gaps Between Crop Modelling and Genetics*. Springer, Zurich, pp.83–104.
- Giovannoni, J.J. (2004) Genetic regulation of fruit development and ripening. *Plant Cell* 16, S170–S180. doi: <http://dx.doi.org/10.1105/tpc.019158>.
- Grandillo, S., Ku, H.M. and Tanksley, S.D. (1999) Identifying the loci responsible for natural variation in fruit size and shape in tomato. *Theoretical and Applied Genetics* 99, 978–987. doi: 10.1007/s001220051405.
- Guichard, S., Bertin, N., Leonardi, C. and Gary, C. (2001) Tomato fruit quality in relation to water and carbon fluxes. *Agronomie* 21, 385–392. doi: 10.1051/agro:2001131.
- Guo, F., Zhou, W., Zhang, J., Xu, Q. and Deng, X. (2012) Effect of the citrus lycopene β-cyclase transgene on carotenoid metabolism in transgenic tomato fruits. *PLoS ONE* 7(2), e32221. doi: 10.1371/journal.pone.0032221.
- Hao, X.M. and Papadopoulos, A.P. (2003) Effects of calcium and magnesium on growth, fruit yield and quality in a fall greenhouse tomato crop grown on rockwool. *Canadian Journal of Plant Science* 83(4), 903–912. doi: 10.4141/P02-140.
- Harker, F.R., Maindonald, J., Murray, S.H., Gunson, F.A., Hallett, I.C. and Walker,

- S.B.(2002) Sensory interpretation of instrumental measurements 1: texture of apple fruit. *Postharvest Biology and Technology* 24, 225–239. doi: 10.1016/S0925-5214(01)00158-2.
- Ho, L.C. (1996) *Tomato*. Marcel Dekker Inc., New York.
- Ho, L.C. (2003) Improving tomato fruit quality by cultivation. In: Cockshull, K.E., Gray, D., Seymour, G.B. and Thomas, B. (eds) *Genetic and Environmental Manipulation of Horticultural Crops*. CABI Publishing, Wallingford, pp. 17–29.
- Ho, L.C. and White, P.J. (2005) A cellular hypothesis for the induction of blossom-end rot in tomato fruit. *Annals of Botany* 95, 571–581. doi:10.1093/aob/mci065.
- Joubes, J. and Chevalier, C. (2000) Endoreduplication in higher plants. *Plant Molecular Biology* 43, 735–745.
- Klee, H.J. and Tieman, D.M. (2013) Genetic challenges of flavour improvement in tomato. *Trends in Genetics* 29(4), 257–262. doi: 10.1016/j.tig.2012.12.003.
- Koricheva, J. (1999) Interpreting phenotypic variation in plant allelochemistry: problems with the use of concentrations. *Oecologia* 119, 467–473. doi: 10.1007/s004420050809.
- Kromdijk, J., Bertin, N., Heuvelink, E., Molenaar, J., de Visser, P.H.B., Marcelis, L.F.M. and Struik, P.C. (2014) Crop management impacts the efficiency of quantitative trait loci (QTL) detection and use – case study of fruit load × QTL interactions. Opinion paper. *Journal of Experimental Botany* 65(1), 11–22. doi: 10.1093/jxb/ert365.
- Krumbein, A. and Auerswald, H. (1998) Characterization of aroma volatiles in tomatoes by sensory analyses. *Nahrung* 42(6), 395–399. PMID: 9881368.
- Labate, J.A., Grandillo, S., Fulton, T., Munos, S., Caicedo, A.L. et al. (2007) Tomato. In: Kole, C. (ed.) *Genome Mapping and Molecular Breeding in Plants*. Springer, Berlin, pp.1–125.
- Lecomte, L., Duffe, P., Buret, M., Servin, B., Hospital, F. and Causse, M. (2004) Markerassisted introgression of 5 QTLs controlling fruit quality traits into three tomato lines revealed interactions between QTLs and genetic backgrounds. *Theoretical and Applied Genetics* 109, 658–668. doi: 10.1007/s00122-004-1674-0.
- Leiva-Neto, J.T., Grafi, G., Sabelli, P.A., Woo, Y.M., Dante, R.A. et al. (2004) A dominant negative mutant of cyclin-dependent kinase A reduces endoreduplication but not cell size or gene expression in maize endosperm. *The Plant Cell* 16, 1854–1869. doi:10.1105/tpc.022178.
- Lewinsohn, E., Schalechet, F., Wilkinson, J., Matsui, K., Tadmor, Y. et al. (2001) Enhanced levels of the aroma and flavor compound s-linalool by metabolic

- engineering of the terpenoid pathway in tomato fruits. *Plant Physiology* 127(3), 1256–1265.
doi:10.1104/pp.010293.
- Lin, T., Zhu, G., Zhang, J., Xu, X., Yu, Q. *et al.* (2014) Genomic analyses provide insights into the history of tomato breeding. *Nature Genetics* 46(11), 1220–1226.
doi:10.1038/ng.3117.
- Liu, H., Genard, M., Guichard, S. and Bertin, N. (2007) Model-assisted analysis of tomato fruit growth in relation to carbon and water fluxes. *Journal of Experimental Botany* 58, 3567–3580. doi: 10.1093/jxb/erm20.
- Liu, Y.S., Gur, A., Ronen, G., Causse, M., Damidaux, R. *et al.* (2003) There is more to tomato fruit colour than candidate carotenoid genes. *Plant Biotechnology Journal* 1(3), 195–207. doi: 10.1046/j.1467-7652.2003.00018.x.
- Lobit, P., Genard, M., Wu, B.H., Soing, P. and Habib, R. (2003) Modelling citrate metabolism in fruits: responses to growth and temperature. *Journal of Experimental Botany* 54, 2489–2501. doi: 10.1093/jxb/erg264.
- Lobit, P., Genard, M., Soing, P. and Habib, R. (2006) Modelling malic acid accumulation in fruits: relationships with organic acids, potassium, and temperature. *Journal of Experimental Botany* 57, 1471–1483. doi: 10.1093/jxb/erj128.
- Lockhart, J. (1965) Cell extension. In: Bomaer, J. and Varner, J.E. (eds) *Plant Biochemistry*. Academic Press, New York, pp. 827–849.
- Lytovchenko, A., Eickmeier, I., Pons, C., Osorio, S., Szecowka, M. *et al.* (2011) Tomato fruit photosynthesis is seemingly unimportant in primary metabolism and ripening but plays a considerable role in seed development. *Plant Physiology* 157(4), 1650–1663. doi: 10.1104/ pp. 111. 186874.
- Martre, P., Bertin, N., Salon, C. and Genard, M. (2011) Modelling the size and composition of fruit, grain and seed by process-based simulation models. *New Phytologist Tansley Review* 191, 601–618. doi: 10.1111/j.1469-8137.2011.03747.x.
- Massot, C., Genard, M., Stevens, R., and Gautier, H. (2010) Fluctuations in sugar content are not determinant in explaining variations in vitamin C in tomato fruit. *Plant Physiology and Biochemistry* 48, 751–757. doi: 10.1016/j.plaphy.2010.06.001.
- Massot, C., Bancel, D., Lauri, F., Truffault, V., Baldet, P., Stevens, R. and Gautier, H. (2013) High temperature inhibits ascorbate recycling and light stimulation of the ascorbate pool in tomato despite increased expression of biosynthesis genes. *PLoS One* 8(12), e84474. doi: 10.1371/journal.pone.0084474.s001.
- Mathieu, S., Dal Cin, V., Fei, Z., Li, H., Bliss, P. *et al.* (2009) Flavour compounds in tomato fruits: identification of loci and potential pathways affecting volatile

- composition. *Journal of Experimental Botany* 60(1), 325–337. doi: 10.1093/jxb/ern294.
- Maul, F., Sargent, S.A., Balaban, M.O., Baldwin, E.A., Huber, D.J. and Sims, C.A. (1998) Aroma volatile profiles from ripe tomato fruit are influenced by physiological maturity at harvest: an application for electronic nose technology. *Journal of the American Society for Horticultural Science* 123(6), 1094–1101.
- Mizrahi, Y., Taleisnik, E., Kagan-Zur, V., Zohar, Y., Offenbach, R., Matan, E. and Golan, R. (1988) A saline irrigation regime for improving tomato fruit quality without reducing yield. *Journal of the American Society for Horticultural Science* 113, 202–205.
- Panthee, D.R., Cao, C., Debenport, S.J., Rodriguez, G.R., Labate, J.A. et al. (2012) Magnitude of genotype × environment interactions affecting tomato fruit quality. *HortScience* 47(6), 721–726.
- Passam, H.C., Karapanos, I.C., Bebeli, P.J. and Savvas, D. (2007) A review of recent research on tomato nutrition, breeding and post-harvest technology with reference to fruit quality. *European Journal of Plant Science and Biotechnology* 1, 1–21.
- Poiroux-Gonord, F., Bidel, L.P.R., Fanciullino, A.-L., Gautier, H., Lauri-Lopez, F. and Urban, L. (2010) Health benefits of vitamins and secondary metabolites of fruits and vegetables and prospects to increase their concentrations by agronomic approaches. *Journal of Agricultural and Food Chemistry* 58, 12065–12082. doi: 10.1021/jf1037745.
- Poiroux-Gonord, F., Fanciullino, A.L., Poggi, I. and Urban, L. (2013) Carbohydrate control over carotenoid build-up is conditional on fruit ontogeny in clementine fruits. *Physiologia Plantarum* 147, 417–431. doi: 10.1111/j.1399-3054.2012.01672.x.
- Prudent, M., Causse, M., Genard, M., Tripodi, P., Grandillo, S. and Bertin, N. (2009) Genetic and physiological analysis of tomato fruit weight and composition: influence of carbon availability on QTL detection. *Journal of Experimental Botany* 60, 923–937. doi: 10.1093/jxb/ern338.
- Prudent, M., Lecomte, A., Bouchet, J.P., Bertin, N., Causse, M. and Genard, M. (2011) Combining ecophysiological modelling and quantitative trait loci analysis to identify key elementary processes underlying tomato fruit sugar concentration. *Journal of Experimental Botany* 62, 907–919. doi: 10.1093/jxb/erq318.
- Quilot, B., Kervella, J., Genard, M. and Lescourret, F. (2005) Analysing the genetic control of peach fruit quality through an ecophysiological model combined with a QTL approach. *Journal of Experimental Botany* 56, 3083–3092. doi: 10.1093/jxb/eri30.
- Quilot-Turion, B., Ould-Sidi, M.-M., Kadrani, A., Hilgert, N., Genard, M. and Lescourret, F. (2012) Optimization of parameters of the 'Virtual Fruit' model to design

- peach genotype for sustainable production systems. *European Journal of Agronomy* 42, 34–48. doi: 10.1016/j.eja.2011.11.008.
- Quilot-Turion, B., Genard, M., Valsesia, P. and Memmah, M.-M. (2016) Optimization of allelic combinations controlling parameters of a peach quality model. *Frontiers in Plant Science* 7, 1873. doi: 10.3389/fpls.2016.01873.
- Ripoll, J., Urban, L., Staudt, M., Lopez-Lauri, F., Bidel, L.P.R. and Bertin, N. (2014) Water shortage and quality of fleshy fruits – making the most of the unavoidable. Review. *Journal of Experimental Botany* 65(15), 4097–4117. doi: 10.1093/jxb/eru197.
- Ripoll, J., Urban, J., Brunel, B. and Bertin, N. (2016) Water deficit effects on tomato quality depend on fruit developmental stage and genotype. *Journal of Plant Physiology* 190, 26–35. doi: 10.1016/j.jplph.2015.10.006.
- Ronen, G., Cohen, M., Zamir, D. and Hirschberg, J. (1999) Regulation of carotenoid biosynthesis during tomato fruit development: expression of the gene for lycopene epsilon-cyclase is down-regulated during ripening and is elevated in the mutant Delta. *The Plant Journal* 17(4), 341–351. doi: 10.1046/j.1365-313X.1999.00381.x.
- Ronen, G., Carmel-Goren, L., Zamir, D. and Hirschberg, J. (2000) An alternative pathway to beta-carotene formation in plant chromoplasts discovered by map-based cloning of beta and old-gold color mutations in tomato. *Proceedings of the National Academy of Sciences USA* 97(20), 11102–11107. doi: 10.1073/pnas.190177497.
- Rosales, M.A., Cervilla, L.M., Rios, J.J., Blasco, B., Sanchez-Rodriguez, E., Romero, L. and Ruiz, J.M. (2009) Environmental conditions affect pectin solubilization in cherry tomato fruits grown in two experimental Mediterranean greenhouses. *Environmental and Experimental Botany* 67, 320–327. doi: 10.1016/j.envexpbot.2009.07.011.
- Ruggieri, V., Francese, G., Sacco, A., D'Alessandro, A., Rigano, M.M. et al. (2014) An association mapping approach to identify favourable alleles for tomato fruit quality breeding. *BMC Plant Biology* 14, 337. doi: 10.1186/s12870-014-0337-9.
- Saladie, M., Matas, A.J., Isaacson, T., Jenks, M.A., Goodwin, S.M. et al. (2007) A reevaluation of the key factors that influence tomato fruit softening and integrity. *Plant Physiology* 144, 1012–1028. doi: <http://dx.doi.org/10.1104/pp.107.097477>.
- Saltveit, M.E. (1999) Effect of ethylene on quality of fresh fruits and vegetables. *Postharvest Biology and Technology* 15, 279–292. doi: 10.1016/S0925-5214(98)00091-X.
- Saltveit, M.E. and Sharaf, A.R. (1992) Ethanol inhibits ripening of tomato fruit harvested at various degrees of ripeness without affecting subsequent quality. *Journal of the American Society for Horticultural Science* 117, 793–798.
- Sams, C.E. (1999) Preharvest factors affecting postharvest texture. *Postharvest Biology*

and Technology 15, 249–254.

- Sauvage, C., Segura, V., Bauchet, G., Stevens, R., Do, P.T. *et al.* (2014) Genome-wide association in tomato reveals 44 candidate loci for fruit metabolic traits. *Plant Physiology* 165(3), 1120–1132.
- Schaffer, A.A. and Petreikov, M. (1997) Sucrose-to-starch metabolism in tomato fruit undergoing transient starch accumulation. *Plant Physiology* 113, 739–746. PMID: 12223639.
- Seymour, G.B., Manning, K., Eriksson, E.M., Popovich, A.H. and King, G.J. (2002) Genetic identification and genomic organization of factors affecting fruit texture. *Journal of Experimental Botany* 53, 2065–2071. doi: 10.1093/jxb/erf087.
- Shackel, K.A., Greve, C., Labavitch, J.M. and Ahmadi, H. (1991) Cell turgor changes associated with ripening in tomato pericarp tissue. *Plant Physiology* 97, 814–816. doi: 10.1104/pp.97.2.814.
- Slimestad, R. and Verheul, M. (2009) Review of flavonoids and other phenolics from fruits of different tomato (*Lycopersicon esculentum* Mill.) cultivars. *Journal of the Science of Food and Agriculture* 89, 1255–1270. doi: 10.1002/jsfa.3605.
- Smirnoff, N. (2000) Ascorbic acid: metabolism and functions of a multi-faceted molecule. *Current Opinion in Plant Biology* 3, 229–235. doi: 10.1016/S1369-5266(00)80070-9.
- Stevens, R., Buret, M., Duffe, P., Garchery, C., Baldet, P., Rothan, C. and Causse, M. (2007) Candidate genes and quantitative trait loci affecting fruit ascorbic acid content in three tomato populations. *Plant Physiology* 143, 1943–1953. doi: 10.1104/pp.106.091413.
- Stevens, R., Page, D., Gouble, B., Garchery, C., Zamir, D. and Causse, M. (2008) Tomato fruit ascorbic acid content is linked with monodehydroascorbate reductase activity and tolerance to chilling stress. *Plant, Cell and Environment* 31, 1086–1096. doi: 10.1111/j.1365-3040.2008.01824.x.
- Szczesniak, A.S. (2002) Texture is a sensory property. *Food Quality and Preference* 13, 215–225. doi: 10.1016/S0950-3293(01)00039-8.
- Tanaka, A., Fujita, K. and Kikuchi, K. (1974) Nutritional-physiological studies on the tomato plant. III. Photosynthetic rate on individual leaves in relation to dry matter production of plants. *Soil Science and Plant Nutrition* 20, 173–183. doi: 10.1080/00380768.1974.10433240.
- Tanksley, S.D. (2004) The genetic, developmental, and molecular bases of fruit size and shape variation in tomato. *The Plant Cell* 16, S181–189. doi: <http://dx.doi.org/10.1105/tpc.018119>.

- Thompson, D.S. (2001) Extensiometric determination of the rheological properties of the epidermis of growing tomato fruit. *Journal of Experimental Botany* 52, 1291–1301. doi: 10.1093/jexbot/52.359.1291.
- Tieman, D., Zeigler, M., Schmelz, E., Taylor, M., Bliss, P., Kirst, M. and Klee, H. (2006) Identification of loci affecting flavour volatile emissions in tomato fruits. *Journal of Experimental Botany* 57(4), 887–896. doi: 10.1093/jxb/erj074.
- Tieman, D., Bliss, P., McIntyre, L.M., Blandon-Ubeda, A., Bies, D. et al. (2012) The chemical interactions underlying tomato flavor preferences. *Current Biology* 22(11), 1035–1039. doi: 10.1016/j.cub.2012.04.016.
- Toivonen, P.M.A. and Brummell, D.A. (2008) Biochemical bases of appearance and texture changes in fresh-cut fruit and vegetables. *Postharvest Biology and Technology* 48, 1–14. doi: 10.1016/j.postharvbio.2007.09.004.
- Truffault, V., Fifel, F., Longuenesse, J.J. and Gautier, H. (2015) Impact of temperature integration under greenhouse on energy use efficiency, plant growth and development and tomato fruit quality depending on cultivar rootstock combination. *Acta Horticulturae* 1099, 95–100. doi: 10.17660/ActaHortic.2015.1099.7.
- Wheeler, G.L., Jones, M.A. and Smirnoff, N. (1998) The biosynthetic pathway of vitamin C in higher plants. *Nature* 393(6683), 365–369. doi: 10.1038/30728.
- Yahia, E.M. and Brecht, J.K. (2012) Tomatoes. In: Rees, D., Orchard, J.E. and Farrell, G.(eds) *Crop Post-harvest: Science and Technology. Vol. 3: Perishables*. Blackwell, Oxford, pp. 18–51.
- Yin, X. and Struik, P.C. (2010) Modelling the crop: from system dynamics to systems biology. *Journal of Experimental Botany* 61, 2171–2183. doi: 10.1093/jxb/erp375.
- Zanor, M.I., Rambla, J.L., Chaib, J., Steppa, A., Medina, A. et al. (2009) Metabolic characterization of loci affecting sensory attributes in tomato allows an assessment of the influence of the levels of primary metabolites and volatile organic contents. *Journal of Experimental Botany* 60, 2139–2154. doi: 10.1093/jxb/erp086.
- Zegbe, J.A., Benboudian, M.H. and Clothier, B.E. (2006) Yield and fruit quality in processing tomato under partial rootzone drying. *European Journal Horticultural Science* 71, 252–258.
- Zhang, J., Zhao, J., Xu, Y., Liang, J., Chang, P. et al. (2015) Genome-wide association mapping for tomato volatiles positively contributing to tomato flavor. *Frontiers in Plant Science* 6, 1042. doi: 10.3389/fpls.2015.01042.
- Zsogon, A., Cermak, T., Voytas, D. and Peres, L.E. (2017) Genome editing as a tool to achieve the crop ideotype and de novo domestication of wild relatives: case study in

tomato. *Plant Science* 256, 120–130. doi: 10.1016/j.plantsci.2016.12.012.

第 6 章

- Adams, P. (1991) Effects of increasing the salinity of the nutrients solution with major nutrients or sodium chloride on the yield, quality and composition of tomato grown in rockwool. *Journal of Horticultural Science* 66, 201–207.
- Adams, P. (1999) Plant nutrition demystified. *Acta Horticulturae* 481, 341–344.
- Adams, P. and Ho, L.C. (1995) Uptake and distribution of nutrients in relation to tomato fruit quality. *Acta Horticulturae* 412, 375–387. doi: 10.17660/ActaHortic.1995.412.45.
- Albrechts, E.E. and Howard, C.M. (1985) Effect of intermittent sprinkler irrigation on establishment of strawberry transplants. *Soil and Crop Science Society of Florida Proceedings* 44, 197–199.
- Andersen, P.C., Rhoads, F.M., Olson, S.M. and Hill, K.D. (1999) Carbon and nitrogen budgets in spring and fall tomato crops. *HortScience* 34, 648–652.
- Barker, A.V. and Pilbeam, D.J. (2007) Introduction. In: Barker, A.V. and Pilbeam, D.J.(eds) *Handbook of Plant Nutrition*. Taylor and Francis, Boca Raton, Florida, pp. 3–18.
- Baselga-Yrisarry, J.J., Prieto-Losada, M.H. and Rodriguez del Rincon, A. (1993) Response of processing tomato to three different levels of water and nitrogen applications. *Acta Horticulturae* 335, 149–156.
- Bates, A.L., Orem, W.O., Harvey, J.W. and Spiker, E.C. (2002) Tracing sources of sulfur in the Florida Everglades. *Journal of Environmental Quality* 31, 287–299.
- Beerling, E.A.M., Blok, C., Van der Maas, A.A. and Van Os, E.A. (2014) Closing the water and nutrient cycles in soilless cultivation systems. *Acta Horticulturae* 1034, 49–55. doi: 10.17660/ActaHortic.2014.1034.4.
- Bengtsson, G., Bengtson, P. and Mansson, K.F. (2002) Gross nitrogen mineralization-, immobilization-, and nitrification rates as a function of soil C/N ratio and microbial activity. *Soil Biology and Biochemistry* 35, 143–154.
- Besford, R.T. (1980) A rapid tissue test for diagnosing phosphorus deficiency in the Tomato plant. *Annals of Botany* 45, 225–227.
- Besford, R.T. and Maw, G.A. (1974) Uptake and distribution of potassium in tomato plants. *Plant and Soil* 41, 601–618.
- Bruulsema, T., Lemunyon, J. and Herz, B. (2009) Know your fertilizer rights. *Crops & Soils* 42(2), 13–16.
- Ceccotti, S.P., Morris, R.J. and Messick, D.L. (1998) A global overview of the sulphur

- situation: industry's background, market trends, and commercial aspects of sulphur fertilizers. In: Schnug, E. (ed.) *Sulphur in Agroecosystems*. Kluwer Academic, Dordrecht, Netherlands, pp. 175–202.
- Debouba, M., Maaroufi-Dghimi, H., Suzuki, A., Ghorbel, M.H. and Gouiaj, H. (2007) Changes in growth and activity of enzymes involved in nitrate reduction and Ammonium assimilation in tomato seedlings in response to NaCl stress. *Annals of Botany* 99(6), 1143–1151. doi:10.1093/aob/mcm050.
- De Groot, C.C., Van den Boogaard, R., Marcelis, L.F.M., Harbinson, J. and Lambers, H. (2003) Contrasting effects of N and P deprivation on the regulation of photosynthesis in tomato plants in relation to feedback limitation. *Journal of Experimental Botany* 54, 1957–1967. doi: 10.1093/jxb/erg193.
- Doorenbos, J. and Pruitt, W.O. (1977) *Crop Water Requirements*. Irrigation and Drainage, no. 24. United Nations Food and Agriculture Organization, Rome.
- Dorais, M., Papadopoulos, A. and Gosselin, A. (2001) Influence of electric conductivity management on greenhouse tomato yield and fruit quality. *Agronomie* 21, 367–383.
- Dukes, M.D., Zotarelli, L., Liu, G.D. and Simonne, E.H. (2012) Principles and practices of irrigation management for vegetables. In: Olson, S.M. and Santos, B.M. (eds) *2012–2013 Vegetable Production Handbook for Florida*. Institute of Food and Agricultural Sciences, University of Florida, Gainesville, Florida, pp. 17–27.
- Ehret, D.L. and Ho, L.C. (1986) The effects of salinity on dry matter partitioning and fruit growth in tomatoes grown in nutrient film culture. *Horticultural Science* 61, 361–367.
- Grisso, R., Alley, M., Wysor, W.G., Holshouser, D. and Thomason, W. (2009) *Precision Farming Tools: Soil Electrical Conductivity*. Publications and educational resources, Virginia Cooperative Extension. Available at: <https://pubs.ext.vt.edu/442/442-508/442-508.html> (accessed 6 December 2016).
- Guidi, L., Lorefice, G., Pardossi, A., Malorgio, F., Tognoni, F. and Soldatini, G.F. (1997) Growth and photosynthesis of *Lycopersicon esculentum* (L.) plants as affected by nitrogen deficiency. *Biologia Plantarum* 40(2), 235–244. doi: 10.1023/A:1001068603778.
- Halliday, D.J. and Trenkel, M.E. (eds) (1992) *IFA World Fertilizer Use Manual*. International Fertilizer Industry Association, Paris, pp. 289–290, 331–337.
- Hao, X. and Papadopoulos, A.P. (2004) Effects of calcium and magnesium on plant growth, biomass partitioning, and fruit yield of winter greenhouse tomato. *HortScience* 39(3), 512–515.
- Hochmuth, G. (1994) *Plant Petiole Sap-Testing Guide for Vegetable Crops*. Florida

- Cooperative Extension Service Circular No1144. IFAS, Gainesville, Florida.
- Holder, R. and Christensen, M.H. (1989) The effect of electrical conductivity on the growth, yield and composition of cherry tomatoes grown on rockwool. In: *Proceedings 7th International Congress Soilless Culture, Flevohof, 1988*. ISOSC, Wageningen, Netherlands, pp. 213–228.
- Hosier, S. and Bradley, L. (1999) *Guide to Symptoms of Plant Nutrient Deficiencies*. AZ1106. University of Arizona Cooperative Extension, Tucson, Arizona.
- Humphries, J.M., Stangoulis, J.C.R. and Graham, R.D. (2007) Manganese. In: Barker, A.V. and Pilbeam, D.J. (eds) *Handbook of Plant Nutrition*. Taylor and Francis, Boca Raton, Florida, pp. 351–374.
- IMCC (1984) *Efficient Fertilizer Use: Fertilizing for Maximum Profit*. International Minerals and Chemical Corporation, Mundelein, Illinois.
- Jones, J.B. Jr (1999) *Tomato Plant Culture: In the Field, Greenhouse, and Home Garden*. CRC Press, Boca Raton, Florida.
- Kabu, K.L. and Toop, E.W. (1970) Influence of potassium-magnesium antagonism on tomato plant growth. *Canadian Journal of Plant Science* 58, 711–715.
- Kaniszewski, S., Elkner, K. and Rumpel, J. (1987) Effect of nitrogen fertilization and irrigation on yield, nitrogen status in plant and quality of fruits of direct seeded tomatoes. *Acta Horticulturae* 200, 196–202.
- Kirkby, E.A. and Mengel, K. (1966) Ionic balance in different tissues of the tomato plant in relation to nitrate, urea, or ammonium nutrition. *Plant Physiology* 42, 6–14.
- Kirnak, H., Kaya, C., Tas, I. and Higgs, D. (2001) The influence of water deficit on vegetative growth, physiology, fruit yield and quality in eggplants. *Bulgarian Journal of Plant Physiology* 27(3–4), 34–46.
- Lohry, R. (2007) *Micronutrients: Functions, Sources and Application Methods*. Indiana CCA Conference Proceedings. Available at:
https://www.agry.purdue.edu/CCA/2007/2007/Proceedings/Raun%20Lohry%20-%20CCA%20Proceedings_KLS.pdf (accessed 1 January 2017).
- Maas, E.V. (1984) Crop tolerance. *California Agriculture* 38, 20–21.
- Martinez, V. and Cerda, A. (1989) Influence of N source on rate of Cl, N, Na, and K uptake cucumber seedlings grow in saline conditions. *Journal of Plant Nutrition* 12, 971–983.
- Maughan, T., Allen, L.N. and Drost, D. (2015) *Soil Moisture Measurement and Sensors for Irrigation Management*. Available at:
http://extension.usu.edu/files/publications/publication/AG_Irrigation_2015-01pr.pdf (accessed 19 December 2016).

- Maynard, D.N. and Hochmuth, G.J. (2007) *Knott's Handbook for Vegetable Growers*, 5th edn. John Wiley and Sons, Hoboken, New Jersey, pp. 181, 203.
- Mitchell, J.P., Shennan, C. and Grattan, S.R. (1991) Developmental changes in tomato fruit composition in response to water deficit and salinity. *Physiologia Plantarum* 83, 177–185. doi: 10.1111/j.1399-3054.1991.tb01299.x.
- Moore, P.A., Daniel, T.C. and Edwards, D.R. (2000) Reducing phosphorus runoff and inhibiting ammonia loss from poultry manure with aluminum sulfate. *Journal of Environmental Quality* 29, 37–49.
- Olson, S.M., Stall, W.M., Vallad, G.E., Webb, S.E., Smith, S.A. et al. (2012) Tomato production in Florida. In: Olson, S.M. and Santos, B.M. (eds) *2011–2012 Vegetable Production Handbook for Florida*. Institute of Food and Agricultural Sciences, University of Florida, Gainesville, Florida, pp. 309–332.
- OMAFRA (2001) *Growing Greenhouse Vegetables*. Publication 371. Ontario Ministry of Agriculture, Food and Rural Affairs, Toronto, Canada.
- OMAFRA (2003) *Growing Greenhouse Vegetables, 2003 Supplement*. Publication 371S. Ontario Ministry of Agriculture, Food and Rural Affairs, Toronto, Canada.
- Phillips, S.B., Cemberato, J.J. and Leikam, D. (2009) Selecting the right fertilizer rate: a component of 4R nutrient stewardship. *Crops and Soils* 42, 14–17.
- Reddy, K.R., Khaleel, R., Overcash, M.R. and Westerman, P.W. (1979) A nonpoint source model for land areas receiving animal wastes: II. Ammonia volatilization. *Transactions of the American Society of Agricultural Engineers* 22, 1398–1405.
- Roberts, T.L. (2007) Right product, right rate, right time and right place: the foundation of best management practices for fertilizer. In: *Fertilizer Best Management Practices*. IFA, Paris, pp. 29–32.
- Romheld, V. and Nikolic, M. (2007) Iron. In: Barker, A.V. and Pilbeam, D.J. (eds) *Handbook of Plant Nutrition*. Taylor and Francis, Boca Raton, Florida, pp. 329–350.
- Roosta, H.R. (2011) Effects of foliar application of some macro- and micro-nutrients on tomato plants in aquaponic and hydroponic systems. *Scientia Horticulturae* 129, 396–402.
- Sainju, U.M., Singh, B.P. and Whitehead, W.F. (2001) Comparison of the effects of cover crops and nitrogen fertilization on tomato yield, root growth, and soil properties. *Scientia Horticulturae* 91, 201–214.
- Sanchez, C.A. (2007) Phosphorus. In: Barker, A.V. and Pilbeam, D.J. (eds) *Handbook of Plant Nutrition*. Taylor and Francis, Boca Raton, Florida, pp. 51–90.
- Sanders, D.C. (2004) *Vegetable Crop Guidelines for the Southeastern US*. North

Carolina

- Vegetable Growers Association, Raleigh, North Carolina.
- Seliga, J.P. and Shattuck, V.I. (1995) Crop rotation affects the yield and nitrogen fertilization response in processing tomatoes. *Scientia Horticulturae* 64, 159–166.
- Snyder, C.S., Bruulsema, T.W. and Jensen, T.L. (2007) Best management practices to minimize greenhouse gas emissions associated with fertilizer use. *Better Crops* 91, 16–18.
- Sonneveld, C. and Voogt, W. (2009) *Plant Nutrition of Greenhouse Crops*. Springer, Dordrecht. doi: 10.1007/978-90-481-2532-6.
- Stanghellini, C. (2014) Horticultural production in greenhouses: efficient use of water. *Acta Horticulturae* 1034, 25–32. doi: 10.17660/ActaHortic.2014.1034.1.
- Stanghellini, C., Kempkes, F.L.K. and Knies, P. (2003) Enhancing environmental quality in agricultural systems. *Acta Horticulturae* 609, 277–283. doi: 10.17660/ActaHortic.2003.609.41.
- Tanner, C.B., Peterson, A.E. and Love, J.R. (1960) Radiant energy exchange in a corn field. *Agronomy Journal* 52, 373–379.
- Van Ieperen, W. (1996) Effects of different day and night salinity levels on vegetative growth, yield and quality of tomato. *Journal of Horticultural Science* 71, 99–111.
- Van Ieperen, W. and Madery, H. (1994) A new method to measure plant water uptake and transpiration simultaneously. *Journal of Experimental Botany* 45, 51–60.
- Van Iersel, M.W., Chappell, M. and Lea-Cox, J.D. (2013) Sensors for improved efficiency of irrigation in greenhouse and nursery production. *HortTechnology* 23, 735–746.
- Wu, M. and Kubota, C. (2008) Effects of electrical conductivity of hydroponic nutrient solution on leaf gas exchange of five greenhouse tomato cultivars. *HortTechnology* 18, 271–277.

第 7 章

- Abhary, M., Patil, B. and Fauquet, C. (2007) Molecular biodiversity, taxonomy, and nomenclature of tomato yellow leaf curl-like viruses. In: Czosnek, H. (ed.) *Tomato Yellow Leaf Curl Virus Disease. Management, Molecular Biology, Breeding for Resistance*. Springer, Dordrecht, The Netherlands, pp. 85–118.
- Adkins, S., Wintermantel, W.M., Momol, T. and Polston, J.E. (2012) Management of Important viral diseases. In: Davis, R.M., Pernezny, K. and Broome, J.C. (eds) *Tomato Health Management*. APS Press, St Paul, Minnesota, pp. 113–125.
- Aghdak, P., Mobli, M. and Khoshgoftarmanesh, A.H. (2016) Effects of different

- growing media on vegetative and reproductive growth of bell pepper. *Journal of Plant Nutrients* 39, 967–973.
- Alvarado, P., Balta, O. and Alomar, O. (1997) Efficiency of four heteroptera as predators of *Aphis gossypii* and *Macrosiphum euphorbiae* (Hom.: Aphididae). *Entomophaga* 42, 215–226.
- Alvarez, A. (2005) Diversity and diagnosis of *Ralstonia solanacearum*. In: Allen, C., Prior, P. and Hayward, A.C. (eds) *Bacterial Wilt Disease and the Ralstonia solanacearum Species Complex*. APS Press, St Paul, Minnesota, pp. 437–447.
- Andrus, C.F., Reynard, G.B. and Wade, B.L. (1942) Relative resistance of tomato varieties, selections and crosses to defoliation by *Alternaria* and *Stemphylium*. US Department of Agriculture (USDA) Circular 652.
- Arno, J., Alonso, E. and Gabarra, R. (2003) Role of the parasitoid *Diglyphus isaea* (Walker) and the predator *Macrolophus caliginosus* Wagner in the control of leafminers. *IOBC/wprs* 26, 79–84.
- Arno, J., Albajes, R. and Gabarra, R. (2006) Within-plant distribution and sampling of single and mixed infestations of *Bemisia tabaci* and *Trialeurodes vaporariorum* (Homoptera: Aleyrodidae) in winter tomato crops. *Journal of Economic Entomology* 99, 331–340.
- Arora, R.K., Sharma, S. and Singh, B.P. (2014) Late blight disease of potato and its management. *Potato Journal* 41, 16–40.
- Aycock, R. (1966) *Stem Rot and Other Diseases Caused by Sclerotium rolfsii or the Status of Rolfs' Fungus after 70 Years*. Technical Bulletin 174. North Carolina Agriculture Experiment Station, Raleigh, North Carolina.
- Back, M.A., Haydock, P.P.J. and Jenkinson, P. (2002) Disease complexes involving plant parasitic nematodes and soilborne pathogens. *Plant Pathology* 51, 683–697.
- Barbosa, P. (1998) *Conservation Biological Control*. Academic Press, San Diego, California.
- Bashi, E., Pilowski ,M. and Rogem, J. (1973) Resistance in tomatoes to *Stemphylium floidanum* and *S. botryosum* f.sp. *lycopersici*. *Phytopathology* 63, 1542–1544.
- Baxter, A.P., Van der Westhuizen, G.C.A. and Eicker, A. (1985) A review of literature on the taxonomy, morphology and biology of the fungal genus *Colletotrichum*. *Phytophylactica* 17, 15–18.
- Becktell, M.C., Daughtrey, M.L. and Fry, W.E. (2005) Epidemiology and management of petunia and tomato late blight in the greenhouse. *Plant Disease* 89, 1000–1008.
- Bender, C.G. and Shoemaker, P.B. (1984) Prevalence of *Verticillium* wilt of tomato

- and virulence of *Verticillium dahliae* race 1 and race 2 isolates in western North Carolina. *Plant Disease* 68, 305–309.
- Blackman, R.L. and Eastop, V.F. (2000) *Aphids on the World's Crops. An Identification and Information Guide*. John Wiley and Sons, Chichester, UK.
- Blakeman, J.P. and Hornby, D. (1966) The persistence of *Colletotrichum coccodes* and *Mycosphaerella ligulicola* in soil, with special reference to sclerotia and conidia. *Transactions of the British Mycological Society* 49, 227–240.
- Blancard, D. and Laterrot, H. (1986) Les Stemphylia rencontres sur tomate. *Phytopathologia Mediterranea* 25, 140–144.
- Bliss, F.A., Onesirosan, P.T. and Arny, D.C. (1973) Inheritance of resistance in tomato to target leaf spot. *Phytopathology* 63, 837–840.
- Bosmans, L., Alvarez-Perez, S., Moerkens, R., Wittemans, L., Van Calenberg, B. *et al.* (2015) Assessment of the genetic and phenotypic diversity among rhizogenic *Agrobacterium* biovar 1 strains infecting solanaceous and cucurbit crops. *FEMS Microbiology Ecology* 91, fiv081.
- Bosmans, L., Van Calenberge, B., Paeleman, A., Moerkens, R., Wittemans, L. *et al.* (2016) Efficacy of hydrogen peroxide treatment for control of hairy roots disease caused by rhizogenic agrobacteria. *Journal of Applied Microbiology* 121, 519–527.
- Bosmans, L., Moerkens, R., Wittemans, L., De Mot, R., Rediers, H. and Lievens, B. (2017) Rhizogenic agrobacteria in hydroponic crops: epidemics, diagnostics and control. *Plant Pathology* 66(7), 1043–1053. doi: 10.1111/ppa.12687.
- Broadbent, L. (1965) The epidemiology of tomato mosaic. XI. Seed transmission of TMV. *Annals of Applied Biology* 56, 177–205.
- Broadbent, L. and Fletcher, J.T. (1963) The epidemiology of tomato mosaic. IV. Persistence of virus on clothing and greenhouse structures. *Annals of Applied Biology* 52, 233–241.
- Brodeur, J., Bouchard, A. and Turcotte, G. (1997) Potential of four species of predatory mites as biological control agents of the tomato russet mite, *Aculops lycopersici* (Massee) (Eriophyidae). *Canadian Entomologist* 129, 1–6.
- Brooks, C., Nekrasov, N., Lippman, Z.B. and Van Eck, J. (2014) Efficient gene editing in tomato in the first generation using the clustered regularly interspaced short palindromic repeats/CRISPR-associated9 system. *Plant Physiology* 166, 1292–1297.
- Butler, C.D. and Trumble, J.T. (2012) The potato psyllid: life history, relationship to plant diseases, and management strategies. *Terrestrial Arthropod Reviews* 5, 87–111.
- Byrne, J.M., Dianese, A.C., Ji, P., Campbell, H.L., Cuppels, D.A. *et al.* (2005) Biological control of bacterial spot of tomato under field conditions at several locations in North

- America. *Biological Control* 32(3), 408–418.
- Caballero, R. (1996) Identificacion de moscas blancas. In: Hilje, L. (ed.) *Metodologias para el Estudio y Manejo de Moscas Blancas y Geminivirus*. Centro Agronomico Tropical de Investigacion y Ensenanza, Turrialba, Costa Rica, pp. 1–2.
- Calvo, F.J., Bolckmans, K. and Belda, J.E. (2009) Development of a biological controlbased Integrated Pest Management method for *Bemisia tabaci* for protected sweet pepper crops. *Entomologia Experimentalis et Applicata* 133, 9–18.
- Camara, M.P.S., O'Neill, N.R. and van Berkum, P. (2002) Phylogeny of *Stemphylium* spp. based on ITS and glyceraldehyde-3-phosphate dehydrogenase gene sequences. *Mycologia* 94, 660–672.
- Capinera, J.C. (2001) *Handbook of Vegetable Pests*. Academic Press, San Diego, California.
- Castane, C., Arno, J., Gabarra, R. and Alomar, O. (2011) Plant damage to vegetable crops by zoophytophagous mirid predators. *Biological Control* 59, 22–29.
- Chang, R.J., Ries, S.M. and Pataky, J.K. (1991) Dissemination of *Clavibacter michiganensis* ssp. *Michiganensis* by practices used to produce tomato transplants. *Phytopathology* 81, 1276–1281.
- Chang, R.J., Ries, S.M. and Pataky, J.K. (1992) Local sources of *Clavibacter michiganensis* ssp. *Michiganensis* in the development of bacterial canker on tomatoes. *Phytopathology* 82, 553–560.
- Cohen, S. and Nitzany, F.E. (1966) Transmission and host range of the tomato yellow leaf curl virus. *Phytopathology* 56, 1127–1131.
- Cooke, L., Schepers, H., Hermansen, A., Bain, R., Bradshaw, N. et al. (2011) Epidemiology and integrated control of potato late blight in Europe. *Potato Research* 54, 183–222.
- Correll, J.C., Gordon, T.R. and Elliott, V.J. (1987) Host range, specificity, and biometrical measurements of *Leveillula taurica* in California. *Plant Disease* 71, 248–251.
- Crous, P.W. and Braun, U. (2003) Mycosphaerella and its anamorphs: 1. Names published in Cercospora and Passalora. *CBS Biodiversity Series* 1, 1–571. Centraalbureau voor Schimmelcultures, Utrecht, The Netherlands.
- Csizinsky, A.A., Schuster, D.J. and Kring, J.B. (1997) Evaluation of color mulches and oil sprays for yield and for the control of silverleaf whitefly, *Bemisia argentifolii* (Bellows and Perring) on tomatoes. *Crop Protection* 16, 475–481.
- Csizinsky, A.A., Schuster, D.J. and Polston, J.E. (1999) Effect of ultraviolet-reflective mulches on tomato yields and on the silverleaf whitefly. *HortScience* 34, 911–914.

- Czosnek, H. and Laterrot, H. (1997) A worldwide survey of tomato yellow leaf curl viruses. *Archives of Virology* 142, 1391.
- Denny, T.P. (2006) Plant pathogenic Ralstonia species. In: Gnanamanickam, S.S. (ed.) *Plant-Associated Bacteria*. Springer, Dordrecht, The Netherlands, pp. 573–644.
- Denny, T.P. and Hayward, A.C. (2001) Ralstonia. In: Schaad, N., Jones, J.B. and Chun, W. (eds) *Laboratory Guide for Identification of Plant Pathogenic Bacteria*, 3rd edn. APS Press, St Paul, Minnesota, pp. 165–189.
- Desneux, N., Wajnberg, E., Wyckhuys, K.A.G., Burgio, G., Arpaia, S. et al. (2010) Biological invasion of European tomato crops by *Tuta absoluta*: ecology, geographic expansion and prospects for biological control. *Journal of Pest Science* 83, 197–215.
- Dessaix, Y., Petit, A., Farrand, S.K. and Murphy, P.J. (1998) Opines and opine-like molecules involved in plant-Rhizobiaceae interactions. In: Spaink, H.P., Kondorosi, A. and Hooykaas, P.J.J. (eds) *The Rhizobiaceae*. Springer, Dordrecht, The Netherlands, pp. 173–197.
- Dillard, H.R. (1989) Effect of temperature, wetness duration, and inoculum density on infection and lesion development of *Colletotrichum coccodes* on tomato fruit. *Phytopathology* 79, 1063–1066.
- Dillard, H.R. and Cobb, A.C. (1998) Survival of *Colletotrichum coccodes* in infected tomato tissue and in soil. *Plant Disease* 82, 235–238.
- Di Serio, F., Flores, R., Verhoeven, J.T.J., Li, S.-F., Pallas, V. et al. (2014) Current status of viroid taxonomy. *Archives of Virology* 159, 3467.
- Dixon, L.J., Schlub, R.L., Pernezny, K. and Datnoff, L.E. (2009) Host specialization and phylogenetic diversity of *Corynespora cassiicola*. *Phytopathology* 99, 1015–1027.
- Dobinson, K.F., Tenuta, G.K. and Lazarovits, G. (1996) Occurrence of race 2 of *Verticillium dahliae* in processing tomato fields in southwestern Ontario. *Canadian Journal of Plant Pathology – Revue Canadienne de Phytopathologie* 18, 55–58.
- Dorsman, R. and van de Vrie, M. (1987) Population dynamics of the greenhouse whitefly on gerbera. *Bulletin IOBC/WPRS* 10, 46–51.
- Dovas, C.I., Katis, N.I. and Avgelis, A.D. (2002) Multiplex detection of criniviruses associated with epidemics of a yellowing disease of tomato in Greece. *Plant Disease* 86, 1345–1349.
- Drukker, B., Janssen, A., Ravensberg, W. and Sabelis, M.W. (1997) Improved control capacity of the mite predator *Phytoseiulus persimilis* (Acari: Phytoseiidae) on tomato. *Experimental and Applied Acarology* 21, 507–518.
- Elad, Y. and Yunis, H. (1993) Effect of microclimate and nutrients on development of cucumber gray mold (*Botrytis cinerea*). *Phytoparasitica* 21, 257–268.

- Elad, Y., Yunis, H. and Mahrer, Y. (1988) The effect of climatic condition in polyethylene covered structures on gray mold disease of winter cucumbers. *Applied Agricultural Research* 3, 243–247.
- Farley, J.D. (1976) Survival of *Colletotrichum coccodes* in soil. *Phytopathology* 66, 640–641.
- Farr, D.F., Rossman, A.Y., Palm, M.E. and McCray, E.B. (2007) *Fungal Databases*. Systematic Botany and Mycology Laboratory, ARS, USDA. Available at: <https://nt.ars-grin.gov/fungaldatabases/> (accessed 13 December 2016).
- Fegan, M. and Prior, P. (2005) How complex is the *Ralstonia solanacearum* species complex? In: Allen, C., Prior, P. and Hayward, A.C. (eds) *Bacterial Wilt Disease and the Ralstonia solanacearum Species Complex*. APS Press, St Paul, Minnesota, pp. 449–461.
- Fraser, R.S.S. and Loughlin, S.A.R. (1982) Effects of temperature on the *Tm-1* gene for resistance to *Tobacco mosaic virus* in tomato. *Physiological Plant Pathology* 20, 109–117.
- Fry, W.E., Myers, K., Roberts, P., McGrath, M.T., Everts, K. et al. (2013) The 2009 late blight pandemic in the eastern United States – causes and results. *Plant Disease* 97, 296–306.
- Furtado, I.P., de Moraes, G.J., Kreiter, S., Tixier, M.S. and Knapp, M. (2007) Potential of a Brazilian population of the predatory mite *Phytoseiulus longipes* as a biological control agent of *Tetranychus evansi* (Acari: Phytoselidae: Tetranychidae). *Biological Control* 42, 139–147.
- Gale, L.R., Katan, T. and Kistler, H.C. (2003) The probable center of origin of *Fusarium oxysporum* f. sp. *lycopersici* VCG 0033. *Plant Disease* 87, 1433–1438.
- Gao, Y., Lei, Z. and Reitz, S.R. (2012) Western flower thrips resistance to insecticides:detection, mechanisms and management strategies. *Pest Management Science* 68, 1111–1121.
- Gardner, R.G. and Panthee, D.R. (2012) ‘Mountain Magic’: an early blight and late blight-resistant specialty type F1 hybrid tomato. *HortScience* 47, 299–300.
- Gerling, D., Alomar, O. and Arno, J. (2001) Biological control of *Bemisia tabaci* using predators and parasitoids. *Crop Protection* 20, 779–799.
- Gillespie, D.R. and Menzies, J.G. (1993) Fungus gnats vector *Fusarium oxysporum* f. sp.*radicis-lycopersici*. *Annals of Applied Biology* 123, 539–544.
- Gleason, M.L., Gitaitis, R.D. and Ricker, M.D. (1993) Recent progress in understanding and controlling bacterial canker of tomato in Eastern North America. *Plant Disease* 77, 1069–1076.

- Graves, A.S., and Alexander, S.A. (2002) Managing bacterial speck and spot of tomato with acibenzolar-S-methyl in Virginia. Online. Plant Health Progress. doi: 10.1094/PHP-2002-0220-01-RS. Available at: <https://www.plantmanagementnetwork.org/pub/php/research/speckspot> (accessed 20 January 2018).
- Greenberg, S.M., Jones, W.A. and Liu, T.X. (2002) Interactions among two species of *Eretmocerus* (Hymenoptera: Aphelinidae), two species of whiteflies (Homoptera: Aleyrodidae), and tomato. *Environmental Entomology* 31, 397–402.
- Hall, T.J. (1980) Resistance at the TM-2 locus in the tomato to *Tomato mosaic virus*. *Euphytica* 29, 189.
- Hammond, R.W. and Owens, R.A. (2006) *Viroids: New and Continuing Risks for Horticultural and Agricultural Crops*. Online. APSnet Features. doi: 10.1094/APSnetFeature-2006-1106.
- Hannon, C.I. and Weber, G.F. (1955) A leaf spot of tomato caused by *Stemphylium floridanum* sp. nov. *Phytopathology* 45, 11–16.
- Hansen, D.L., Brodsgaard, H.F. and Enkegaard, A. (1999) Life table characteristics of *Macrolophus caliginosus* preying upon *Tetranychus urticae*. *Entomologia Experimentalis et Applicata* 93, 269–275.
- Hanssen, I.M., Mumford, R., Blystad, D.R., Cortez, I., Hasiow-Jaroszewska, B., et al. (2010) Seed transmission of *Pepino mosaic virus* in tomato. *European Journal of Plant Pathology* 126, 145–152.
- Hartman, J.R. and Fletcher, J.T. (1991) Fusarium crown and root rot of tomatoes in the UK. *Plant Pathology* 40, 85–92.
- Hausbeck, M.K., Bell, J., Medina-Mora, C., Podolsky, R. and Fulbright, D.W. (2000) Effect of bactericides on population sizes and spread of *Clavibacter michiganensis* subsp. *michiganensis* on tomatoes in the greenhouse and on disease development and crop yield in the field. *Phytopathology* 90, 38–44.
- Hendrix, J.W. and Frazier, W.A. (1949) *Studies on the Inheritance of Stemphylium Resistance in Tomatoes*. Technical Bulletin 8. Hawaii Agricultural Experiment Station, University of Hawaii, Honolulu.
- Horvath, D.M., Stall, R.E., Jones, J.B., Pauly, M.H., Vallad, G.E. et al. (2012) Transgenic resistance confers effective field level control of bacterial spot disease in tomato. *PLoS One* 7(8), e42036.
- Huang, C.-H., Vallad, G.E., Zhang, S., Wen, A., Balogh, B. et al. (2012) Effect of application frequency and reduced rates of acibenzolar-S-methyl on the field efficacy of induced resistance against bacterial spot on tomato. *Plant Disease* 96, 221–227.
- Huang, N.X., Enkegaard, A., Osborne, L.S., Ramakers, P.M.J., Messelink, G.J.,

- Pijnakker, J. and Murphy, G. (2011) The banker plant method in biological control. *Critical Reviews in Plant Sciences* 30, 259–278.
- Hussey, N.W. and Bravenboer, L. (1971) Control of pests in glasshouse culture by the introduction of natural enemies. In: Huffaker, C.B. (ed.) *Biological Control*. Plenum Press, New York, pp. 195–216.
- Itaya, A., Folimonov, A., Matsuda, Y., Nelson, R.S. and Ding, B. (2001) *Potato spindle tuber viroid* as inducer of RNA silencing in infected tomato. *Molecular Plant–Microbe Interactions* 14, 1332–1334.
- Jacquet, M., Bongiovanni, M., Martinez, M., Verschave, P., Wajnberg, E. and Castagnone-Sereno, P. (2005) Variation in resistance to the root-knot nematode *Meloidogyne incognita* in tomato genotypes bearing the *Mi* gene. *Plant Pathology* 54, 93–99.
- Jarvis, W.R. (1988) Fusarium crown and root rot of tomatoes. *Phytoprotection* 69, 49–64.
- Ji, P., Campbell, H.L., Kloepper, J.W., Jones, J.B., Suslow, T.V. and Wilson, M. (2006) Integrated biological control of bacterial speck and spot of tomato under field conditions using foliar biological control agents and plant growth-promoting rhizobacteria. *Biological Control* 36(3), 358–367.
- Jones, H., Whipps, J.M. and Gurr, S.J. (2001) The tomato powdery mildew fungus *Oidium neolyopersici*. *Molecular Plant Pathology* 2, 303–309.
- Jones, J.B., Jones, J.P., Stall, J.P. and Zitter, T.A. (1991) *Compendium of Tomato Diseases*. American Phytopathological Society, St Paul, Minnesota.
- Jones, J.B., Lacy, G.H., Bouzar, H., Stall, R.E. and Schaad, N.W. (2004) Reclassification of the xanthomonads associated with bacterial spot disease of tomato and pepper. *Systematic and Applied Microbiology* 27(6), 755–762.
- Jones, J.B., Lacy, G.H., Bouzar, H., Minsavage, G.V., Stall, R.E. and Schaad, N.W. (2005) Bacterial spot – worldwide distribution, importance and review. *Acta Horticulturae* 695, 27–34.
- Kamoun, S. and Smart, C.D. (2005) Late blight of potato and tomato in the genomics era. *Plant Disease* 89, 692–699.
- Katan, T., Shlevin, E. and Katan, J. (1997) Sporulation of *Fusarium oxysporum* f. sp. *Lycopersici* on stem surfaces of tomato plants and aerial dissemination of inoculum. *Phytopathology* 87, 712–719.
- Kiss, L., Cook, R.T.A., Saenz, G.S., Cunnington, J.H., Takamatsu, S. et al. (2001) Identification of two powdery mildew fungi, *Oidium neolyopersici* sp. nov. and *O. lycopersici*, infecting tomato in different parts of the world. *Mycological Research* 105,

684–697.

- Klosterman, S.J., Atallah, Z.K., Vallad, G.E. and Subbarao, K.V. (2009) Diversity, pathogenicity, and management of *Verticillium* species. *Annual Review of Phytopathology* 47, 39–62.
- Koller, M., Knapp, M. and Schausberger, P. (2007) Direct and indirect adverse effects of tomato on the predatory mite *Neoseiulus californicus* feeding on the spider mite *Tetranychus evansi*. *Entomologia Experimentalis et Applicata* 125, 297–305.
- Labate, J.A., Robertson, L.D., Strickler, S.R. and Mueller, L.A. (2014) Genetic structure of the four wild tomato species in the *Solanum peruvianum* s.l. species complex. *Genome* 57, 169–180.
- Lanter, J.M., McGuire, J.M. and Goode, M.J. (1982) Persistence of *Tomato mosaic virus* in tomato debris and soil under field conditions. *Plant Disease* 66, 552–555.
- Lapidot, M. and Friedmann, M. (2002) Breeding for resistance to whitefly-transmitted geminiviruses. *Annals of Applied Biology* 140, 109–127.
- Lapidot, M. and Polston, J.E. (2010) Biology and epidemiology of *Bemisia*-vectored viruses. In: Stansly, P.A. and Naranjo, S.E. (eds) *Bemisia: Bionomics and Management of a Global Pest*. Springer Science and Business Media, Dordrecht, The Netherlands, pp.227–231.
- Lapidot, M., Friedmann, M., Lachman, O., Yehezkel, A., Nahon, S., Cohen, S. and Pilowsky, M. (1997) Comparison of resistance level to tomato yellow leaf curl virus among commercial cultivars and breeding lines. *Plant Disease* 81, 1425–1428.
- Lefevre, P., Martin, D.P., Harkins, G., Lemey, P., Gray, A.J.A. et al. (2010) The spread of tomato yellow leaf curl virus from the Middle East to the World. *PLoS Pathogens* 6(10), e1001164.
- Levy, J., Ravindran, A., Gross, D., Tambrindeguy, C. and Pierson, E. (2011) Translocation of ‘*Candidatus Liberibacter solanacearum*’, the Zebra Chip pathogen, in potato and tomato. *Phytopathology* 101, 1285–1291.
- Li, T., Liu, B., Spalding, M.H., Weeks, D.P. and Yang, B. (2012) High-efficiency TALENbased gene editing produces disease-resistant rice. *Nature Biotechnology* 30, 390–392.
- Liefting, L., Weir, B., Pennycook, S. and Clover, G. (2009) ‘*Candidatus Liberibacter solanacearum*’, associated with plants in the family Solanaceae. *International Journal of Systemic and Evolutionary Microbiology* 59(9), 2274–2276.
- Lin, H., Lou, B., Glynn, J.M., Doddapaneni, H., Civerolo, E.L. et al. (2011) The complete genome sequence of ‘*Candidatus liberibacter solanacearum*’, the bacterium associated with potato zebra chip disease. *PLoS One* 6(4), e19135.

- Lindstrom, K. and Young, J.P.W. (2011) International Committee on Systematics of Prokaryotes. Subcommittee on the taxonomy of Agrobacterium and Rhizobium: minutes of the meeting, 7 September 2010, Geneva, Switzerland. *International Journal of Systemic and Evolutionary Microbiology* 61, 3089–3093.
- Ling, K.S. (2008) *Pepino mosaic virus* on tomato seed: virus location and mechanical transmission. *Plant Disease* 92, 1701–1705.
- List, G.M. (1939) The effect of temperature upon egg deposition, egg hatch and nymphal development of *Paratriozza cockerelli*. *Journal of Economic Entomology* 32, 30–36.
- Louws, F.J., Wilson, M., Campbell, H.L., Cuppels, D.A., Jones, J.B. et al. (2001) Field control of bacterial spot and bacterial speck of tomato using a plant activator. *Plant Disease* 85, 481–488.
- Ma, X., Lewis Ivey, M.L. and Miller, S.A. (2011) First report of *Xanthomonas gardneri* causing bacterial spot of tomato in Ohio and Michigan. *Plant Disease* 95, 1584.
- Martin, H.L., Hamilton, V.A. and Kopittke, R.A. (2004) Copper tolerance in Australian populations of *Xanthomonas campestris* pv. *vesicatoria* contributes to poor field control of bacterial spot of pepper. *Plant Disease* 88, 921–924.
- McCarter, S.M., Jones, J.B., Gitaitis, R.D. and Smitley, D.R. (1983) Survival of *Pseudomonas syringae* pv. *tomato* in association with tomato seed, soil, host tissue, and epiphytic weed hosts in Georgia. *Phytopathology* 73, 1393–1398.
- Menzies, J.G. and Jarvis, W.R. (1994) The infestation of tomato seed by *Fusarium oxysporum* f. sp. *radicis-lycopersici*. *Plant Pathology* 43, 378–386.
- Menzies, J.G., Koch, C. and Seywerd, F. (1990) Additions to the host ranges of *Fusarium oxysporum* f. sp. *radicis-lycopersici*. *Plant Disease* 74, 569–572.
- Messelink, G.J., van Maanen, R., van Steenpaal, S.E.F. and Janssen, A. (2008) Biological control of thrips and whiteflies by a shared predator: two pests are better than one. *Biological Control* 44, 372–379.
- Messelink, G.J., Sabelis, M.W. and Janssen, A. (2012) Generalist predators, food web complexities and biological pest control in greenhouse crops. In: Laramandy, M.L. and Soloneski, S. (eds) *Integrated Pest Management and Pest Control – Current and Future Tactics*. InTech, Rijeka, pp. 191–214.
- Minkenberg, O.P.J.M. (1990) Reproduction of *Dacnusa sibirica* (Hymenoptera, Braconidae), an endoparasitoid of leafminer *Liriomyza bryoniae* (Diptera, Agromyzidae) on tomatoes, at constant temperatures. *Environmental Entomology* 19, 625–629.
- Nasehi, A., Kadir, J.B., Esfahani, M.N., Mahmodi, F., Golkhandan, E., Akter, S. and

- Ghadirian, H. (2014) Cultural and physiological characteristics of *Stemphylium lycopersici* causing leaf blight disease on vegetable crops. *Archives of Phytopathology and Plant Protection* 47, 1658–1665.
- Navot, N., Pichersky, E., Zeidan, M., Zamir, D. and Czosnek, H. (1991) *Tomato yellow leaf curl virus*: a whitefly-transmitted geminivirus with a single genomic component. *Virology* 185, 151–161.
- Noling, J. and Ferris, H. (2012) Management of parasitic nematodes. In: Davis, R.M., Pernezny, K. and Broome, J.C. (eds) *Tomato Health Management*. APS Press, St Paul, Minnesota, pp. 65–76.
- Nowicki, M., Foolad, M.R., Nowakowska, M. and Kozik, E.U. (2012) Potato and tomato late blight caused by *Phytophthora infestans*: an overview of pathology and resistance breeding. *Plant Disease* 96, 4–17.
- Nunez, J. (2012) Management of important soilborne diseases. In: Davis, R.M., Pernezny, K. and Broome, J.C. (eds) *Tomato Health Management*. APS Press, St Paul, Minnesota, pp. 95–101.
- Obradovic, A., Jones, J.B., Momol, M.T., Balogh, B. and Olson, S.M. (2004) Management of tomato bacterial spot in the field by foliar applications of bacteriophages and SAR inducers. *Plant Disease* 88, 736–740.
- Onesirosan, P.T., Arny, D.C. and Durbin, R.D. (1974) Host specificity of Nigerian and North American isolates of *Corynespora cassiicola*. *Phytopathology* 64, 1364–1367.
- Owens, R.A. and Verhoeven, J.T.J. (2009) Potato spindle tuber. *The Plant Health Instructor* (American Phytopathology Society, St Paul, Minnesota). doi: 10.1094/PHI-I-1-2009-0804-01. Available at: <https://www.apsnet.org/edcenter/intropp/lessons/viruses/Pages/PotatoSpindleTuber.aspx> (accessed 22 April 2018).
- Pappu, H.R., Jones, R.A.C. and Jain, R.K. (2009) Global status of tospovirus epidemics in diverse cropping systems: successes achieved and challenges ahead. *Virus Research* 141, 219–236.
- Patterson, C.L. (1991) Importance of chlamydospores as primary inoculum for *Alternaria solani*, incitant of collar rot and early blight on tomato. *Plant Disease* 75, 274–278.
- Pearson, M.N., Clover, G.R.G., Guy, P.L., Fletcher, J.D. and Beever, R.E. (2006) A review of the plant virus, viroid and mollicute records for New Zealand. *Australasian Plant Pathology* 35, 217–252.
- Perdikis, D., Fantinou, A. and Lykouressis, D. (2011) Enhancing pest control in annual

- crops by conservation of predatory Heteroptera. *Biological Control* 59, 13–21.
- Pico, B., Diez, M. and Nuez, F. (1996) Viral diseases causing the greatest economic losses to the tomato crop. 2. The *Tomato yellow leaf curl virus* – a review. *Scientia Horticulturae* 67, 151–196.
- Poland, J.A. and Rife, T.W. (2012) Genotyping-by-sequencing for plant breeding and genetics. *Plant Genome* 5, 92–102.
- Potnis, N., Timilsina, S., Strayer, A., Shantharaj, D., Barak, J.D. et al. (2015) Bacterial spot of tomato and pepper: diverse *Xanthomonas* species with a wide variety of virulence factors posing a worldwide challenge. *Molecular Plant Pathology* 16, 907–920.
- Pozos, N., Scow, K., Wuertz, S. and Darby, J. (2004) UV disinfection in a model distribution system: biofilm growth and microbial community. *Water Research* 38, 3083–3091.
- Prior, P. and Fegan, M. (2005) Recent developments in the phylogeny and classification of *Ralstonia solanacearum*. *Acta Horticulturae* 695, 127–136.
- Pritchard, F.J. and Porte, W.S. (1924) The relation of temperature and humidity to tomato leaf spot (*Septoria lycopersici* Speg.). *Phytopathology* 14, 156–165.
- Punja, Z.K. (1985) The biology, ecology, and control of *Sclerotium rolfsii*. *Annual Review of Phytopathology* 23, 97–127.
- Quezado-Duval, A.M., Leite Junior, R.P., Truffi, D. and Camargo, L.E.A. (2004) Outbreaks of bacterial spot caused by *Xanthomonas gardneri* on processing tomato in Central-West Brasil. *Plant Disease* 88, 157–161.
- Rekah, Y., Shtienberg, D. and Katan, J. (1999) Spatial distribution and temporal development of Fusarium crown and root rot of tomato and pathogen dissemination in field soil. *Phytopathology* 89, 831–839.
- Ritchie, D.R. and Dittapongpitch, V. (1991) Copper- and streptomycin-resistant strains and host differentiated races of *Xanthomonas campestris* pv. *vesicatoria* in North Carolina. *Plant Disease* 75, 733–736.
- Riudavets, J. and Castane, C. (1998) Identification and evaluation of native predators of *Frankliniella occidentalis* (Thysanoptera : Thripidae) in the Mediterranean. *Environmental Entomology* 27, 86–93.
- Rivard, C.L., O'Connell, S., Peet, M.M., Welker, R.M. and Louws, F.J. (2012) Grafting tomato to manage bacterial wilt caused by *Ralstonia solanacearum* in the southeastern United States. *Plant Disease* 96, 973–978.
- Rivas, S. and Thomas, C.M. (2002) Recent advances in the study of tomato *Cf* resistance

- genes. *Molecular Plant Pathology* 3, 277–282.
- Rodrigues, T., Berbee, M., Simmons, E., Cardoso, C., Reis, A., Maffia, L. and Mizubuti, E. (2010) First report of *Alternaria tomatophila* and *A. grandis* causing early blight on tomato and potato in Brazil. *New Disease Reports* 22, 28.
- Roossinck, M.J. (1999) Cucumoviruses (Bromoviridae). In: Granoff, A. and Webster, R.G. (eds) *Encyclopedia of Virology*. Academic Press, San Diego, California, pp. 315–324.
- Rosello, S., Jose Diez, M. and Nuez, F. (1996) Viral diseases causing the greatest economic losses to the tomato crop. I. The *Tomato spotted wilt virus* – a review. *Scientia Horticulturae* 67, 117–150.
- Rotem, J. and Bashi, E. (1977) A review of the present status of the *Stemphylium* complex in tomato foliage. *Phytoparasitica* 5, 45–58.
- Rowe, R.C., Farley, J.D. and Coplin, D.L. (1977) Airborne spore dispersal and recolonization of steamed soil by *Fusarium oxysporum* in tomato greenhouses. *Phytopathology* 67, 1513–1517.
- Saidi, M. and Warade, S.D. (2008) Tomato breeding for resistance to *Tomato spotted wilt virus* (TSWV): an overview of conventional and molecular approaches. *Czech Journal of Genetics and Plant Breeding* 44, 83–92.
- Sanchez, J.A., Gillespie, D.R. and McGregor, R.R. (2003) The effects of mullein plants (*Verbascum thapsus*) on the population dynamics of *Dicyphus hesperus* (Heteroptera: Miridae) in tomato greenhouses. *Biological Control* 28, 313–319.
- Schenk, M.F., Hamelink, R., van der Vlugt, R.A.A., Vermunt, A.M.W., Kaarsenmaker, R.C. and Stijger, I. (2010) The use of attenuated isolates of Pepino mosaic virus for cross-protection. *European Journal of Plant Pathology* 127, 249–261.
- Schuster, D.J. (2001) Relationship of silverleaf whitefly population density to severity of irregular ripening of tomato. *HortScience* 36, 1089–1090.
- Secor, G.A., Rivera, V.V., Abad, J.A., Lee, I.-M., Clover, G.R.G. et al. (2009) Association of ‘*Candidatus Liberibacter solanacearum*’ with zebra chip disease of potato established by graft and psyllid transmission, electron microscopy, and PCR. *Plant Disease* 93, 574–583.
- Simmons, E.G. (2000) Alternaria themes and variations (244–286) species on Solanaceae. *Mycotaxon* 75, 1–115.
- Speyer, E.R. (1927) An important parasite of the greenhouse whitefly (*Trialeurodes vaporariorum*, Westwood). *Bulletin of Entomological Research* 17, 301–308.
- Stall, R.E., Hortenstine, C.C. and Iley, J.R. (1965) Incidence of botrytis gray mold of

- tomato in relation to a calcium–phosphorus balance. *Phytopathology* 55, 447–449.
- Stall, R.E., Jones, J.B. and Minsavage, G.V. (2009) Durability of resistance in tomato and pepper to xanthomonads causing bacterial spot. *Annual Review of Phytopathology* 47, 265–284.
- Tancos, M.A., Chalupowicz, L., Barash, I., Manulis-Sasson, S. and Smart, C.D. (2013) Tomato fruit and seed colonization by *Clavibacter michiganensis* subsp. *Michiganensis* through external and internal routes. *Applied and Environmental Microbiology* 79, 6948–6957.
- The 100 Tomato Genome Sequencing Consortium (2014) Exploring genetic variation in the tomato (*Solanum* section *Lycopersicum*) clade by whole-genome sequencing. *The Plant Journal* 80, 136–168.
- The Tomato Genome Consortium (TGC) (2012) The tomato genome sequence provides insights into fleshy fruit evolution. *Nature* 485, 635–641. doi: 10.1038/nature11119.
- Thompson, W.M.O. (2011) Introduction: Whiteflies, geminiviruses and recent events. In: Thompson, W.M.O. (ed.) *The Whitefly, Bemisia tabaci (Homoptera: Aleyrodidae) Interaction with GeminiVirus-Infected Host Plants*. Springer, Berlin, pp. 1–13.
- Urbaneja-Bernat, P., Alonso, M., Tena, A., Bolckmans, K. and Urbaneja, A. (2012) Sugar as nutritional supplement for the zoophytophagous predator *Nesidiocoris tenuis*. *BioControl* 58, 57–64. doi: 10.1007/s10526-012-9466-y.
- Vandekerckhove, B. and De Clercq, P. (2010) Pollen as an alternative or supplementary food for the mirid predator *Macrolophus pygmaeus*. *Biological Control* 53, 238–242.
- van Houten, Y.M., Glas, J.J., Hoogerbrugge, H., Rothe, J., Bolckmans, K.J. et al. (2013) Herbivory-associated degradation of tomato trichomes and its impact on biological control of *Aculops lycopersici*. *Experimental and Applied Acarology* 60(2), 127–138.
- van Lenteren, J.C. (2012) The state of commercial augmentative biological control: plenty of natural enemies, but a frustrating lack of uptake. *BioControl* 57, 1–20.
- van Lenteren, J.C. and Woets, J. (1988) Biological and integrated pest control in greenhouses. *Annual Review of Entomology* 33, 239–269.
- van Maanen, R., Vila, E., Sabelis, M.W. and Janssen, A. (2010) Biological control of broad mites (*Polyphagotarsonemus latus*) with the generalist predator *Amblyseius swirskii*. *Experimental and Applied Acarology* 52, 29–34.
- Varma, A., Mandal, B. and Singh, M.K. (2011) Global emergence and spread of whitefly transmitted geminiviruses. In: Thompson, W.M.O. (ed.) *The Whitefly, Bemisia*

- tabaci (*Homoptera: Aleyrodidae*) Interaction with Geminivirus-Infected Host Plants. Springer Science and Business Media, Dordrecht, The Netherlands, pp. 205–292.
- Verhoeff, K. (1968) Effect of soil nitrogen level and methods of deleafing upon the occurrence of *Botrytis cinerea* under commercial conditions. *Netherlands Journal of Plant Pathology* 74, 184–194.
- Verhoeven, J., Jansen, C., Willemen, T., Kox, L.F.F., Owens, R.A. and Roenhorst J.W. (2004) Natural infections of tomato by *Citrus exocortis* viroid, *Columnea latent* viroid, *Potato spindle tuber* viroid and *Tomato chlorotic dwarf* viroid. *European Journal of Plant Pathology* 110, 823.
- Verhoeven, J.T.J., Huner, L., Marn, M.V., Mavric Plesko, I. and Roenhorst, J.W. (2010) Mechanical transmission of Potato spindle tuber viroid between plants of *Brugmansia suaveoles*, *Solanum jasminoides* and potatoes and tomatoes. *European Journal of Plant Pathology* 128, 417.
- Voigt, D., Gorb, E. and Gorb, S. (2007) Plant surface–bug interactions: *Dicyphus errans* stalking along trichomes. *Arthropod–Plant Interactions* 1, 221–243.
- Weber, G.F. (1930) Gray leaf spot of tomato caused by *Stemphylium solani*, sp. nov. *Phytopathology* 20, 513–518.
- Webster, C.G., Frantz, G., Reitz, S.R., Funderburk, J.E., Mellinger, H.C. et al. (2015) Emergence of *Groundnut ringspot virus* and *Tomato chlorotic spot virus* in vegetables in Florida and the southeastern United States. *Phytopathology* 105, 388–398.
- Weir, T.L., Huff, D.R., Christ, B.J. and Romaine, C.P. (1998) RAPD-PCR analysis of genetic variation among isolates of *Alternaria solani* and *Alternaria alternata* from potato and tomato. *Mycologia* 90, 813–821.
- Weller, S.A., Stead, D.E. and Young, J.P.W. (2006) Recurrent outbreaks of root mat in cucumber and tomato are associated with a monomorphic, cucumopine, Ri-plasmid harboured by various Alphaproteobacteria. *FEMS Microbiology Letters* 258, 136–143.
- Wetzel, M.E., Kim, K.S., Miller, M., Olsen, G.J. and Farrand, S.K. (2014) Quorum-dependent mannopine-inducible conjugative transfer of an Agrobacterium opine-catabolic plasmid. *Journal of Bacteriology* 196, 1031–1044.
- Williamson, V.M. (1998) Root-knot nematode resistance genes in tomato and their potential for future use. *Annual Review of Phytopathology* 36, 277–293.
- Wilson, A.R. (1963) Some observations on the infection of tomato stems by *Botrytis cinerea* Fr. *Annals of Applied Biology* 51, 171.

- Xu, X., Miller, S.A., Baysal-Gurel, F., Gartemann, K.-H., Eichenlaub, R. and Rajashekara, G. (2010) Bioluminescence imaging of *Clavibacter michiganensis* subsp. *Michiganensis* infection of tomato seeds and plants. *Applied and Environmental Microbiology* 76, 3978–3988.
- Yang, T.-C. and Chi, H. (2006) Life tables and development of *Bemisia argentifolii* at different temperatures. *Journal of Economic Entomology* 99, 691–698.
- Yunis, H., Elad, Y. and Mahrer, Y. (1990a) Effects of air temperature, relative humidity and canopy wetness on gray mold of cucumbers in unheated greenhouses. *Phytoparasitica* 18, 203–215.
- Yunis, H., Elad, Y. and Mahrer, Y. (1990b) Influence of fungicide control of cucumber and tomato grey mold (*Botrytis cinerea*) on fruit yield. *Pesticide Science* 31, 325–335.
- Zaitlin, M. and Hull, R. (1987) Plant virus–host interactions. *Annual Review of Plant Physiology* 38, 291–315.

第 8 章

- Albritton, D.L., Aucamp, P.J., Megie, G. and Watson, R.T. (eds) (1998) *Scientific Assessment of Ozone Depletion*. Report no. 44, Global Ozone Research and Monitoring Project. World Meteorology Organization, Geneva, Switzerland.
- Bhardwaj, C., Thakur, D. and Jamwal, R. (2012) Effect of fungicide spray and staking on diseases and disorders of tomato (*Lycopersicon esculentum*). *Indian Journal of Agricultural Sciences* 65(2) 148–151. Available at: <http://epubs.icar.org.in/ejournal/index.php/IJAgS/article/view/18197> (accessed 30 August 2012).
- Bohan, G. and Kelley, W.T. (2010) Transplant production. In: *Commercial Tomatoes Production Handbook*. Bulletin 1312. University of Georgia Cooperative Extension, College of Agricultural and Environmental Sciences, Athens, Georgia.
- Cantwell, M.I. and Kasmire, R.F. (2002) Postharvest handling systems: fruit vegetables. In: Kader, A.A. (ed.) *Postharvest Technology of Horticultural Crops*. Special Publication No. 3311. Division of Agriculture and Natural Resources, University of California, Oakland, California, pp. 407–421.
- Carlton, W.M., Gleason, M.L. and Braun, E.J. (1994) Effects of pruning on tomato plants supporting epiphytic populations of *Clavibacter michiganensis* subsp. *michiganensis*. *Plant Disease* 78, 742–745.
- Cornell Cooperative Extension (2007) Integrated crop and pest management guidelines

- for commercial vegetable production. Cornell Cooperative Extension, Cornell University. Available at: <https://store.cornell.edu/c-875-pmep-guidelines.aspx> (accessed 20 June 2018).
- Csizinszky, A.A. (2005) Production in the open field. In: Heuvelink, E. (ed.) *Tomatoes*, 1st edn. CABI Publishing, Cambridge, Massachusetts, pp. 237–246.
- Culpepper, A.S. (2010) Weed control. In: *Commercial Tomatoes Production Handbook*. Bulletin 1312. University of Georgia Cooperative Extension, College of Agricultural and Environmental Sciences, Athens, Georgia.
- Decoteau, D.R., Kasperbauer, M.J. and Hunt, P.G. (1989) Mulch surface color affects yield of fresh-market tomatoes. *Journal of American Society for Horticultural Science* 114, 216–219.
- Diaz-Perez, J.C. and Batal, K.D. (2002) Colored plastic film mulches affect tomato growth and yield via changes in root-zone temperature. *Journal of American Society for Horticultural Science* 127, 127–136.
- Elattir, H. (2002) Plant density on processing tomatoes grown in Morocco. *Acta Horticulturae* 613, 197–200.
- FAO (2012) FAO-STAT Database on Agriculture. Available at: <http://faostat.fao.org> (accessed 12 June 2018).
- Grassbaugh, E.M., Regnier, E.E. and Bennet, M.A. (2004) Comparison of organic and inorganic mulches for heirloom tomato production. *Acta Horticulturae* 638, 171–176.
- Greer, L. and Dole, J.M. (2003) Aluminum foil, aluminum-painted, plastic, and degradable mulches increase yields and decrease insect-vectored viral disease of vegetables. *HortTechnology* 13, 276–284.
- Hanson, P. and Chen, J.T. (1998) Cultivation and seed production of tomato. In: *Training Workshop on Vegetable Cultivation and Seed Production Technology*. AVRDC, Shanhua, Taiwan, pp. 1–33.
- Hoyle, B.J. (1983) Crust control aids seedling emergence. *California Agriculture* 37, 25–26.
- Irizarry, H., Azzam, H. and Woodbury, R. (1966) Evaluation of black polyethylene mulch paper for tomato production in Puerto Rico. *Proceedings of the Caribbean Food Crop Society* 4, 75–79.
- Ivors, K. and Sanders, D. (eds) (2010) *Commercial Production of Staked Tomatoes in the Southeast*. Fact Sheet AG-405. North Carolina Cooperative Extension Service, Raleigh, North Carolina.

- Kemble, J.M., Davis, J.M., Gardner, R.G. and Sanders, D.C. (1994) Spacing, root cell volume, and age affect production and economics of compact-growth-habit tomato. *HortScience* 29, 1460–1464.
- Kemble, J.M., Tyson, T.W. and Curtis, L.M. (2004) *Guide to Commercial Staked Tomato Production in Alabama*. ANR-1156. Alabama Cooperative Extension System, Alabama A&M and Auburn Universities, Auburn, Alabama.
- Khan, E.M., Kakava, E., Mavromatis, A., Chachalis, D. and Goulas, C. (2006) Effect on growth and yield of tomato (*Lycopersicon esculentum* Mill.) in greenhouse and open-field. *Journal of Applied Horticulture* 8, 3–7.
- Konsler, T.R. and Gardner, R.G. (1990) *Commercial Production of Staked Tomatoes in North Carolina*. AG-405. Agricultural Extension Service North Carolina State University Publications, Raleigh, North Carolina.
- Lament, W.J. Jr (1993) Plastic mulches for the production of vegetable crops. *HortTechnology* 3, 35–39.
- Liptay, A. (1992) Air circulation in growth chambers stunts tomato seedling growth. *Canadian Journal of Plant Science* 72, 1275–1281.
- Liptay, A., Nicholls, S. and Sikkema, P. (1992) Optimal mineral nutrition of tomato transplants in the greenhouse for maximum performance in the field. *Acta Horticulturae* 319, 489–492. doi: 10.17660/ActaHortic.1992.319.76.
- Marr, C.W. and Jirak, M. (1990) Holding tomato transplants in plug trays. *HortScience* 25, 173–176.
- McGraw, D. and Motes, J.E. (2007) *Use of Plastic Mulch and Row Covers in Vegetable Production*. Oklahoma Cooperative Extension Fact Sheets. Oklahoma State University, Stillwater, Oklahoma.
- McGraw, D., Motes, J. and Schatzer, R.J. (2007) *Commercial Production of Fresh Market Tomatoes*. Fact Sheet F-6019. Oklahoma Cooperative Extension Service. Oklahoma State University, Stillwater, Oklahoma.
- Motes, J. and Roberts, W. (2007) *Growing Vegetable Transplants*. Fact Sheet HLA-6020. Oklahoma Cooperative Extension Service. Oklahoma State University, Stillwater, Oklahoma. Available at: <http://pods.dasnr.okstate.edu/docushare/dsweb/Get/Document-1377/HLA-6020.pdf> (accessed 22 September 2012).
- Navarrete, M. and Jeannequin, B. (2000) Effect of frequency of axillary bud pruning on vegetative growth and fruit yield in greenhouse tomato crops. *Scientia Horticulturae*

- 86, 197–210. doi: 10.1016/S0304-4238(00)00147-3.
- NeSmith, D.S. and Duval, J.R. (1998) The effect of container size. *HortTechnology* 8, 495–498.
- Noling, J.W., Botts, D.A. and MacRae, A.W. (2012) Alternatives to methyl bromide soil fumigation for Florida vegetable production. In: Olson, S.M. and Santos, B.M.(eds) *2012–2013 Vegetable Production Handbook for Florida*. Institute of Food and Agricultural Sciences, University of Florida, Gainesville, Florida, pp. 47–54.
- Obasi, M.O. (2007) Effects of spacing and staking materials on growth and yield of tomato in Makurdi, Southern Guinea Savanna of Nigeria. *Journal of Sustainable Agriculture and the Environment* 9, 26–31.
- Olson, S.M., Dittmar, P.J., Vallad, G.E., Webb, S.E., Smith, S.A. et al. (2012) Tomato production in Florida. In: Olson, S.M. and Santos, B.M. (eds.) *2012–2013 Vegetable Production Handbook for Florida*. Institute of Food and Agricultural Sciences, University of Florida, Gainesville, Florida, pp. 407–426.
- Reid, M.S. (2002) Maturation and maturity indices. In: Kader, A.A. (ed.) *Postharvest Technology of Horticultural Crops*. Special Publication No. 3311. University of California, Division of Agriculture and Natural Resources, Oakland, California, pp. 55–62.
- Rivard, C.L. and Louws, F.J. (2008) Grafting to manage soilborne diseases in heirloom tomato production. *HortScience* 43, 2104–2111.
- Rutledge, A.D., Wills, J.B. and Bost, S. (1999) *Commercial Tomato Production*. PB 737. Agricultural Extension Service, The University of Tennessee, Knoxville, Tennessee.
- Rylski, I., Aloni, B., Karni, L. and Zaidman, Z. (1994) Flowering, fruit set, fruit development and fruit quality under different environmental conditions in tomato and pepper crops. *Acta Horticulturae* 366, 45–55. doi: 10.17660/ActaHortic.1994.366.3.
- Sainju, U.M, Singh, B.P., Rahman, S. and Reddy, V.R. (2000) Tillage, cover cropping, and nitrogen fertilization influence tomato yield and nitrogen uptake. *HortScience* 35, 217–221.
- Santos, B.M. (2008) Early pruning effects on ‘Florida-47’ and ‘Sungard’ tomato. *HortTechnology* 18, 467–470.
- Santos, B.M. and Gilreath, J.P. (2006) Chemical alternatives to methyl bromide for vegetable crop production in Florida, United States. *CAB Reviews: Perspectives in Agriculture, Veterinary Science, Nutrition and Natural Resources* 57, 1–7.
- Sato, S., Peet, M. and Gardner, R.G. (2001) Formation of parthenocarpic fruit, undeveloped flowers and aborted flowers in tomato under moderately elevated

- temperatures. *Scientia Horticulturae* 90, 243–254. doi: 10.1016/S0304-4238(00)00262-4.
- Schonbeck, M.W. and Evanylo, G.K. (1998a) Effects of mulches on soil properties and tomato production. I. Soil temperature, soil moisture and marketable yield. *Journal of Sustainable Agriculture* 13, 55–81.
- Schonbeck, M.W. and Evanylo, G.K. (1998b) Effects of mulches on soil properties and tomato production. II. Plant-available nitrogen, organic matter input, and tilthrelated properties. *Journal of Sustainable Agriculture* 13, 83–100.
- Sikes, J. and Coffey, D.L. (1976) Catfacing of tomato fruits as influenced by pruning. *HortScience* 11, 26–27.
- Suwan, M.A., Akkawi, M., Al-Musa, A.M. and Mansour, A. (1988) Tomato performance and incidence of tomato yellow leaf curl (TYLC) virus as affected by type of mulch. *Scientia Horticulturae* 37, 39–45. doi: 10.1016/0304-4238(88)90149-5.
- Swiader, J. M., Ware, G.W. and McCollum, J.P. (1992) *Producing Vegetable Crops*, 4th edn. Interstate Publishers, Danville, Illinois.
- Tarara, J.M. (2000) Microclimate modification with plastic mulch. *HortScience* 35, 169–180.
- Thomas, R., O'Sullivan, J., Hamill, A. and Swanton, C.J. (2001) Conservation tillage systems for processing tomato production. *HortScience* 36, 1264–1268.
- Thompson, J.F. (2002) Harvesting systems. In: Kader, A.A. (ed.) *Postharvest Technology of Horticultural Crops*. Special Publication No. 3311. University of California, Division of Agriculture and Natural Resources, Oakland, California, pp. 63–65.
- US Environmental Protection Agency (1999) Protection of stratospheric ozone: incorporation of Montreal Protocol adjustment for a 1999 interim reduction in Class I, Group VI controlled substances. *Federal Register* 64, 29240–29245.
- Vallad, G.E. and Santos, B.M. (2010) Influence of shoot pruning on bacterial spot infestation on tomato cultivars. *HortTechnology* 20, 1–5.
- Vavrina, C.S., Olson, S.M., Gilreath, P.R. and Lamberts, M.L. (1996) Transplant depth influences tomato yield and maturity. *HortScience* 31, 190–192.

第 9 章

- Aikman, D.P., Fenlon, J.S. and Cockshull, K.E. (1996) Anticipated cash value of photosynthate in the glasshouse tomato. *Acta Horticulturae* 417, 47–54.
- Anonymous (1995) *Kwantitatieve informatie voor de glastuinbouw 1995-1996*.

Informatie

- en Kennis Centrum Landbouw, Afdeling Glasgroente en Bloemisterij, Aalsmeer/
Naaldwijk.
- Atherton, J.G. and Rudich, J. (1986) *The Tomato Crop. A Scientific Basis for Improvement*. Chapman & Hall, London.
- Bailey, B.J. (2002) Optimal control of carbon dioxide enrichment in tomato greenhouses. *Acta Horticulturae* 578, 63–70.
- Bakker, J.C. (1990) Effects of day and night humidity on yield and fruit quality of glasshouse tomatoes (*Lycopersicon esculentum* Mill.). *Journal of Horticultural Science* 65, 323–331.
- Bakker, J.C., Bot, G.P.A., Challa, H. and van de Braak, N.J. (1995) *Greenhouse Climate Control. An Integrated Approach*. Wageningen Pers, Wageningen, The Netherlands.
- Balendonck, J., Bruins, M.A., Wattimena, M.R., Voogt, W. and Huys, A. (2005) WETsensor pore water EC calibration for three horticultural soils. *Acta Horticulturae* 691, 789–795.
- Both, A.J., Benjamin, L., Franklin, J., Holroyd, G., Incoll, L.D., Lefsrud, M.G. and Pitkin, G. (2015) Guidelines for measuring and reporting environmental parameters for experiments in greenhouses. *Plant Methods* 11, 43. doi: 10.1186/s13007-015-0083-5.
- Boulard, T. (2011) Advantages and constraints of CFD greenhouse modeling. *Acta Horticulturae* 893, 145–153.
- Brugger, M., Montero, J., Baezz, E. and Perez-Parra, J. (2005) Computational fluid dynamic modeling to improve the design of the Spanish parral style greenhouse. In: VanStraten, G., Bot, G.P.A., VanMeurs, W.T.M. and Marcelis, L.M.F. (eds) *Proceedings of the International Conference on Sustainable Greenhouse Systems*, pp. 425–431.
- Castellano, S., Santamaria, P. and Serio, F. (2016) Solar radiation distribution inside a monospan greenhouse with the roof entirely covered by photovoltaic panels. *Journal of Agricultural Engineering* 47, 1–6.
- Cockshull, K.E. and Ho, L.C. (1995) Regulation of tomato fruit size by plant density and truss thinning. *Journal of Horticultural Science* 70, 395–407.
- Costa, J.M. and Heuvelink, E. (2000) *Greenhouse Horticulture in Almeria (Spain): Report on a Study Tour, 24–29 January 2000*. Horticultural Production Chains Group, Wageningen University, Wageningen, The Netherlands.

- De Gelder, A. and Dieleman, J.A. (2012) Validating the concept of the next generation greenhouse cultivation: an experiment with tomato. *Acta Horticulturae* 952, 545–550.
- De Gelder, A., Heuvelink, E. and Opdam, J.J.G. (2005) Tomato yield in a closed greenhouse and comparison with simulated yields in closed and conventional greenhouses. *Acta Horticulturae* 691, 549–552.
- De Gelder, A., Dieleman, J.A., Bot, G.P.A. and Marcelis, L.F.M. (2012a) An overview of climate and crop yield in closed greenhouses. *Journal of Horticultural Science and Biotechnology* 87, 193–202.
- De Gelder, A., Poot, E.H., Dieleman, J.A. and De Zwart, H.F. (2012b) A concept for reduced energy demand of greenhouses: the next generation greenhouse cultivation in the Netherlands, *Acta Horticulturae* 952, 539–544.
- De Graaf, R. (1988) Automation of water supply of glasshouse crops by means of calculating the transpiration and measuring the amount of drainage water. *Acta Horticulturae* 229, 219–231.
- De Koning, A.N.M. (1990) Long term temperature integration of tomato: growth and development under alternating temperature regimes. *Scientia Horticulturae* 45, 117–127.
- De Koning, A.N.M. (1994) Development and dry matter distribution in glasshouse tomato: a quantitative approach. PhD Dissertation, Agricultural University, Wageningen, The Netherlands, 240 pp.
- Dieleman, J.A. and Kempkes, F.L.K. (2006) Energy screens in tomato: determining the optimal opening strategy. *Acta Horticulturae* 718, 599–606.
- Dueck, T.A., Janse, J., Eveleens-Clark, B.A., Kempkes, F.L.K. and Marcelis, L.F.M. (2012) Growth of tomatoes under hybrid LED and HPS lighting. *Acta Horticulturae* 952, 335–342.
- Fitz-Rodriguez, E., Kacira, M., Kubota, C., Linker, R. and Arbel, A. (2012) Neural network predictive control in a naturally ventilated and fog cooled greenhouse. *Acta Horticulturae* 952, 45–52.
- Giacomelli, G.A. and Roberts, W.J. (1993) Greenhouse covering systems. *HortTechnology* 3, 50–58.
- Gomez, C. and Mitchell, C.A. (2016) In search of an optimized supplemental lighting spectrum for greenhouse tomato production with intracanopy lighting. *Acta Horticulturae* 1134, 57–62.

- Gupta, R., Tiwari, G.N., Kumar, A. and Gupta, Y. (2012) Calculation of total solar fraction for different orientation of greenhouse using 3D-shadow analysis in Auto-CAD. *Energy and Buildings* 47, 27–34.
- Hand, D.W. (1988) Effects of atmospheric humidity on greenhouse crops. *Acta Horticulturae* 229, 143–155.
- Hao, X., Zheng, J.-M., Little, C. and Khosla, S. (2012) LED inter-lighting in year-round greenhouse mini-cucumber production. *Acta Horticulturae* 956, 335–340.
- Hemming, S., Dueck, T., Janse, J. and van Noort, F. (2008) The effect of diffuse light on crops. *Acta Horticulturae* 801, 1293–1300.
- Hemming, S., Kempkes, F.L.K. and Mohammadkhani, V. (2011) New glass coatings for high insulating greenhouses without light losses – energy saving, crop production and economic potentials. *Acta Horticulturae* 893, 217–226.
- Hemming, S., Swinkels, G.L.A.M., van Breugel, A.J. and Mohammadkhani, V. (2016) Evaluation of diffusing properties of greenhouse covering materials. *Acta Horticulturae* 1134, 309–316.
- Heuvelink, E., Bakker, M.J. and Stanghellini, C. (2003) Salinity effects on fruit yield in vegetable crops: a simulation study. *Acta Horticulturae* 609, 133–140.
- Heuvelink, E., Bakker, M.J., Hogendonk, L., Janse, J., Kaarsemaker, R. and Maaswinkel, R. (2006) Horticultural lighting in the Netherlands: new developments. *Acta Horticulturae* 711, 25–33.
- Higashide, T. and Heuvelink, E. (2009) Physiological and morphological changes over the past 50 years in yield components in tomato. *Journal of the American Society for Horticultural Science* 134, 460–465.
- Ho, L.C. (2004) The contribution of plant physiology in glasshouse tomato soilless culture. *Acta Horticulturae* 648, 19–25.
- Hochmuth, G. and Hochmuth, B. (1995) Challenges for growing tomatoes in warm climates. Greenhouse Tomato Seminar, Montreal, Quebec, Canada. American Society for Horticultural Science, ASHS Press, Alexandria, Virginia, pp. 34–36.
- Hochmuth, G.J., Hochmuth, R.C. and Carte, W.T. (1991) *Preliminary Evaluation of Production Media Systems for Greenhouse Tomatoes in Florida*. Research Report 91–17. Suwannee Valley Research and Education Center, Suwannee Valley, Live Oak, Florida.
- Horridge, J.S. and Cockshull, K.E. (1998) Effect on fruit yield of bending ('kinking') the peduncles of tomato inflorescences. *Scientia Horticulturae* 72, 111–122.
- Ikeda, H., Koohakan, P. and Jaenaksorn, T. (2001) Problems and countermeasures in

- the re-use of the nutrient solution in soilless production. *Acta Horticulturae* 578, 213–219.
- Jensen, M. (2002) Controlled environment agriculture in deserts, tropics and temperate regions – a world review. *Acta Horticulturae* 578, 19–25.
- Kempkes, F.L.K. and Hemming, S. (2012) Calculation of NIR effect on greenhouse climated in various conditions. *Acta Horticulturae* 927, 543–550.
- Kozai, T. (2015) Transplant production in closed systems – main components and their functions. In: Kozai, T., Niu, G. and Takagaki, M. (eds) *Plant Factory. An Indoor Vertical Farming System for Efficient Quality Food Production*. Academic Press, Cambridge, Massachusetts, pp. 237–242.
- Kozai, T., Kubota, C., Takagaki, M. and Maruo, T. (2015) Greenhouse environment control technologies for improving the sustainability of food production. *Acta Horticulturae* 1107, 1–13.
- Kubota, C. and Kroggel, M. (2006) Air temperature and illumination during transportation affect quality of mature tomato seedlings. *HortScience* 41, 1640–1644.
- Kubota, C., McClure, M.A., Kokalis-Burelle, N., Bausher, M.G. and Rosskopf, E.N. (2008) Vegetable grafting: history, use, and current technology status in North America. *HortScience* 43, 1664–1669.
- Kubota, C., Kroggel, M., Both, A.J., Burr, J.F. and Whalen, M. (2016) Does supplemental lighting make sense for my crop? Empirical evaluations. *Acta Horticulturae* 1134, 403–411.
- Leutscher, K.J., Heuvelink, E., Van de Merwe, R.A. and Van den Bosch, P.C. (1996) Evaluation of tomato cultivation strategies: uncertainty analysis using simulation. In: Lokhorst, C., Udink ten Cate, A.J. and Dijkhuizen, A.A. (eds) *Information and Communication Technology Applications in Agriculture: State of the Art and Future Perspectives*. Proceedings of the 6th International Congresss for Computer Technology in Agriculture (ICCTA '96). VIAS, Wageningen, The Netherlands, pp.492–497.
- Li, T., Heuvelink, E., Dueck, T.A., Janse, J., Gort, G. and Marcelis, L.F.M. (2014) Enhancement of crop photosynthesis by diffuse light: quantitfyng the contribution factors. *Annals of Botany* 114, 145–156.
- Marcelis, L.F.M., Maas, F.M. and Heuvelink, E. (2002) The latest development in the lighting technologies in Dutch horticulture. *Acta Horticulturae* 580, 35–42.
- Marcelis, L.F.M., Broekhuijsen, A.G.M., Meinen, E., Nijs, E.M.F.M. and Raaphorst, M.G.M. (2006) Quantification of the growth response to light quantity of greenhouse

- grown crops. *Acta Horticulturae* 711, 97–103.
- Montero, J.I., Henten, E.J.v., Son, J.E. and Castilla, N. (2011) Greenhouse engineering: new technologies and approaches. *Acta Horticulturae* 893, 51–63.
- Nederhoff, E.M. (1994) Effect of CO₂ concentration on photosynthesis, transpiration and production of greenhouse fruit vegetable crops. Dissertation, Wageningen Agricultural University, Wageningen, The Netherlands.
- OMAFRA (2001) *Growing Greenhouse Vegetables*. Publication 371. Ontario Ministry of Agriculture, Food and Rural Affairs, Toronto.
- Papadopoulos, A.P. and Hao, X.M. (1997a) Effects of greenhouse covers on seedless cucumber growth, productivity, and energy use. *Scientia Horticulturae* 68, 113–123.
- Papadopoulos, A.P. and Hao, X.M. (1997b) Effects of three greenhouse cover materials on tomato growth, productivity, and energy use. *Scientia Horticulturae* 70, 165–178.
- Papadopoulos, A.P., Pararajasingham, S., Shipp, J.L., Jarvis, W.R. and Jewett, T.J. (1997) Integrated management of greenhouse vegetable crops. *Horticultural Reviews* 21, 1–39.
- Peet, M.M., Willits, D.H. and Gardner, R. (1997) Response of ovule development and post-pollen production processes in male-sterile tomatoes to chronic, sub-acute high temperature stress. *Journal of Experimental Botany* 48, 101–112.
- Portree, J. (1996) *Greenhouse Vegetable Production Guide*. British Columbia Ministry of Agriculture, Fisheries and Food, Abbotsford, British Columbia.
- Qian, T., Dieleman, J.A., Elings, A., De Gelder, A. and Marcelis, L.F.M. (2015) Response of tomato crop growth and development to a vertical temperature gradient in a semiclosed greenhouse. *Journal of Horticultural Science and Biotechnology* 90, 578–584.
- Rijsdijk, A. (1999) Risico van condensatie bepalen met de computer. *Groenten en Fruit* 20, 12–13.
- Sabeh, N.C., Giacomelli, G.A. and Kubota, C. (2011) Water use in a greenhouse in a semi-arid climate. *Transactions of ASABE* 54, 1069–1077.
- Sarlikioti, V., de Visser, P.H.B., Buck-Sorlin, G.H. and Marcelis, L.F.M. (2011) How plant architecture affects light absorption and photosynthesis in tomato: towards an ideotype for plant architecture using a functional-structural plant model. *Annals of Botany* 108, 1065–1073.
- Sato, S., Peet, M.M. and Thomas, J.E. (2000) Physiological factors limit fruit set of tomato (*Lycopersicon esculentum* Mill.) under chronic high temperature stress. *Plant, Cell and Environment* 23, 719–726.
- Schwarz, D., Thompson, A.J. and Klaring, H.-P. (2014) Guidelines to use tomato in

- experiments with a controlled environment. *Frontiers in Plant Science* 5, 625.
- Sonneveld, C. and Voogt, W. (2009) *Plant Nutrition of Greenhouse Crops*. Springer, Dordrecht, The Netherlands.
- Sonneveld, C. and Welles, G.W.H. (1984) Growing vegetables in substrates in The Netherlands. *Proceedings 6th ISOSC International Congress on Soilless Culture*, pp. 613–632. ISOSC, Wageningen, The Netherlands.
- Stanghellini, C., Bontsema, J., De Koning, A. and Baeza, E.J. (2012) An algorithm for optimal fertilization with pure carbon dioxide in greenhouses. *Acta Horticulturae* 952, 119–124.
- Steppe, K. (2012) Plant sensors and models: getting the dialogue started. *Acta Horticulturae* 957, 277–280.
- Teitel, M., Baeza, E.J. and Montero, J.I. (2012) Greenhouse design: concepts and trends. *Acta Horticulturae* 952, 605–620.
- USDA (2013) *Organic production*. Economic Research Service (ERS), US Department of Agriculture, Washington, DC. Available at: <http://www.ers.usda.gov/data-products/organic-production.aspx> (accessed 21 January 2018).
- Van Straten, G., Van Willigenburg, G., Van Henten, E. and Van Ooteghem, R. (2011) *Optimal Control of Greenhouse Cultivation*. CRC Press, New York.
- Van Winden, C.M.M., Van Uffelen, J.A.M. and Welles, G.W.H. (1984) Comparison of the effect of single and double glass greenhouses on environmental factors and production of vegetables. *Acta Horticulturae* 148, 567–573.
- Willits, D.H. (2000) *The Effect of Ventilation Rate, Evaporative Cooling, Shading and Mixing Fans on Air and Leaf Temperatures in a Greenhouse Tomato Crop*. ASAE Paper No.00-4058. ASAE Meeting Presentation, Milwaukee, Wisconsin.
- Willits, D.H. and Peet, M.M. (1989) Predicting yield responses to different greenhouse CO₂ enrichment schemes: cucumbers and tomatoes. *Agricultural and Forest Meteorology* 44, 275–293.

第 10 章

- Abbott, J.A., Lu, R., Upchurch, B.L. and Stroshine, R.L. (1997) Technologies for nondestructive quality evaluation of fruits and vegetables. *Horticultural Reviews* 20, 1–120. doi: 10.1002/9780470650646.ch1.
- Biswas, P., East, A.R., Brecht, J.K., Hewett, E.W. and Heyes, J.A. (2012) Intermittent warming during low temperature storage reduces tomato chilling injury. *Postharvest Biology and Technology* 74, 71–78. doi: 10.1016/j.postharvbio.2012.07.002.
- Gupta, A., Pal, R.K. and Rajam, M.V. (2013) Delayed ripening and improved fruit

- processing quality in tomato by RNAi-mediated silencing of three homologs of 1-aminopropane-1-carboxylate synthase gene. *Journal of Plant Physiology* 170, 987–995. doi: 10.1016/j.jplph.2013.02.003.
- Kader, A.A. (1986) Effect of postharvest handling procedures on tomato quality. *Acta Horticulturae* 190, 209–221. doi: 10.17660/ActaHortic.1986.190.21.
- Klee, H.J. and Giovannoni, J.J. (2011) Genetics and control of tomato fruit ripening and quality attributes. *Annual Review of Genetics* 45, 41–59. doi: 10.1146/annurev-genet-110410-132507.
- Klee, H.J. and Tieman, D.M. (2013) Genetic challenges of flavor improvement in tomato. *Trends in Genetics* 29, 257–262. doi: 10.1016/j.tig.2012.12.003.
- Leshuk, J.A. and Saltveit, M.E. (1990) Controlled atmospheres and modified atmospheres for the preservation of vegetables. In: Calderon, M. and Barkai-Golan, R. (eds) *Food Preservation by Modified Atmospheres*. CRC Press, Boca Raton, Florida, pp. 315–352.
- Lu, J., Charles, M.T., Vigneault, C., Goyette, B. and Raghavan, G.S.V. (2010) Effect of heat treatment uniformity on tomato ripening and chilling injury. *Postharvest Biology and Technology* 56, 155–162. doi: 10.1016/j.postharvbio.2010.01.005.
- Luengwilai, K., Saltveit, M.E. and Beckles, D.M. (2012a) Metabolite content of harvested Micro-Tom tomato (*Solanum lycopersicum* L.) fruit is altered by chilling and protective heat-shock treatments as shown by GC–MS metabolic profiling. *Postharvest Biology and Technology* 63, 116–122. doi: 10.1016/j.postharvbio.2011.05.014.
- Luengwilai, K., Beckles, D.M. and Saltveit, M.E. (2012b) Chilling-injury of harvested tomato (*Solanum lycopersicum* L.) cv. Micro-Tom fruit is reduced by temperature pre-treatment. *Postharvest Biology and Technology* 63, 123–128. doi: 10.1016/j.postharvbio.2011.06.017.
- Milczarek, R.R., Saltveit, M.E., Garvey, T.C. and McCarthy, M.J. (2009) Assessment of tomato pericarp mechanical damage using multivariate analysis of magnetic resonance images. *Postharvest Biology and Technology* 52, 189–195. doi: 10.1016/j.postharvbio.2009.01.002.
- Rugkong, A., Rose, J.K.C., Lee, S.J., Giovannoni, J.J., O'Neill, M.A. and Watkins, C.B. (2010) Cell wall metabolism in cold-stored tomato fruit. *Postharvest Biology and Technology* 57, 106–113. doi: 10.1016/j.postharvbio.2010.03.004.
- Rugkong, A., McQuinn, R., Giovannoni, J.J., Rose, J.K.C. and Watkins, C.B. (2011) Expression of ripening-related genes in cold-stored tomato fruit. *Postharvest Biology*

- and Technology* 61, 1–14. doi: 10.1016/j.postharvbio.2011.02.009.
- Saltveit, M.E. (1997) A summary of CA and MA requirements and recommendations for harvested vegetables. In: *Seventh International Controlled Atmosphere Research Conference. Volume 4: Vegetables and Ornamentals*. Postharvest Horticulture Series 18. University of California, Davis, pp. 98–117.
- Saltveit, M.E. (2002) The rate of ion leakage from chilling-sensitive tissue does not immediately increase upon exposure to chilling temperatures. *Postharvest Biology and Technology* 26, 295–304. doi: 10.1016/S0925-5214(02)00049-2.
- Saltveit, M.E. (2005) Influence of heat shocks on the kinetics of chilling-induced ion leakage from tomato pericarp discs. *Postharvest Biology and Technology* 36, 87–92. doi: 10.1016/j.postharvbio.2004.10.007.
- Saltveit, M.E. and Cabrera, R.M. (1987) Tomato fruit temperature before chilling influences ripening after chilling. *HortScience* 22, 452–454.
- Saltveit, M.E. and Sharaf, A.R. (1992) Ethanol inhibits ripening of tomato fruit harvested at various degrees of ripeness without affecting subsequent quality. *Journal of the American Society for Horticultural Science* 117, 793–798.
- Sisler, E.C., Serek, M. and Dupille, E. (1996) Comparison of cyclopropene, 1-methylecyclopropene, and 3,3-dimethylcyclopropene as ethylene antagonists in plants. *Plant Growth Regulation* 18, 169–174. doi: 10.1007/BF00024378.
- Stevens, M.A. (1994) Processing tomato breeding in the 90's: a union of traditional and molecular techniques. *Acta Horticulturae* 376, 23–34. doi: 10.17660/ActaHortic.1994.376.1.
- Suslow, T.V. and Cantwell, M. (1997) Tomato: Recommendations for Maintaining Postharvest Quality. Postharvest Technology Center. University of California, Davis, California. Available at:
http://postharvest.ucdavis.edu/Commodity_Resources/Fact_Sheets/Datastores/Vegetables_English/?uid=36&ds=799 (accessed 23 March 2018).
- Venema, J.H., Linger, P., van Heusden, A.W., van Hasselt, P.R. and Bruggemann, W. (2005) The inheritance of chilling tolerance in tomato (*Lycopersicon* spp.). *Plant Biology* 7, 118–130. doi: 20.2055/s-2005-837495.
- Zamir, D., Grandillo, S. and Tanksley, S.D. (1999) Genes from wild species for the improvement of yield and quality of processing tomatoes. *Acta Horticulturae* 487, 285–288. doi: 10.17660/ActaHortic.1999.487.43.
- Zhang, Y., Butelli, E., De Stefano, R., Schoonbeek, H-j, Magusin, A. et al. (2013) Anthocyanins double the shelf life of tomatoes by delaying overripening and reducing

susceptibility to gray mold. *Current Biology* 23, 1094–1100. doi: 10.1016/j.cub.2013.04.072.

第 11 章

- Aldrich, H.T., Salandanan, K., Kendall, P., Bunning, M., Stonaker, F., Kulen, O. and Stushnoff, C. (2010) Cultivar choice provides options for local production of organic and conventionally produced tomatoes with higher quality and antioxidant content. *Journal of the Science of Food and Agriculture* 90, 2548–2555. doi: 10.1002/jsfa.4116.
- Anonymous (2013) Platform duurzame glastuinbouw. Available at: <http://edepot.wur.nl/283877> (accessed 14 May 2018).
- Bakker, J.C. (2011) New technologies developed for conventional growing systems: Possibilities for application in organic systems. *Acta Horticulturae* 915, 47–54. doi:10.17660/actahortic.2011.915.5.
- Barrett, D.M., Weakley, C., Diaz, J.V. and Watnik, M. (2007) Qualitative and nutritional differences in processing tomatoes grown under commercial organic and conventional production systems. *Journal of Food Science* 72, C441–C451. doi: 10.1111/j.1750-3841.2007.00500.x.
- Bhattarai, S.P., Pendergast, L. and Midmore, D.J. (2006) Root aeration improves yield and water use efficiency of tomato in heavy clay and saline soils. *Scientia Horticulturae* 108, 278–288. doi: 10.1016/j.scienta.2006.02.011.
- Campanelli, G. and Canali, S. (2012) Crop production and environmental effects in conventional and organic vegetable farming systems: the case of a long-term experiment in Mediterranean conditions (central Italy). *Journal of Sustainable Agriculture* 36, 599–619. doi: 10.1080/10440046.2011.646351.
- Campiglia, E., Mancinelli, R. and Radicetti, E. (2011) Influence of no-tillage and organic mulching on tomato (*Solanum lycopersicum* L.) production and nitrogen use in the Mediterranean environment of central Italy. *Scientia Horticulturae* 130, 588–598. doi: 10.1016/j.scienta.2011.08.012.
- Caris-Veyrat, C., Amiot, M.J., Tysandier, V., Grasselly, D., Buret, M. et al. (2004) Influence of organic versus conventional agricultural practice on the antioxidant microconstituent content of tomatoes and derived purees; consequences on antioxidant plasma status in humans. *Journal of Agricultural and Food Chemistry* 52, 6503–6509. doi: 10.1021/jf0346861.
- Castano, R., Borrero, C. and Aviles, M. (2011) Organic matter fractions by SP-MAS ¹³C NMR and microbial communities involved in the suppression of Fusarium

- wilt in organic growth media. *Biological Control* 58, 286–293. doi: 10.1016/j.biocontrol.2011.05.011.
- Chassy, A.W., Bui, L., Renaud, E.N., Van Horn, M. and Mitchell, A.E. (2006) A threeyear comparison of the content of antioxidant microconstituents and several quality characteristics in organic and conventionally managed tomatoes and bell peppers. *Journal of Agricultural and Food Chemistry* 54, 8244–8252. doi: 10.1021/jf060950p.
- Chellemi, D.O., Wu, T., Graham, J.H. and Church, G. (2012) Biological impact of divergent land management practices on tomato crop health. *Phytopathology* 102, 597–608. doi: 10.1094/phyto-08-11-0219.
- Chitwood, D.J. (2002) Phytochemical based strategies for nematode control. *Annual Review of Phytopathology* 40, 221–249. doi: 10.1146/annurev.phyto.40.032602.130045.
- Clark, A. (ed.) (2007) Managing Cover Crops Profitably. 3rd edn. Sustainable Agriculture and Education Handbook series book 9. SARE Outreach (Sustainable Agriculture Research & Education), Sustainable Agriculture Network, Beltsville, Maryland. Available at: <http://www.sare.org/Learning-Center/Books/Managing-Cover-Crops-Profitably-3rd-Edition> (accessed 9 November 2014).
- Clark, M.S., Horwath, W.R., Shennan, C., Scow, K.M., Lantni, W.T. and Ferris, H. (1999) Nitrogen, weeds and water as yield-limiting factors in conventional, low-input, and organic tomato systems. *Agriculture, Ecosystems and Environment* 73, 257–270. doi: 10.1016/s0167-8809(99)00057-2.
- Colla, G., Mitchell, J.P., Poudel, D.D. and Temple, S.R. (2002) Changes of tomato yield and fruit elemental composition in conventional, low input, and organic systems. *Journal of Sustainable Agriculture* 20 (2), 53–67. doi: 10.1300/j064v20n02_07.
- de Bon, H., Langlais, C., To, H.T.T., Buy, T.K., Nguyen, M.T., Nguyen, T.T.H. and Moustier, P. (2012) Horticultural organic production in Northern Vietnam: technical or economic questions? *Acta Horticulturae* 933, 641–644. doi: 10.17660/actahortic.2012.933.84.
- Delate, K., Cwach, D. and Chase, C. (2012) Organic no-tillage system effects on soybean,corn and irrigated tomato production and economic performance in Iowa, USA. *Renewable Agriculture and Food Systems* 27, 49–59. doi: 10.1017/

s1742170511000524.

- De Pascale, S., Maggio, A., Orsini, F. and Barbieri, G. (2016) Cultivar, soil type, nitrogen source and irrigation regime as quality determinants of organically grown tomatoes. *Scientia Horticulturae* 199, 88–94. doi: 10.1016/j.scienta.2015.12.037.
- Diver, S., Kuepper, G., Born, H., Hinman, T., Baier, A. and Riesselman, L. (2012) Organic tomato production. ATTRA – National Sustainable Agriculture Information Service, Rural Business – Cooperative Service, United States Department of Agriculture. Available at: attra.ncat.org/attra-pub/summaries/summary.php?pub=33 (accessed 19 March 2017).
- Dorais, M. and Alsanius, B.W. (2015). Advances and trends in organic fruit and vegetable farming research. *Horticultural Reviews* 43, 185–267. doi: 10.1002/9781119107781.ch04.
- Dorais, M. and Cull, A. (2017) Organic protected horticulture in the world. *Acta Horticulturae* 1164, 922. doi: 10.17660/ActaHortic.2017.1164.2.
- Dorais, M. and Pepin, S. (2011) Soil oxygenation effects on growth, yield and nutrition of organic greenhouse tomato crops. *Acta Horticulturae* 915, 91–99. doi: 10.17660/actahortic.2011.915.11.
- Dorais, M., Ehret, D.L. and Papadopoulos, A.P. (2008) Tomato (*Solanum lycopersicum*) health components: from the seed to the consumer. *Phytochemistry Reviews* 7, 231–250. doi: 10.1007/s11101-007-9085-x.
- Dorais, M., Jean-Paul, C., Gravel, V., Rochette, P., Antoun, H. and Menard, C. (2011) Oxygen enrichment for organic greenhouse crops. *Proceedings of the 17th IFOAM Organic is Life* 1, 410–413. Available at: http://isofar.org/isofar/images/conferences/Proceedings/ISOFAR_Proceedings_2011_Namyangju_KOR_V1.pdf.
- Dorais, M., Anton, A., Montero, J.I. and Torrellas, M. (2014). Environmental impact of soil and demarcated bed grown organic greenhouse tomatoes. *Acta Horticulturae* 1041, 291–298. doi: 10.17660/actahortic.2014.1041.35.
- Dorais, M., Alsanius, B.W., Voogt, W., Pepin, S., Tuzel, H., Tuzel, Y. and Moller, K. (2016) Impact of water quality and irrigation management on organic greenhouse horticulture. BioGreenhouse COST Action FA 1105 (www.biogreenhouse.org). doi: 10.18174/373585.
- Eggert, F.M. (1983) Effect of soil management practices on yield and foliar nutrient concentration of dry beans, carrots, and tomatoes. In: Lockeretz, W. (ed.) *Environmentally Sound Agriculture*. Praeger, New York, pp. 247–259.
- Fernandez, V. and Eichert, T. (2009) Uptake of hydrophilic solutes through plant leaves: current state of knowledge and perspectives of foliar fertilization. *Critical*

- Reviews in Plant Sciences* 28, 36–68. doi: 10.1080/07352680902743069.
- Gamliel, A. and van Bruggen, A.H.C. (2016) Maintaining soil health for crop production in organic greenhouses. *Scientia Horticulturae* 208, 120–130. doi: 10.1016/j.scienta.2015.12.030.
- Giotis, C., Markelou, E., Theodoropoulou, A., Toufexi, E., Hodson, R. et al. (2009) Effect of soil amendments and biological control agents (BCAs) on soil-borne root diseases caused by *Pyrenopeziza lycopersici* and *Verticillium albo-atrum* in organic greenhouse tomato production systems. *European Journal of Plant Pathology* 123, 387–400. doi: 10.1007/s10658-008-9376-0.
- Gomez-Rodriguez, O., Zavaleta-Mejia, E., Gonzalez-Hernandez, V.A., Livera-Munoz, M. and Cardenas-Soriano, E. (2003) Allelopathy and microclimatic modification of intercropping with marigold on tomato early blight disease development. *Field Crops Research* 83, 27–34. doi: 10.1016/s0378-4290(03)00053-4.
- Granatstein, D., Kirby, E. and Willer, H. (2010) Organic horticulture expands globally. *Chronica Horticulturae* 50, 31–38.
- Gravel, V., Blok, W., Hallman, E., Carmona-Torres, C., Wang, H. et al. (2010) Differences in N uptake and fruit quality between organically and conventionally grown greenhouse tomatoes. *Agronomy for Sustainable Development* 30, 797–806. doi: 10.1051/agro/2010025.
- Gravel, V., Menard, C. and Dorais, M. (2011a) Organic greenhouse tomato production in raised bed containers: a two-year study. *Acta Horticulturae* 915, 69–74. doi: 10.17660/actahortic.2011.915.8.
- Gravel, V., Menard, C., Dorais, M. and Pepin, S. (2011b) Greenhouse tomato plant development under organic growing conditions: a case study of six organic soils. *Acta Horticulturae* 915, 83–89. doi: 10.17660/actahortic.2011.915.10.
- Gravel, V., Dorais, M., Dey, D. and Vandenberg, G. (2014) Suppressiveness of fish effluents against two greenhouse tomato pathogens: *Pythium ultimum* and *Fusarium oxysporum*. *Canadian Journal of Plant Science* 95, 427–436. doi: 10.4141/cjps-2014-315.
- Gruyer, N., Dorais, M., Alsanius, B.W. and Zagury, G.J. (2013a) Simultaneous removal of nitrate and sulphate from greenhouse effluent by artificial wetlands. *Journal of Environmental Quality* 42, 1256–1266. doi: 10.2134/jeq2012.0306.
- Gruyer, N., Dorais, M., Zagury, G.J. and Alsanius, B.W. (2013b) Removal of plant pathogens from recycled greenhouse effluent using artificial wetlands. *Agricultural Water Management* 117, 153–158. doi: 10.1016/j.agwat.2012.11.009.
- Hartz, T.K. and Johnstone, P.R. (2006) Nitrogen availability from

- high-nitrogencontaining organic fertilizers. *HortTechnology* 16, 39–42.
- Hasna, M.K., Martensson, A., Persson, P. and Ramert, B. (2007) Use of composts to manage corky root disease in organic tomato production. *Annals of Applied Biology* 151, 381–390. doi: 10.1111/j.1744-7348.2007.00178.x.
- Herencia, J.F., Garcia-Galavis, P.A., Dorado, J.A.R. and Maqueda, C. (2011) Comparison of nutritional quality of the crops grown in an organic and conventional fertilized soil. *Scientia Horticulturae* 129, 882–888. doi: 10.1016/j.scienta.2011.04.008.
- Jack, A.L.H., Rangarajan, A., Culman, S.W., Sooksa-Nguan, T. and Thies, J.E. (2011) Choice of organic amendments in tomato transplants has lasting effects on bacterial rhizosphere communities and crop performance in the field. *Applied Soil Ecology* 48, 94–101. doi: 10.1016/j.apsoil.2011.01.003.
- Janssen, B.H. (2011) Simple models and concepts as tools for the study of sustained soil productivity in long-term experiments. II. Crop nutrient equivalents, balanced supplies of available nutrients, and NPK triangles. *Plant and Soil* 339, 17–33. doi: 10.1007/s11104-010-0590-0.
- Kadoglidiou, K., Lagopodi, A., Karamanolis, K., Vokou, D., Bardas, G.A., Menexes, G. and Constantinidou, H.-I.A. (2011) Inhibitory and stimulatory effects of essential oils and individual monoterpenoids on growth and sporulation of four soil-borne fungal isolates of *Aspergillus terreus*, *Fusarium oxysporum*, *Penicillium expansum*, and *Verticillium dahliae*. *European Journal of Plant Pathology* 130, 297–309. doi: 10.1007/s10658-011-9754-x.
- Kaiser, C. and Ernst, M. (2011) Organic tomatoes. University of Kentucky Cooperative Extension Service, Lexington, Kentucky. Available at: <http://www.uky.edu/ccc/sites/www.uky.edu.ccc/files/organictomatoes.pdf> (accessed 14 June 2018).
- Kasselaki, A.-M., Malathrakis, N.E., Goumas, D.E., Cooper, J.M. and Leifert, C. (2008) Effect of alternative treatments on seed-borne *Didymella lycopersici* in tomato. *Journal of Applied Microbiology* 105, 36–41. doi: 10.1111/j.1365-2672.2007.03715.x.
- Kasselaki, A.-M., Goumas, D., Tamm, L., Fuchs, J., Cooper, J. and Leifert, C. (2011) Effect of alternative strategies for the disinfection of tomato seed infected with bacterial canker (*Clavibacter michiganensis* subsp. *michiganensis*). *NJAS – Wageningen Journal of Life Sciences* 58, 145–147. doi: 10.1016/j.njas.2011.07.001.
- Kelly, S.D. and Bateman, A.S. (2010) Comparison of mineral concentrations in commercially grown organic and conventional crops – tomatoes (*Lycopersicon esculentum*) and lettuces (*Lactuca sativa*). *Food Chemistry* 119, 738–745. doi: 10.1016/j.foodchem.2009.07.022.

- Kleinhenz, M.D. (2015) Description of Commercial Tomato Rootstocks as of February 5, 2015.USDA. Available at: <http://www.vegetablegrafting.org/wp/wp-content/uploads/2015/02/usda-scri-tomato-rootstock-table-feb-15.pdf> (accessed 30 March 2017).
- Koller, M., Alfoldi, T., Siegrist, M. and Weibel, F. (2004) A comparison of plant and animal based fertiliser for the production of organic vegetable transplants. *Acta Horticulturae* 631, 209–215. doi: 10.17660/actahortic.2004.631.27.
- Lemay, I., Caron, J., Dorais, M. and Pepin, S. (2012) Defining irrigation set points based on substrate properties for variable irrigation and constant matric potential devices in greenhouse tomato. *HortScience* 47, 1141–1152.
- Lopez-Martinez, J.D., Vasquez-Diaz, D.A., Esparza-Rivera, J.R., Gardia-Hernandez, J.I., Castruita-Segura, M.A. and Preciado-Rangel, P. (2016) Yield and nutraceutical quality of tomato fruit produced with nutrient solutions prepared using organic materials. *Revista Fitotecnia Mexicana* 39(4), 409–414.
- Madden, N.M., Mitchell, J.P., Lanini, W.T., Cahn, M.D., Herrero, E.V. et al. (2004) Evaluation of conservation tillage and cover crop systems for organic processing tomato production. *HortTechnology* 14, 243–250.
- Maynard, A.A. (1995) Cumulative effect of annual additions of MSW compost on the yield of field-grown tomatoes. *Compost Science and Utilization* 3, 47–54. doi: 10.1080/1065657x.1995.10701781.
- Mitchell, A.E., Hong, Y.-J., Koh, E., Barrett, D.M., Bryant, D.E., Ford Denison, R. and Kaffka, S. (2007) Ten-year comparison of the influence of organic and conventional crop management practices on the content of flavonoids in tomatoes. *Journal of Agricultural and Food Chemistry* 55, 6154–6159. doi: 10.1021/jf070344+.
- Noble, R. and Coventry, E. (2005) Suppression of soil-borne plant diseases with composts: a review. *Biocontrol Science and Technology* 15, 3–20. doi: 10.1080/09583150400015904.
- Oliveira, A.B., Moura, C.F.H., Gomes-Filho, E., Marco, C.A., Urban, L. and Miranda, M.R.A. (2013) The impact of organic farming on quality of tomatoes is associated to increased oxidative stress during fruit development. *PLoS One* 8, 1–6. doi: 10.1371/journal.pone.0056354.
- Orsini, F., Maggio, A., Rouphael, Y. and De Pascale, S. (2016) ‘Physiological quality’ of organically grown vegetables. *Scientia Horticulturae* 208, 131–139. doi: 10.1016/j.scienta.2016.01.033.
- Papadopoulos, A.P., Madhiyazhagan, R., Hao, X., Khosla, S., Ehret, D.L. and Lin, W.C. (2011) Integrated systems for the production of organic greenhouse tomatoes. *Acta Horticulturae* 893, 1201–1208. doi: 10.17660/actahortic.2011.893.140.

- Partey, S.T., Quashie-Sam, S.J., Thevathasan, N.V. and Gordon, A.M. (2011) Decomposition and nutrient release patterns of the leaf biomass of the wild sunflower (*Tithonia diversifolia*): a comparative study with four leguminous agroforestry species. *Agroforestry Systems* 81, 123–134. doi: 10.1007/s10457-010-9360-5.
- Pepin, S., Dorais, M., Gruyer, N. and Menard, C. (2008) Changes in mineral content and CO₂ release from organic greenhouse soils incubated under two different temperatures and moisture conditions (poster). In: *Cultivating the Future Based on Science, Vol. 1, Organic Crop Production, Proceedings of the 2nd Scientific Conference of the International Society of Organic Agriculture Research*. ISOFAR, Cheonan, Republic of Korea, pp. 648–651.
- Pieper, J.R. and Barrett, D.M. (2009) Effects of organic and conventional production systems on quality and nutritional parameters of processing tomatoes. *Journal of the Science of Food and Agriculture* 89, 177–194. doi: 10.1002/jsfa.3437.
- Poudel, D.D., Horwath, W.R., Lanini, W.T., Temple, S.R. and van Bruggen, A.H.C. (2002) Comparison of soil N availability and leaching potential, crop yields and weeds in organic, low-input and conventional farming systems in northern California. *Agriculture, Ecosystems and Environment* 90, 125–137. doi: 10.1016/s0167-8809(01)00196-7.
- Raffaelli, M., Fontanelli, M., Frasconi, C., Sorelli, F., Ginanni, M. and Peruzzi, A. (2011) Physical weed control in processing tomatoes in Central Italy. *Renewable Agriculture and Food Systems* 26, 95–103. doi: 10.1017/s1742170510000578.
- Raviv, M., Oka, Y., Katan, J., Hadar, Y., Yoge, A. et al. (2005) High-nitrogen compost as a medium for organic container-grown crops. *Bioresource Technology* 96, 419–427. doi: 10.1016/j.biortech.2004.06.001.
- Reeve, J. and Drost, D. (2012) Yields and soil quality under transitional organic high tunnel tomatoes. *HortScience* 47, 38–44.
- Riahi, A., Hdider, C., Sanaa, M., Tarchoun, N., Ben Kheder, M. and Guezal, I. (2009) Effect of conventional and organic production systems on the yield and quality of field tomato cultivars grown in Tunisia. *Journal of the Science of Food and Agriculture* 89, 2275–2282. doi: 10.1002/jsfa.3720.
- Rippy, J.F.M., Peet, M.M., Louws, F.J., Nelson, P.V., Orr, D.B. and Sorensen, K.A. (2004) Plant development and harvest yields of greenhouse tomatoes in six organic growing systems. *HortScience* 39, 223–229.
- Rossi, F., Godani, F., Bertuzzi, T., Trevisan, M., Ferrari, F. and Gatti, S. (2008) Health-promoting substances and heavy metal content in tomatoes grown with different

- farming techniques. *European Journal of Nutrition* 47, 266–272. doi: 10.1007/s00394-008-0721-z.
- Sangha, J.S., Kelloway, S., Critchley, A.T. and Prithiviraj, B. (2014) Seaweeds (Macroalgae) and their extracts as contributors plant productivity and quality: the current status of our understanding. *Advances in Botanical Research* 71, 189–219. doi: 10.1016/b978-0-12-408062-1.00007-x.
- Schmutz, U., Sumption, P. and Lennartsson, M. (2011) Economics of UK organic protected cropping. *Acta Horticulturae* 915, 39–46. doi: 10.17660/actahortic.2011.915.4.
- Schonbeck, M., Damian, K., Dawling, P. and Maloney, C. (2006) *Tomatoes: Organic Production in Virginia*. VABF information sheet No. 5-06. Virginia Association for Biological Farming, Richmond, Virginia. Available at: <http://vabf.org/wp-content/uploads/2012/03/tomatoes.pdf> (accessed 14 June 2018).
- Schwarz, D., Colla, G., Rousphae, Y. and Venema, J.H. (2010) Grafting as a tool to improve tolerance of vegetables to abiotic stresses: thermal stress, water stress and organic pollutants. *Scientia Horticulturae* 127(2), 162–171. doi: 10.1016/j.scienta.2010.09.016.
- Skal Biocontrole (2010) *About Skal*. Zwolle, The Netherlands. Available at: www.skal.nl/home-en-gb/about-skal (accessed 19 March 2017).
- Smukler, S.M., O'Geen, A.T. and Jackson, L.E. (2012) Assessment of best management practices for nutrient cycling: a case study on an organic farm in a Mediterranean type climate. *Journal of Soil and Water Conservation* 67, 16–31. doi: 10.2489/jswc.67.1.16.
- Speiser, B., Wyss, E. and Maurer, V. (2006) Biological control in organic production: first choice or last option? In: Eilenberg, J. and Hokkanen, H.M.T. (eds) *An Ecological and Societal Approach to Biological Control*. Springer, Dordrecht, The Netherlands, pp. 27–46. doi: 10.1007/1-4020-4401-1_3.
- Sullivan, P. (2003) Overview of cover crops and green manures. ATTRA – National Sustainable Agriculture Information Service, Rural Business – Cooperative Service, United States Department of Agriculture. NCAT (National Center for Appropriate Technology), Butte, Montana. Available at: attra.ncat.org/attra-pub/summaries/summary.php?pub=288 (accessed 19 March 2017).
- Tabaglio, V., Gavazzi, C. and Nervo, G. (2008) A comparison of organically and conventionally grown vegetable crops: results from a 4-year field experiment. *Proceedings Second Scientific Conference of the International Society for Organic Agricultural Research* (ISO FAR). Available at: <http://orgprints.org/13672> and

<http://orgprints.org/13674> (accessed 14 June 2018).

- Tittarelli, F., Bath, B., Ceglie, F.G., del Carmen Garcia, M., Moller, K. *et al.* (2016) Soil fertility management. In: Van der Wurff, A.W.G., Fuchs, J.G., Raviv, M. and Termorshuizen, A.J. (eds) *Organic Greenhouses in Europe*. BioGreenhouse, COST Action FA 1105 (www.biogreenhouse.org). doi: 10.18174/373583.
- Tuomisto, H.L., Hodge, J.D., Riordan, P. and Macdonald, D.W. (2012) Does organic farming reduce environmental impacts? A meta-analysis of European research. *Journal of Environmental Management* 112, 309–320.
- Vallverdu-Queralt, A., Jauregui, O., Medina-Remon, A. and Lamuela-Raventos, R.M. (2012) Evaluation of a method to characterize the phenolic profile of organic and conventional tomatoes. *Journal of Agricultural and Food Chemistry* 60, 3373–3380. doi: 10.1021/jf204702f.
- van der Lans, C.J.M., Meijer, R.J.M. and Blom, M. (2011) A view of organic greenhouse horticulture worldwide. *Acta Horticulturae* 915, 15–22. doi: 10.17660/actahortic.2011.915.1.
- Van der Wurff, A.W.G., Fuchs, J.G., Raviv, M. and Termorshuizen, A.J. (2016) *Handbook for Composting and Compost Use in Organic Horticulture*. BioGreenhouse, COST Action FA 1105 (www.biogreenhouse.org). doi: 10.18174/375218.
- Vermeulen, P.C.M. and van der Lans, C.J.M. (2011) Combined heat and power (CHP) as a possible method for reduction of the CO₂ footprint of organic greenhouse horticulture. *Acta Horticulturae* 915, 61–68. doi: 10.17660/actahortic.2011.915.7.
- Voogt, W., de Visser, P.H.E., van Winkel, A., Cuijpers, W.J.M. and van de Burgt, G.J.H.M. (2011) Nutrient management in organic greenhouse production: navigation between constraints. *Acta Horticulturae* 915, 75–82. doi: 10.17660/actahortic.2011.915.9.
- Wang, Q., Klassen, W., Li, Y. and Codallo, M. (2009) Cover crops and organic mulch to improve tomato yields and soil fertility. *Agronomy Journal* 101, 345–351. doi: 10.2134/agronj2008.0103.
- Woltz, S.S., Jones, J.P. and Scott, J.W. (1992) Sodium chloride, nitrogen source, and lime influence Fusarium crown rot severity in tomato. *HortScience* 27, 1087–1088.
- Workneh, F. and van Bruggen, A.H.C. (1994) Suppression of corky root of tomatoes in soils from organic farms associated with soil microbial activity and nitrogen status of soil and tomato tissue. *Phytopathology* 84, 688–694. doi: 10.1094/phyto-84-688.
- Xie, Y.L., Yang, H.F., Liang, L.N. and Li, J. (2011) Dynamic changes of soil chemical and biological properties in organic/integrated/conventional vegetable

growing systems in greenhouse. In: *Organic is Life - Knowledge for Tomorrow, Vol. 1, Organic Crop Production, Proceedings of the 3rd Scientific Conference of the International Society of Organic Agriculture Research*. ISOFAR, Cheonan, Republic of Korea, pp. 90–93.

Xu, H.L., Qin, F.F., Xu, Q.C., Li, J.M., Ma, G. and Shah, R.P. (2012) Improvements in disease resistance and fruit quality of organic tomato intercropped with living mulch of turfgrass. *Journal of Food, Agriculture and Environment* 10, 593–597.

Zhai, Z., Ehret, D.L., Forge, T., Helmer, T., Lin, W., Dorais, M. and Papadopoulos, A.P.(2009) Organic fertilizers for greenhouse tomatoes: productivity and substrate microbiology. *HortScience* 44(3), 800–809.

Zotarelli, L., Dukes, M.D., Scholberg, J.M.S., Munoz-Carpena, R. and Iceman, J. (2009) Tomato nitrogen accumulation and fertilizer use efficiency on a sandy soil, as affected by nitrogen rate and irrigation scheduling. *Agricultural Water Management* 96, 1247–1258. doi: 10.1016/j.agwat.2009.03.019.